

# **Technical Data Sheet**

# Icorene HDPE 50 2053 NATURAL

High Density Polyethylene

## **Product Description**

*Icorene* HDPE 50 2053 NATURAL is a Polyethylene, High Density material.



Nominal		
Value	Units	Test Method
20	g/10 min	ASTM D1238
0.952	g/cm³	ASTM D1505
24.8	MPa	ASTM D638
965 to 1240	MPa	ASTM D790
300	%	ASTM D638
<-70.6	°C	ASTM D746
122	°C	ASTM D1525
	20 0.952 24.8 965 to 1240 300 <-70.6	20 g/10 min 0.952 g/cm³  24.8 MPa 965 to 1240 MPa 300 %  <-70.6 °C

### **Notes**

These are typical property values not to be construed as specification limits.

## **Processing Techniques**

Specific recommendations for resin type and processing conditions can only be made when the end use, required properties and fabrication equipment are known.

### **Company Information**

For further information regarding the LyondellBasell company, please visit http://www.lyb.com/.

© LyondellBasell Industries Holdings, B.V. 2018

#### Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative.

#### **Trademarks**

The Trademark referenced within the product name is owned or used by the LyondellBasell family of companies.