August 19, 2019

minli hongrunplas In CHINA Guangdong Province Dongguan City Zhangmutou town



# Purell RP270G

A product of Basell Sales & Marketing Company B.V.

Dear minli:

The following is in response to your request for Product Stewardship Information (PSInfo) for the product listed above. The attached Product Stewardship Bulletin (PSB) details the regulatory status of this product.

LyondellBasell Industries responds to product stewardship requests with a standardized Product Stewardship Bulletin (PSB) which summarizes the global regulatory status of a product. LyondellBasell Industries will not complete customers' forms or questionnaires. Standardized responses provide each customer with consistent information in a timely fashion. Each request is reviewed to ensure our response documents provide relevant information.

Please note that compliance with these regulations should not be interpreted to guarantee that the product, will, in fact, perform in a particular application. Your Technical Service Representative can help you determine that the characteristics of the product are compatible with the desired conditions of use.

Should you have any further questions concerning a LyondellBasell product, or if we can assist in any other way, please do not hesitate to contact us.

Best regards,

Micaela Poltronieri Product Safety Specialist +39 0532 46 8087 micaela.poltronieri@lyondellbasell.com

# Product Stewardship Bulletin



# Purell RP270G

A product of Basell Sales & Marketing Company B.V.

# **Global Food Contact Status:**

# **European Union**

This product complies with the relevant requirements of Regulation 1935/2004/EC (Framework Regulation) as applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 2023/2006/EC (GMP) and as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 10/2011/EC (PIM) as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

The monomers and additives used to produce this product are listed in the Union List of Authorized Substances of Regulation 10/2011/EC and subsequent amendments.

EU Regulation 10/2011/EC specifies 10 mg/dm2 as the maximum overall migration (OML) from the finished plastic food contact material or article. The OML and SMLs (when applicable) should be determined according to the requirements specified in EU Regulation 10/2011/EC and subsequent amendments. The OML and SML determinations are the responsibility of the manufacturer of the finished plastic food contact material or article. In addition, we remind you that the manufacturers of the finished food contact material or article must verify that the finished material or article, manufactured according to good manufacturing practices, does not modify the organoleptic properties of the food.

# SML Components

This product contains one or more components with Specific Migration Limits (SMLs).

39815; 9,9-bis(methoxymethyl)-9H-fluorene; SML = 0.05mg/kg

SML = 1 mg/kg (expressed as Aluminium)

This product contains one or more Dual Use Additives as defined in Regulation 10/2011/EC.

- E 470a Sodium salts of fatty acids
- E 470b Magnesium salts of fatty acids

# **United States**

The base resin in this product meets the FDA requirements contained in the Code of Federal Regulations in 21 CFR 177.1520(a)(3)(i) and (c)3.2a.

This product may also contain adjuvant substances that may be safely used in polymers used for the manufacture of articles that come into direct contact with food. According to our information, the substances used in this product meet the requirements of their respective FDA regulations and 21 CFR 177.1520(b).

This product meets the FDA criteria in 21 CFR 177.1520 for food contact applications, including cooking, listed under conditions of use A through H in 21 CFR 176.170(c), Table 2, and can be used in contact with all food types as listed in 21 CFR 176.170(c), Table 1.

#### China

#### GB4806.1-2016 - Food Contact Material & Articles General Safety Requirement

This product complies with relevant requirements of GB4806.1-2016 - Food Contact Material & Articles General Safety Requirement, as applicable to Plastic Resins.

#### GB31603-2015: General Hygiene Standard for Production of Food Contact Materials and Articles

The manufacturing process of this product complies with the relevant requirements of GB31603-2015, as applicable to polymer resin production.

#### GB4806.6-2016 - National Food Safety Standard: Food Contact Resins

The base resin in this product complies with the specifications established in GB4806.6-2016, "National Food Safety Standard: Food Contact Resins", Appendix A.1, Serial Number 29, resin type PP."

No monomer(s) with SMLs are present in this base resin.

#### GB9685-2016 - National Food Safety Standard: Additives for use in Food Contact Materials and Articles

The additives used in this product comply with the requirement of "GB9685-2016 National Food Safety Standard: Additives for use in Food Contact Materials and Articles" and relevant approval announcements.

Additives with Max Residual (QM), Specific Migration Limit (SML) and/or Total Specific Migration Limit (SML (T)) are not intentionally used in this product.

#### General Remarks

GB4806.1-2016 "Food Contact Materials & Articles -General Safety Requirement" Clause 8.4, requires only the manufacturer of the finished plastic food contact article to declare compliance with OML specification.

Final plastic food contact articles may have additional compliance requirements and are the responsibility of the manufacturer of the finished plastic food article.

# **Allergen Statements**

# Allergen - Food Allergen European Regulation 1169/2011

The food ingredients listed in Annex II of Regulation (EU) No 1169/2011, are not used in the manufacture of or formulation of this product. However, this product has not been tested for these substances.

# **Biomedical Policy**

This product(s) may not be used in:

(i) any U.S. FDA Class I, Health Canada Class I, and/or European Union Class I Medical Devices, without prior notification to Seller for each specific product and application; or (ii) the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (1) U.S. FDA Class II, Health Canada Class II or Class III, and/or European Union Class II Medical Devices; (2) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned Medical Devices; (3) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; (4) tobacco related products and applications; (5) electronic cigarettes and similar devices.

(iii) Additionally, the product(s) may not be used in: (1) U.S. FDA Class III, Health Canada Class IV, and/or European Class III Medical Devices; (2) applications involving permanent implantation into the body; (3) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include other country's equivalent regulatory classifications.

#### Animal Based Raw-Materials (BSE/TSE)

#### Tallow

Tallow derived additives may be used in the manufacture of this product.

# Europe - BSE/TSE - "Mad Cow"

Tallow derived materials used in this product fullfill the requirements laid down in the Regulations 1069/2009/EC, and 142/2011/EC, and the "Note for Guidance EMA/410/01, and as amended.

#### **Epoxy Derivatives**

The materials BADGE, BFDGE or NOGE are not intentionally added in this product as referenced in Commission Regulation 1895/2005/EC, on the use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs as plasticizers, additives or raw materials.

# California Prop 65

Please refer to the US SDS for communications regarding California Proposition 65. In case US SDS is not available please contact global.chem.control@lyondellbasell.com.

# Conflict Minerals (Dodd-Frank Wall Street Reform and Consumer Protection Act - September, 2010)

Please see link below for the position of LyondellBasell concerning this Act:

https://www.lyondellbasell.com/en/investors/corporate-governance/?id=52

The link to this document is located in the right margin under the heading "Corporate Governance Documents" titled "Conflict Minerals Policy".

# Genetically Modified Organisms (GMO)

Additives derived from Genetically Modified Organisms (GMO's) are not intentionally used in the formulation of this product.

#### **Halal Certification**

This product is not certified as Halal.

#### **Kosher Certification**

This product is not certified Kosher.

#### Latex

No materials containing latex or natural rubber are used in the manufacturing, handling and packaging processes for this product.

# Medical

# European Pharmacopeia (EP)

This product meets the requirements of the monographs 3.1.3 (Polyolefins) and 3.1.6 (Polypropylene for containers and closures for parenteral preparations and ophthalmic preparations) - European Pharmacopoeia Edition 9.0

#### ISO 10993

Biological reactivity evaluations have been performed on representative samples of this product according with the requirements of USP 661.1; specifically the Chapter 88 - USP Biological Reactivity Tests, In Vivo for a Class VI plastic (Systemic Injection Test, Intracutaneous Test, Implantation Test) and Chapter 87 - Biological Reactivity Tests, in Vitro for polymeric materials (Elution Test). These USP tests may fit the requirements of certain sections of ISO 10993-5 (tests for in vitro cytotoxicity), 10993-10 (tests for irritation and skin sensitization) and 10993-11 (tests for systemic toxicity). Despite this, the manufacturer of a medical device made with this product must still evaluate the medical device to show that it fully meets the requirements of the applicable sections of ISO 10993.

# US Pharmacopeia (USP)

Representative samples of this product meet the requirements of USP Chapter 661.1 (Edition USP 39).

#### US FDA Drug Master File (DMF)

Information on this product is listed in DMF N. 13038. Contact LyondellBasell for a DMF authorization letter to be sent to FDA.

#### ICH Harmonized Guideline Q3D (Elemental Impurities)

The elemental impurities of Class 1, 2, 3 listed in the ICH Harmonized Guideline Q3D of 16 December 2014 are not intentionally used in the manufacture or formulation of this product. However this product has not been tested for these substances.

# **Metals Content**

#### **US CONEG**

Based on the available documentation provided by our raw material suppliers, this product complies with the CONEG Model Legislation for requirements regarding the defined limit for the sum of heavy metals (lead, mercury, cadmium and hexavalent chromium).

#### EU Packaging and Packaging Waste

Based on the available documentation from raw materials suppliers, this product complies with the directive 94/62/EC and as amended concerning the defined limit(s) of heavy metals.

#### **Restriction of Hazardous Substances in Electric and Electronic Equipment (RoHS)**

RoHS Regulation refers to electrical and electronic equipment and not specifically to plastic raw materials. However, based on the available documentation from raw materials suppliers, this product complies with the requirements of the Directives 2002/95/EC and 2011/65/EU, as amended, concerning the limits of cadmium, lead, mercury, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE), bis(2-ethylhexyl)phthalate (DEHP), butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP).

#### Nanomaterials

Nanomaterials (defined as natural, incidental or manufactured materials containing particles, in an unbound state or as an aggregate or as an agglomerate and where, for 50 % or more of the particles in the number size distribution, one or more external dimensions is in the size range 1 nm - 100 nm) are not used in the manufacture of or the formulation of this grade. However, this product has not been tested for these chemical substances.

# **Other Chemicals**

The chemical materials listed below are not intentionally used in the manufacture or the formulation of this product. However, this product has not been tested for these chemical materials.

- 2-(2H-1, 2, 3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol; (Benzotriazole); CAS# 3846-71-7;
- 2,4,4'-trichloro-2'-hydroxydiphenyl ether; (Triclosan); CAS# 3380-34-5;
- 2-mercaptobenzothiazole; MBT; CAS# 149-30-4;
- Acrolein; (propenal); (CAS# 107-02-8);
- Acrylamide; CAS# 79-06-1;
- Antimony;
- Aromatic amines;
- Arsenic;
- Asbestos;
- Azo Dyes and Pigments;
- Polyaromatic Hydrocarbons PAHs:

1.2-dihydro-acenaphthene; (CAS# 83-32-9); Acenaphthylene; (CAS# 208-96-8); Anthracene; (CAS# 120-12-7); Benz(a)anthracene; (CAS# 56-55-3); Benzo(a)pyrene; (CAS# 50-32-8); Benzo(b)fluoranthene; (CAS# 205-99-2); Benzo(e)pyrene; (CAS# 192-97-2); Benzo(ghi)perylene; (CAS# 191-24-2); Benzo(j)fluoranthene; (CAS# 205-82-3); Benzo(k)fluoranthene; (CAS# 207-08-9); Chrysene; (CAS# 218-01-9); Dibenz(a,h)anthracene; (CAS# 53-70-3); Fluoranthene: (CAS# 206-44-0): Indeno(1,2,3-cd)pyrene; (CAS# 193-39-5); Naphthalene; (CAS# 91-20-3); Phenanthrene; (CAS# 85-01-8); Pyrene; (CAS# 129-00-0);

- Barium;
- Benzophenone; CAS RN 119-61-9;
- Bisphenol A; (BPA); CAS# 80-05-7;
- Bisphenol A diglycidyl ether; (BADGE); CAS# 1675-54-3;

- Bisphenol F diglycidyl ether; BFDGE; CAS# 2095-03-6;
- Butylated hydroxyanisole; (BHA); CAS# 121-00-6 & 25013-16-5;
- Butylated hydroxytoluene; (BHT); CAS# 128-37-0
- Cadmium;
- Chlorinated paraffins;
- Chromium;
- Cobalt;
- Copper;
- Cyanuric acid; (Isocyanuric Acid or CYA); CAS# 108-80-5;
- Dimethyl fumarate; (DMF); CAS# 624-49-7;
- Dioxins;
- Epichlorohydrin; (ECH); CAS# 106-89-8;
- Fluorocarbons;
- Fluorotelomers
- Formaldehyde; CAS# 50-00-0;
- Formaldehyde in specific conditions could be formed during further resin processing (see SDS)
- Gold(Au); CAS# 7440-57-5;
- Halogenated Flame Retardants
- Iridium;
- Melamine; (1,3,5-Triazine-2,4,6-triamine); CAS# 108-78-1;
- Lead;
- Lithium;
- Mercury;
- Molybdenum;
- Nickel; CAS# 7440-02-0;
- Nonylphenol; CAS# 25154-52-3;
- Nonylphenol ethoxylates;
- Novolac glycidyl ether;
- Organotin compounds;
- Osmium;
- Palladium;
- Perfluorochemicals; (PFCs);
- Perfluorooctane sulfonate; (PFOS); CAS# 1763-23-1;

- Perfluorooctanoic acid; (PFOA); CAS# 335-67-1;
- Platinum;

Plasticizers (e.g. DEHA, DINCH, BTHC, TOTM, etc.): DEHA bis(2-ethylhexyl) adipate; CASRN: 103-23-1 DINCH 1,2-Cyclohexanedicarboxylic acid, 1,2-diisononyl ester, CASRN: 166412-78-8 BTHC butyryl tri-n-hexyl citrate; CASRN: 82469-79-2; TOTM tris(2-ethylhexyl)benzene-1,2,4-tricarboxylate; CASRN: 3319-31-1 DINP; Diisononyl Phthalate; CASRN: 28553-12-0; DEHP; di(2-ethylhexyl) phthalate DOP; di-octyl phthalate; CASRN: 117-81-7; DIDP; di-iso-decyl phthalate; CASRN: 26761-40-0; DBP; di-butyl phthalate; or DNBP; di-n-butyl phthalate; CASRN 84-74-2; BBP; butyl benzyl phthalate; CASRN: 117-84-0; Glycerides, castor-oil mono-, hydrogenated, acetates; CASRN: 736150-63-3

- Polybrominated biphenyls; (PBBs);
- Polybrominated diphenyl ethers; (PDBEs);
- Polybrominated terphenyls; (PBTs);
- Polychlorinated biphenyls; (PCBs);
- Polychlorinated naphthalenes; (PCNs);
- Polychlorinated terphenyls; (PCTs);
- Polystyrene;
- Polyvinyl chloride; (PVC); CAS# 9002-86-2;
- Radioactive substances;
- Radon; CAS# 10043-92-2;
- Rhodium;
- Ruthenium;
- Selenium;
- Silver;
- Styrene monomer; CAS# 100-42-5;
- Sulphur dioxide; CAS# 7446-09-5;
- Thallium;
- Tin;
- Tin oxide (SnO2); (Cassiterite); CAS# 8062-08-6;
- Tris-nonylphenol phosphite; (TNPP); CAS# 26523-78-4;
- Vanadium;
- Vinyl chloride; CAS# 75-01-4;

Wolframite; Tungsten (W); CAS# 1332-08-7;

# Ozone Depleting Substances

### **European Union**

The ozone-depleting substances (ODS), listed in the Annexes I & II of the Regulation (EC) No 1005/2009 of 16 September 2009, are not intentionally used in the manufacture of or formulation of this product.

# **United States**

Materials listed in the Clean Air Act Amendments of 1990 (Class I, CFC's and Class II, HCFC's, Halons and the solvents, carbon tetrachloride and 1,1,1-trichloroethane) are not intentionally used in the production of this product.

# Phthalates

Phthalates are not used in the manufacture of or the formulation of this product. However, this product has not been tested for phthalates.

# **REACh Substances of Very High Concern (SVHC)**

This product does not contain any of the Annex XIV substances on the Authorisation list or Annex XIV candidate chemicals proposed to be Substances of Very High Concern for Authorisation (List as of July 16, 2019) above the 0.1 % threshold as stated in REACH (Article 57, Regulation No. 1907/2006) determined either through (i) non-use of the substance, (ii) mass balance calculation, or (iii) specific testing. The current list of all SVHCs can be found at ECHA website link listed below:

https://www.echa.europa.eu/candidate-list-table

#### **Global Chemical Control Regulations**

All ingredients in this product are in compliance with the following chemical inventories:

See Section 15, of the SDS (Safety Data Sheet) for Global Chemical Inventories.

#### **Global Toy Regulations:**

CEN EN Standards refer to safety of toys and not specifically to plastic raw materials. According to the information provided by our raw material suppliers, we deem this product should comply with the requirements of CEN standards EN71-3 / EN71-9 (as amended) as applicable to plastic raw materials (pellets, powder, flakes). However, this product has not been tested according to these CEN Standards.

#### VOC Content

# Switzerland VOC Declaration

This product contains less than 3% VOC's of the substances in the positive lists of the Switzerland Regulations "VOC-LENKUNGSABGABE."

# CEN Standard EN 13432:2004

This product is not suitable for composting.

# Energy Recovery - CEN Standard EN 13431:2004

The calorific gain from polypropylene in an energy recovery process is 24 MJ/kg.

# **Disclaimer on Pass/Fail Status**

Compliance statements, or statements regarding pass/fail status provided by Seller in this document are based on testing of representative samples and/or product composition assessment.

Seller makes no express or implied warranty by virtue of disclosing compliance or pass/fail status.

#### Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative.

#### Trademarks

The Trademark referenced within the product name is owned or used by the LyondellBasell family of companies.