	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasell
Hostalen ACP 6031D	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date 0	04/02/2021 Print Date 01/05/2022 SDS No.: BE7772
1. IDENTIFICATION OF THE SUBS	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name : CAS Number: :	Hostalen ACP 6031D 25087-34-7
Chemical characterization :	Polyethylene copolymer
Chemical name : Synonyms :	1-Butene, polymer with ethene Ethylene, polymer with 1-butene, Ethene-Butene copolymer
Identified uses :	Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses :	FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications
Company Address Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	Customer Service 888 777-0232 product.safety@lyb.com
Emergency telephone numbe EQUISTAR 800-245-4532	<u>r</u>
E-mail address Responsible/issuing person	product.safety@lyb.com
2. HAZARDS IDENTIFICATION	
<b>GHS Classification</b>	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
	1 / 13

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell
Hostalen ACP 6031D		Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date	04/02/2021 Print Date 01/	05/2022 SDS No.: BE7772
No additional information av	ailable.	
3. COMPOSITION/INFORMATION	ON INGREDIENTS	
Mixtures		
Components		
Chemical name	CAS-No.	<u>Weight %</u>
1-Butene, polymer with ethene	25087-34-7	> 99.5 %
Contains: Stabilizers		
4. FIRST AID MEASURES		
General advice	: Take proper precautions to before attempting rescue a	o ensure your own health and safety and providing first aid.
If inhaled	medical attention. In case of excessive inhala during heating of this mate Obtain medical attention.	r. If signs/symptoms continue, get ation of fumes that may be generated erial, move the person to fresh air. essary give Cardio-Pulmonary
In case of skin contact	large amounts of water to Do not attempt to peel poly skin.	the skin, immediately flush with cool the affected tissue and polymer. mer from skin as this will remove the ncy medical attention if burn is deep
In case of eye contact	: Flush eyes thoroughly with medical attention if discom	water for several minutes and seek fort persists.
	minutes.	with cool running water for at least 15 attempt to remove the material
If swallowed	: Adverse health effects due	e to ingestion are not anticipated.
	2 / 13	

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasel
Hostalen ACP 6031D	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date	04/02/2021 Print Date 01/05/2022 SDS No.: BE7772
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness ir
	the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation.
	Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control of
neament	symptoms and the clinical condition of the patient.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	: SMALL FIRE:
	Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be
igning	produced such as:
	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Special protective equipment	: Wear approved positive pressure self-contained breathing
for fire-fighters	apparatus and firefighter protective clothing.
Further information	: Combustible particulate solid, will decompose under fire conditions.
	Calorific Value: 8000 - 11000 kcal/kg
	Fight fire from safe distance with hose lines or monitor nozzles Heat from fire may melt, decompose polymer, and generate
	flammable vapors. Move containers from fire area if it can be done without risk.
	Evacuate immediately in the event of opening of storage
	container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire.
	Do not attempt to get on top of storage containers involved in fire.
	Cool storage containers with large volumes of water even after
	fire is out.
	3 / 13
	3713

SAFETY DATA SHEET	Ponciplastics. com
Hostalen ACP 6031D Version 1.0 Revision Date	Gen. Variant: SDS_US_GHS 04/02/2021 Print Date 01/05/2022 SDS No.: BE77
	04/02/2021 FIIII Date 01/05/2022 3D5 No DE11
ACCIDENTAL RELEASE MEAS	URES
Personal precautions	<ul> <li>Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protective equipment (PPE)</li> <li>Avoid generating dust.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Potential combustible dust hazard.</li> <li>Polymer particles create slipping hazard on hard smooth surfaces.</li> </ul>
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	<ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.</li> </ul>
. Handling and storage Precautions for safe handling	a
Advice on safe handling	9 : Material is in a pellet form.
Advice of sale handing	<ul> <li>Indiction is in a point form.</li> <li>If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.</li> <li>Avoid dust accumulation in enclosed space.</li> <li>Use dust collection systems designed per NFPA 654 to avoid dust accumulation.</li> <li>Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.</li> <li>Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion</li> <li>Electrostatic charge may build during conveying or handling.</li> <li>Equipment handling polymer should be conductive and grounded (earthed) and bonded.</li> </ul>
	4 / 13

	(+) <b>18816996168</b>
SAFETY DATA SHEET	Ponciplastics.com
Hostalen ACP 6031D	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date 0	04/02/2021 Print Date 01/05/2022 SDS No.: BE7772
	Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.
	: Polymer will burn but does not easily ignite.
Conditions for safe storage, in	
Requirements for storage areas and containers	<ul> <li>Store in a dry location.</li> <li>Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation.</li> <li>Store away from excessive heat and away from strong oxidizing agents.</li> <li>Keep container closed to prevent contamination.</li> <li>Take measures to prevent the build up of electrostatic charge.</li> </ul>
Specific end use(s)	
	: See Section 1.
8. EXPOSURE CONTROLS/PERSON	NAL PROTECTION

# **Control parameters**

# Ingredients with workplace control parameters

# Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when			inhalable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

5 / 13

# (+) 18816996168

Ponciplastics.com

Hostalen	ACP	6031D	

Revision Date 04/02/2021

SAFETY DATA SHEET

Version 1.0

Print Date 01/05/2022

Gen. Variant: SDS\_US\_GHS SDS No.: BE7772

Iyondellbasel 111

Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	3 mg/m3 respirable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	15 mg/m3 total dust	US (OSHA) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

## **Exposure controls**

#### Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

## Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

(+) 18816996168

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	lyondellbase
		I I III
Hostalen ACP 6031D		Gen. Variant: SDS_US_GH
Version 1.0 Revision Date	04/02/2021 Print Date 01	/05/2022 SDS No.: BE7
	injury or other irritation to o may result from handling t	eyes due to airborne particles which this product.
Skin and body protection	: Wear suitable protective c	lothing.
Hygiene measures	be based on an evaluation of the protective equipmer performed, conditions pres hazards and/or potential h during use. Use good personal hygien Wash hands before eating	ersonal protective equipment shoul of the performance characteristics at relative to the task(s) to be sent, duration of use, and the hazards that may be encountered he practices. J, drinking, smoking, or using toilet
	facilities. Take off contaminated clo	thing and wash before reuse.
PHYSICAL AND CHEMICAL P	OPERTIES	
Appearance	: Pellets.	
Color	: Translucent to white	
Odor	: Slight.	
Odor Threshold	: No value available.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive or varies according to partic	concentration (MEC) for polymer du le size distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but doe	s not easily ignite.
Oxidizing properties	: Not considered an oxidizi	ng agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
Vapor pressure	: Not applicable.	
Density	: <1 g/cm3	
Water solubility	: Insoluble.	

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Hostalen ACP 6031D Version 1.0 Revision Date	Gen. Variant: SDS_US_GHS e 04/02/2021 Print Date 01/05/2022 SDS No.: BE777
	5 04/02/2021 1 1111 Date 01/05/2022 5D5 No DE 111
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
0. STABILITY AND REACTIVITY	,
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition	: Not expected to decompose under normal conditions.
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
	8 / 13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Hostalen ACP 6031D	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date	04/02/2021 Print Date 01/05/2022 SDS No.: BE7772
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
	Not listed by IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Not classified
Long-term (chronic) aquatic hazard	: Not classified
Persistence and degradability	
Biodegradability	: Not expected to be biodegradable.
	9 / 13

	(+) 18816996168							
SAFETY DATA SHEET	Ponciplastics.com							
SAFETT DATA SHELT	lyondellbasell							
Hostalen ACP 6031D Gen. Variant: SDS_US_GHS								
Version 1.0 Revision Date 0	4/02/2021 Print Date 01/05/2022 SDS No.: BE7772							
Bioaccumulative potential								
Bioaccumulation	: This material is not expected to bioaccumulate.							
Mobility in soil								
Mobility	: no data available							
Other adverse effects								
pathways	: This material is not volatile and insoluble in water.							
Other information								
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>							
13. Disposal considerations         Waste treatment methods         Product         14. TRANSPORT INFORMATION         Not regulated for transport	<ul> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.</li> <li>This material is classified as a Non-hazardous Material by RCRA.</li> </ul>							
15. REGULATORY INFORMATION								
	10 / 13							

# $(+)\,18816996168$

# SAFETY DATA SHEET

Ponciplastics.com

# Hostalen ACP 6031D

Version 1.0

Print Date 01/05/2022

Gen. Variant: SDS\_US\_GHS 22 SDS No.: BE7772

lyondellbase

# TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Revision Date 04/02/2021

# Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

## SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

## SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

## Combustible dust

## **SARA 313**

This product contains no known chemicals regulated under SARA 313.

## State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act.

However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

## Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description				
Australia	AICS	Compliant				
Canada	DSL	Compliant				
China	IECSC	Compliant				
Europe	REACH	See REACH Compliance Statement				
Japan	ENCS	Compliant				
11 / 13						

		(+) 18816996168		
SAFET	TY DATA SHEET	Ponciplast	ics.com	lyondellbasell
				iyulueliudsell
Hosta	len ACP 6031D			Gen. Variant: SDS_US_GHS
Version	1.0 Revision Date	04/02/2021 F	rint Date 0	1/05/2022 SDS No.: BE7772
I	Korea	KECI	Complia	ppt
	New Zealand	NZIOC	Complia	
	Philippines	PICCS	Complia	Int
	United States of America	TSCA	Complia	
	Taiwan	TCSCA	Complia	Int
registered	d in the European Union, w d under REACh, in accorda	e confirm that all s	substances	idellBasell group of companies in this preparation have been rth in REACh. (Regulation (EU) No.
Contact p	product.safety@lyb.com for	additional global	inventory in	formation.
16. OTHE	R INFORMATION			
Mat	ER INFORMATION erial safety datasheet set t Edition	ctions which hav	e been upc	lated:
<b>Mat</b> First	erial safety datasheet sea		·	lated:
<b>Mat</b> First	erial safety datasheet sea	ctions which hav : Health Hazard: Flammability: 1 Physical hazards	0	lated:
Mat First HMI	erial safety datasheet set t Edition S Classification	: Health Hazard: Flammability: 1	0 s: 0	
Mat First HMIS	erial safety datasheet set t Edition S Classification	<ul> <li>Health Hazard: Flammability: 1 Physical hazards</li> <li>Health Hazard: Fire Hazard: 1</li> </ul>	0 s: 0	0 1 0
Mat First HMIS NFP Furt	erial safety datasheet set t Edition S Classification A Classification	<ul> <li>Health Hazard: Flammability: 1 Physical hazard:</li> <li>Health Hazard: Fire Hazard: 1 Instability: 0</li> </ul>	0 s: 0 0 e hazard)	0 1 0
Mat First HMIS NFP Furt	erial safety datasheet set t Edition S Classification A Classification ther information S rating scale (0 = minima	<ul> <li>Health Hazard: Flammability: 1 Physical hazards</li> <li>Health Hazard: Fire Hazard: 1 Instability: 0</li> <li>hazard; 4 = sever I hazard; 4 = sever</li> </ul>	0 s: 0 0 e hazard)	0 1 0
Mat First HMIS NFP Furt	erial safety datasheet set t Edition S Classification A Classification ther information S rating scale (0 = minima	<ul> <li>Health Hazard: Flammability: 1 Physical hazards</li> <li>Health Hazard: Fire Hazard: 1 Instability: 0</li> <li>hazard; 4 = sever I hazard; 4 = sever</li> </ul>	0 s: 0 0 re hazard) re hazard) <b>aimer</b>	0 1 0
Mat First HMIS NFP Furt	erial safety datasheet set t Edition S Classification A Classification ther information S rating scale (0 = minima	<ul> <li>Health Hazard: Flammability: 1 Physical hazards</li> <li>Health Hazard: Fire Hazard: 1 Instability: 0</li> <li>hazard; 4 = seven</li> <li>hazard; 4 = seven</li> <li>Disclation</li> </ul>	0 s: 0 0 re hazard) re hazard) <b>aimer</b>	0 1 0
Mat First HMIS NFP Furt	erial safety datasheet set t Edition S Classification A Classification ther information S rating scale (0 = minima	<ul> <li>Health Hazard: Flammability: 1 Physical hazards</li> <li>Health Hazard: Fire Hazard: 1 Instability: 0</li> <li>hazard; 4 = seven</li> <li>hazard; 4 = seven</li> <li>Disclation</li> </ul>	0 s: 0 0 re hazard) re hazard) <b>aimer</b>	0 1 0

(+)	18	81	69	96	168
( . )		•	00	00	100

Ponciplastics.com

# Hostalen ACP 6031D

SAFETY DATA SHEET

Version 1.0

Revision Date 04/02/2021

Print Date 01/05/2022

Gen. Variant: SDS\_US\_GHS

SDS No.: BE7772

vondellbase

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

## Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

## Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet