	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasell
Petrothene NA373244 Version 1.3 Revision Date	Gen. Variant:         SDS_US_GHS           10/01/2019         Print Date 01/05/2022         SDS No.:         BE1822
	10/01/2019 Finit Date 01/03/2022 3D3 No BE 1022
1. IDENTIFICATION OF THE SUBS	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name CAS Number:	: Petrothene NA373244 : 9002-88-4
Chemical characterization	: Polyethylene Homopolymer
Chemical name Synonyms	: Polyethylene : Ethene, homopolymer, PE
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	<ul> <li>FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications</li> </ul>
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 30 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	Customer Service 888 777-0232 0 product.safety@lyb.com
<u>Emergency telephone numbe</u> EQUISTAR 800-245-4532	<u>er</u>
E-mail address Responsible/issuing person	: product.safety@lyb.com
2. HAZARDS IDENTIFICATION	
GHS Classification	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
	1 / 13

AFETY DATA SHEET	Ponciplastics.com	lvoodollbaca
		lyondellbase
etrothene NA37324	4	Gen. Variant: SDS_US_GH
ersion 1.3 Revision Da	ate 10/01/2019 Print Date 01,	/05/2022 SDS No.: BE18
No additional information	n available.	
	ON ON INGREDIENTS	
ctures Components		
Chemical name	CAS-No.	Weight %
Polyethylene	9002-88-4	98.0 - 100.0 %
Contains: Additives and sta	abilizers	
IRST AID MEASURES		
	<b>-</b> 1	
General advice	: Take proper precautions t before attempting rescue	o ensure your own health and safe and providing first aid.
	1 0	1 3
If inhaled	: Remove person to fresh a	air. If signs/symptoms continue, get
	medical attention.	ation of fumes that may be general
	during heating of this mate	erial, move the person to fresh air.
	Obtain medical attention. Keep person warm, if nec	econy give Cardia Dulmanany
		essary give Cardio-Pulmonary
	Resuscitation (CPR)	essary give Cardio-Pulmonary
In case of skin contact		
In case of skin contact	: If molten material contacts large amounts of water to	s the skin, immediately flush with cool the affected tissue and polym
In case of skin contact	: If molten material contacts large amounts of water to	s the skin, immediately flush with cool the affected tissue and polym
In case of skin contact	: If molten material contacts large amounts of water to Do not attempt to peel pol skin. Obtain immediate emerge	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove
In case of skin contact	: If molten material contacts large amounts of water to Do not attempt to peel pol skin.	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove
In case of skin contact	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discon</li> <li>In case of eye contact with</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists.
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discon</li> <li>In case of eye contact with</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists.
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discom</li> <li>In case of eye contact with Continuously flush eye(s) minutes. Beyond flushing, DO NOT</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists.
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discon</li> <li>In case of eye contact with Continuously flush eye(s) minutes.</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists. h molten polymer: with cool running water for at least attempt to remove the material
In case of eye contact	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discont</li> <li>In case of eye contact with Continuously flush eye(s) minutes.</li> <li>Beyond flushing, DO NOT adherent to the eye(s).</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists. h molten polymer: with cool running water for at least attempt to remove the material
	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discon</li> <li>In case of eye contact with Continuously flush eye(s) minutes.</li> <li>Beyond flushing, DO NOT adherent to the eye(s).</li> <li>Immediately seek medical</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists. h molten polymer: with cool running water for at least attempt to remove the material
In case of eye contact	<ul> <li>If molten material contacts large amounts of water to Do not attempt to peel pol skin.</li> <li>Obtain immediate emerge or extensive.</li> <li>Flush eyes thoroughly with medical attention if discon</li> <li>In case of eye contact with Continuously flush eye(s) minutes.</li> <li>Beyond flushing, DO NOT adherent to the eye(s).</li> <li>Immediately seek medical</li> </ul>	s the skin, immediately flush with cool the affected tissue and polym lymer from skin as this will remove ncy medical attention if burn is dee h water for several minutes and se nfort persists. h molten polymer: with cool running water for at least attempt to remove the material l attention.

	(+) 18816996168
SAFETY DATA SHEET Petrothene NA373244	Ponciplastics.com
Version 1.3 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE182
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control or symptoms and the clinical condition of the patient.
. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	<ul> <li>SMALL FIRE: Use dry chemical, CO2, or water spray.</li> <li>LARGE FIRES: Use water spray hose nozzles from a safe location.</li> </ul>
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	<ul> <li>Keep away from heat and sources of ignition.</li> <li>In case of fire hazardous decomposition products may be produced such as:</li> <li>Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li> </ul>
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	<ul> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.</li> <li>Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul>
	3 / 13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasel
Petrothene NA373244	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE182
6. ACCIDENTAL RELEASE MEAS	SURES
Personal precautions	<ul> <li>Equip responders with proper protection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protective</li> </ul>
	equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard.
	Polymer particles create slipping hazard on hard smooth surfaces.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	<ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.</li> <li>On water, material is insoluble; collect and contain as any solid.</li> </ul>
	All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
7. Handling and storage	
Precautions for safe handling	•
Advice on safe handling	<ul> <li>Material is in a pellet form.</li> <li>If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.</li> <li>Avoid dust accumulation in enclosed space.</li> <li>Use dust collection systems designed per NFPA 654 to avoid</li> </ul>
	dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.
	Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and
	grounded (earthed) and bonded.
	4 / 13

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com
Petrothene NA373244	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	10/01/2019         Print Date 01/05/2022         SDS No.: BE1822
Fire-fighting class	<ul> <li>Metal containers involved in the transfer of this material should be grounded and bonded.</li> <li>All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.</li> <li>After handling, always wash hands thoroughly with soap and water.</li> <li>When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.</li> <li>Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.</li> <li>Polymer will burn but does not easily ignite.</li> </ul>
Conditions for safe storage,	including any incompatibilities
Requirements for storage areas and containers	<ul> <li>Store in a dry location.</li> <li>Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation.</li> <li>Store away from excessive heat and away from strong oxidizing agents.</li> <li>Keep container closed to prevent contamination.</li> <li>Take measures to prevent the build up of electrostatic charge.</li> </ul>
Specific end use(s)	: See Section 1.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

## Ingredients with workplace control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when			inhalable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

(+) 18816996168	\$
-----------------	----

Ponciplastics.com

SAFETY	DATA	SHEET	

Iyondellbasell

## Petrothene NA373244

Revision Date 10/01/2019

Version 1.3

Print Date 01/05/2022

Gen. Variant: SDS\_US\_GHS 22 SDS No.: BE1822

Materials that can be formed when	TW	A 3 mg/m3 respirable	US (ACGIH) 2005	
handling this		reepirable	2000	
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TW	5	US (OSHA)	
be formed when		total dust	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TW	0	US (OSHA)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

#### Exposure controls

#### Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

#### Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

(+) 18816996168

	(+) 1001099	0100	
AFETY DATA SHEET	Ponciplastic:	s. com	lyondellbase
			I I III
etrothene NA373244 ersion 1.3 Revision Date	10/01/2010 Print	Data 01	Gen. Variant: SDS_US_GH /05/2022 SDS No.: BE18
ersion 1.5 Revision Date	10/01/2019 Pillit	Dale 01	/05/2022 SDS No.: BE18
	injury or other irrit may result from h		eyes due to airborne particles which his product.
Skin and body protection	: Wear suitable pro	tective c	lothing.
Hygiene measures	be based on an e of the protective e performed, condit hazards and/or po during use. Use good persona	valuation quipmen ions pres otential h al hygien	ersonal protective equipment shoul of the performance characteristics t relative to the task(s) to be sent, duration of use, and the azards that may be encountered e practices. , drinking, smoking, or using toilet
	facilities.	-	thing and wash before reuse.
PHYSICAL AND CHEMICAL PI	ROPERTIES		
PHYSICAL AND CHEMICAL PI Appearance Color	ROPERTIES : Pellets. : Translucent to wh	nite	
Appearance	: Pellets.	nite	
Appearance Color	: Pellets. : Translucent to w		
Appearance Color Odor	: Pellets. : Translucent to wh : Slight.		
Appearance Color Odor Odor Threshold	<ul> <li>Pellets.</li> <li>Translucent to white</li> <li>Slight.</li> <li>No value available</li> <li>No Data Available</li> <li>The minimum explored to the second second</li></ul>	e. blosive c	oncentration (MEC) for polymer du e size distribution.
Appearance Color Odor Odor Threshold Flash point	<ul> <li>Pellets.</li> <li>Translucent to white</li> <li>Slight.</li> <li>No value available</li> <li>No Data Available</li> <li>The minimum explored to the second second</li></ul>	e. blosive c	
Appearance Color Odor Odor Threshold Flash point Lower explosion limit	<ul> <li>Pellets.</li> <li>Translucent to white</li> <li>Slight.</li> <li>No value available</li> <li>No Data Available</li> <li>The minimum expression according</li> </ul>	e. blosive c to particl	e size distribution.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit	<ul> <li>Pellets.</li> <li>Translucent to white</li> <li>Slight.</li> <li>No value available</li> <li>No Data Available</li> <li>The minimum explored according</li> <li>Not applicable.</li> </ul>	blosive c to particl	e size distribution.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas)	<ul> <li>Pellets.</li> <li>Translucent to white</li> <li>Slight.</li> <li>No value available</li> <li>No Data Available</li> <li>The minimum explored according</li> <li>Not applicable.</li> <li>Polymer will burn</li> </ul>	blosive c to particl	e size distribution.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties	<ul> <li>Pellets.</li> <li>Translucent to white the second structure is the se</li></ul>	blosive c to particl	e size distribution.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Flammability (solid, gas) Oxidizing properties Autoignition temperature	<ul> <li>Pellets.</li> <li>Translucent to white the second structure is the se</li></ul>	blosive c to particl	e size distribution.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties Autoignition temperature Decomposition temperature	<ul> <li>Pellets.</li> <li>Translucent to white the second second</li></ul>	blosive c to particl	e size distribution.
Appearance ColorOdorOdor ThresholdFlash pointLower explosion limitUpper explosion limitFlammability (solid, gas)Oxidizing propertiesAutoignition temperatureDecomposition temperatureMelting point/range	<ul> <li>Pellets.</li> <li>Translucent to white the second second</li></ul>	blosive c to particl	e size distribution.
Appearance ColorOdorOdor ThresholdFlash pointLower explosion limitUpper explosion limitFlammability (solid, gas)Oxidizing propertiesAutoignition temperatureDecomposition temperatureMelting point/rangeBoiling point/boiling range	<ul> <li>Pellets.</li> <li>Translucent to white the second state of the second state o</li></ul>	blosive c to particl	s not easily ignite.

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Petrothene NA373244 /ersion 1.3 Revision Date	
Persion 1.5 Revision Date	E 10/01/2019 FIIII Date 01/05/2022 SDS No BE 162
Partition coefficient: n-	: No Data Available.
octanol/water Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
0. STABILITY AND REACTIVITY	,
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
	8 / 13

	(+) 18816996168				
SAFETY DATA SHEET	Ponciplastics.com				
Detrethene NA272244	Gen. Variant: SDS_US_GHS				
Petrothene NA373244Version 1.3Revision Date					
Respiratory or skin sensitization	: Not classified				
Chronic toxicity					
Carcinogenicity	: Not classified				
	Not listed by IARC, NTP, OSHA or EPA.				
Germ cell mutagenicity	: Not classified				
Reproductive toxicity					
Effects on fertility / Effects on or via lactation	: Not classified				
Effects on Development	: Not classified				
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.				
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.				
Aspiration hazard	: Not applicable.				
12. Ecological information					
Ecotoxicology Assessment					
Short-term (acute) aquatic	: Not classified				
hazard Long-term (chronic) aquatic hazard	: Not classified				
Persistence and degradability					
Biodegradability	: Not expected to be biodegradable.				
	9 / 13				

	(+) 18816996168							
SAFETY DATA SHEET	Ponciplastics.com							
SALLII DAIA GILLI	lyondellbasell							
Petrothene NA373244	Gen. Variant: SDS_US_GHS							
Version 1.3 Revision Date 10/01/2019 Print Date 01/05/2022 SDS No.: BE1822								
Bioaccumulative potential								
Bioaccumulation :	: This material is not expected to bioaccumulate.							
Mobility in soil								
Mobility :	: no data available							
Other adverse effects								
Environmental fate and : pathways	This material is not volatile and insoluble in water.							
Other information								
Additional ecological : information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>							
13. Disposal considerations Waste treatment methods Product :	All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.							
14. TRANSPORT INFORMATION	RCRA.							
Not regulated for transport								
15. REGULATORY INFORMATION								
10 / 13								

# (+) **18816996168** Ponciplastics.com

## SAFETY DATA SHEET

## Petrothene NA373244

Version 1.3

Print Date 01/05/2022

Gen. Variant: SDS\_US\_GHS 22 SDS No.: BE1822

lyondellbase

## TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Revision Date 10/01/2019

#### Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

#### SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

#### SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

#### Combustible dust

#### **SARA 313**

This product contains no known chemicals regulated under SARA 313.

#### State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act.

However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

#### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description			
Australia	AICS	Compliant			
Canada	DSL	Compliant			
China	IECSC	Compliant			
Europe	REACH	See REACH Compliance Statement			
Japan	ENCS	Compliant			
11 / 13					

		(+) 18816					
SAFE	TY DATA SHEET	Ponciplast	ics.com	lyondellbasell			
Dotr	othene NA373244			Gen. Variant: SDS_US_GHS			
Version		10/01/2019 F	rint Date 01				
		10/01/2010 1					
	Korea	KECI	Complia				
	New Zealand	NZIOC	Complia				
	Philippines United States of America	PICCS TSCA	Complia				
	Taiwan	TCSCA	Complia Complia				
	Taiwan	TUSUA	Compila	nt			
register register 1907/20	ed in the European Union, we	ve confirm that all s ance with the dead	substances lines set for	dellBasell group of companies in this preparation have been th in REACh. (Regulation (EU) No. formation.			
16. OTHER INFORMATION Material safety datasheet sections which have been updated:							
Re	evised Section(s): 15 16						
HN	IIS Classification	: Health Hazard: Flammability: 1 Physical hazard:		0 1 0			
NF	PA Classification	: Health Hazard: Fire Hazard: 1 Instability: 0	0				
Fu	rther information						
HMIS rating scale (0 = minimal hazard; 4 = severe hazard) NFPA rating scale (0 = minimal hazard; 4 = severe hazard)							
Disclaimer							
	12 / 13						
12713							

1 1					-		
(+)	19	$\mathbf{Q}\mathbf{Q}$	14	60	QG		69
(1)	10	00	1	05	30	1	00

Ponciplastics.com

## Petrothene NA373244

SAFETY DATA SHEET

Version 1.3

Revision Date 10/01/2019

Print Date 01/05/2022

# Gen. Variant: SDS\_US\_GHS

SDS No.: BE1822

#### Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

#### Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

#### Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

#### End of Material Safety Data Sheet