		(+) 1	8816996168 plastics.com		
SAFETY DATA	SHEET	Ponci	plastics.com		dellbacell
according to Regula		7/2006		iyor	ıdellbasell
Hifax BC 72 C		10010040	Drink Data 40		ariant: SDS_GB
Version 1.3	Revision Date 11	/06/2019	Print Date 12	/22/2019	SDS No.: BE7873
1. Identification of t	he substance/mix	cture and	of the company/u	ndertaking	
1.1 Product identifie	er				
Trade name Synonyms Substance name	:	Polyolefin,	72 G/1 1648 , Compounded poly ded polyolefin	/mer	
1.2 Relevant identif	ied uses of the su	ubstance	or mixture and us	es advised ag	ainst
Identified uses	:		re of plastic article onversion process.	s by injection r	nolding, extrusion
Prohibited uses	:	devices; H Applicatio	s III medical device lealth Canada clas ns involving perma ining medical applic	s IV Medical D nent implantati	evices;
1.3 Details of the su	upplier of the safe	ty data sh	neet		
Company Basell Sales & Ma Delftseplein 27E 3013 AA Rotterdar Netherlands	0 1 7	3.V.	Registration nu NA		Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuin		roduct.safe	ety@lyb.com		
1.4 Emergency tele	phone number				
Basell Sales & Ma	rketing Company E	3.V.		+3	32 3 575 1235
Poison Center: National Poisons Information Service UK: +44 131 242 1383 24 hours all days					
2. Hazards identific	ation				
2.1 Classification o	f the substance o	r mixture			
			1 / 16		



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Hifax BC 72 G/1 1648

Version 1.3

Print Date 12/22/2019

SDS No.: BE7873

lyondellbasell

Gen. Variant: SDS GB

Classification (REGULATION (EC) No 1272/2008)

Revision Date 11/06/2019

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures


General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



SAFETY DATA SHEET	Ponciplastics.com 907/2006				
according to Regulation (EC) No. 1	907/2006 Iyondenbasen				
Hifax BC 72 G/1 1648	Gen. Variant: SDS_GB				
Version 1.3 Revision Date	11/06/2019 Print Date 12/22/2019 SDS No.: BE7873				
	Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)				
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. 				
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.				
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. 				
If swallowed	: Adverse health effects due to ingestion are not anticipated.				
4.2 Most important symptoms and Symptoms	 inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. 				
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.				
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.				
5. Fire-fighting measures					
5.1 Extinguishing media					
Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray.					

3 / 16

	(+) 1881699616 Ponciplastics.c	58
SAFETY DATA SHEET according to Regulation (EC) No. 19		Iyondellbasell
Hifax BC 72 G/1 1648		Gen. Variant: SDS_GB
Version 1.3 Revision Date	11/06/2019 Print Date	e 12/22/2019 SDS No.: BE7873
		zzles from a safe location.
Unsuitable extinguishing media 5.2 Special hazards arising from th	: None known.	
Specific hazards during fire fighting	: Keep away from heat and In case of fire hazardous produced such as: Carbon monoxide, carbor hydrocarbons (smoke).	decomposition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive p apparatus and firefighter	pressure self-contained breathing protective clothing.
Further information	conditions. Calorific Value: 8000 - 11 Fight fire from safe distant nozzles. Heat from fire may melt, of flammable vapors. Move containers from fire Evacuate immediately in container pressure relief of Always stay away from ta Do not attempt to get on the fire.	ace with hose lines or monitor decompose polymer, and generate a area if it can be done without risk. the event of opening of storage devices or discoloration of container.
6. Accidental release measures		
6.1 Personal precautions, protectiv	ve equipment and emerge	ncy procedures
Personal precautions	surface.	oper protection. ng hazard on any hard smooth ders with proper personal protective
	4 / 16	



		(+)18 Poncip	816996168		
SAFETY DATA SI according to Regulation				lyond	ellbasell
Hifax BC 72 G/1	1648			Gen. Varian	t: SDS_GB
Version 1.3 Re	evision Date 11	/06/2019	Print Date 12	2/22/2019	SDS No.: BE7873
Fire-fighting class		water. When bring may develo section 10.	ng, always wash ing the material to	hands thoroughly v o processing tempe in the exhaust vent ot easily ignite.	eratures vapors
	stans as inclu				
7.2 Conditions for safe	•	•••	-		
 Requirements for storage areas and containers Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 				e ventilation ulation. strong	
7.3 Specific end use(s)					
	:	See Section	n 1.2.		
8. Exposure controls/po 8.1 Control parameters Ingredients with w	5		ters		
Occupational Expo	-				
· · ·		Ture	1 : :+) / - !	Desia	
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



according to Regulation (EC) No. 1907/2006

Hifax BC 72 G/1 1648

Version 1.3

Revision Date 11/06/2019

Print Date 12/22/2019

SDS No.: BE7873

lyondellbasell

Gen. Variant: SDS GB

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168				
	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No.	lyondellbasell				
Hifax BC 72 G/1 1648	Hifax BC 72 G/1 1648				
Version 1.3 Revision Date	e 11/06/2019 Print Date 12	/22/2019 SDS No.: BE7873			
Hygiene measures		onal protective equipment should the performance characteristics			
	elative to the task(s) to be t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet ng and wash before reuse.				
Environmental exposure cor	ntrols				
General advice	: See section 6.				
9. Physical and chemical propert 9.1 Information on basic physica					
Appearance	: Pellets.				
Color	: Black				
Odor	: Slight.				
Flash point	: No Data Available.				
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.			
Upper explosion limit	: Not applicable.				
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.			
Oxidizing properties	: Not considered an oxidizing a	agent.			
Autoignition temperature	: > 300 °C				
Decomposition temperature	: not determined				
Melting point/range	: 50 - 170 °C				
Boiling point/boiling range	: Not applicable.				
	8 / 16				

	(+) 18816996168 Ponciplastics.com				
	Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) N					
Hifax BC 72 G/1 164					
	Date 11/06/2019 Print Date 12/22/2019 SDS No.: BE78				
Vapor pressure	: Not applicable.				
Density	: <1 g/cm3				
Water solubility	: Insoluble.				
Partition coefficient: n-	: No Data Available.				
octanol/water Viscosity, dynamic	: Not applicable.				
Relative vapor density	: Not applicable.				
Evaporation rate	: Not applicable.				
Explosive properties	Explosive properties : No Data Available.				
9.2 Other information					
Other information	: No additional information available.				
10. Stability and reactivity					
10.1 Reactivity					
No known reactivity hazard	ls.				
10.2 Chemical stability					
Stable under normal condit	tions.				
10.3 Possibility of hazardous	reactions				
Hazardous reactions	: Will not occur.				
10.4 Conditions to avoid					
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.				
10.5 Incompatible materials					
Materials to avoid	: Material may be softened by some hydrocarbons.				
10.6 Hazardous decompositio	on products				
	9 / 16				

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hifax BC 72 G/1 1648	Gen. Variant: SDS_GB
Version 1.3 Revision Dat	e 11/06/2019 Print Date 12/22/2019 SDS No.: BE7873
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	leffects
Acute toxicity	
Acute oral toxicity	
	Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell			
according to Regulation (EC) No. 7	1907/2006				
Hifax BC 72 G/1 1648 Version 1.3 Revision Date	e 11/06/2019 Print Date 12/	Gen. Variant: SDS_GB 22/2019 SDS No.: BE7873			
		22/2019 3D3 NO DE 7073			
Effects on Development	: Not classified				
Target Organ Systemic Toxi	cant - Single exposure				
	: The substance or mixture is n organ toxicant, single exposur				
Target Organ Systemic Toxi	cant - Repeated exposure				
	: The substance or mixture is n organ toxicant, repeated expo	· -			
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment Short-term (acute) aquatic	: Not classified				
hazard Long-term (chronic)	: Not classified				
aquatic hazard	. Not classified				
12.2 Persistence and degradability	ity				
Biodegradability	: Not expected to be biodegrada	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected t	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
woonny					
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET		lyondellbasell		
1 111 11				
Hifax BC 72 G/1 1648Gen. Variant: SDS_GBVersion 1.3Revision Date 11/06/2019Print Date 12/22/2019SDS No.: BE7873				
Result	: This substance/mixture conta			
12.6 Other adverse effects	to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).			
Environmental fate and pathways	: This material is not volatile and insoluble in water.			
12.7 Other information				
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 			
13. Disposal considerations				
13.1 Waste treatment methods				
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				



according to Regulation (EC) No. 1907/2006

Hifax BC 72 G/1 1648

Version 1.3

Revision Date 11/06/2019

Print Date 12/22/2019

SDS No.: BE7873

lyondellbasell

Gen. Variant: SDS GB

REACH Annex XIV

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH Annex XVII

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH - Candidate List of Substances of Very High Concern for Authorisation

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)


Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant





according to Regulation (EC) No. 1907/2006

Hifax BC 72 G/1 1648

Version 1.3

Revision Date 11/06/2019

Print Date 12/22/2019

SDS No.: BE7873

lyondellbasell

Gen. Variant: SDS GB

IECSC - Chinese Chemicals Inventory IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables** KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax BC 72 G/1 1648

Version 1.3

Revision Date 11/06/2019

Print Date 12/22/2019

SDS No.: BE7873

lvondellbasell

Gen. Variant: SDS GB

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet