	(+) 18816996168	
SAFETY DATA SHEET according to Regulation (EC) No. 19		nciplastics.com	lyondellbasell
Hifax CA 1110 G4 LS 17	40		Gen. Variant: SDS_AT
Version 1.4 Revision Date	05/24/202	20 Print Date 01	/06/2022 SDS No.: BE7889
1. Identification of the substance/n	nixture a	nd of the company/u	ndertaking
Trade name		CA 1110 G4 LS 1740	
Synonyms Substance name	Polyole	efin, Compounded poly punded polyolefin	vmer
1.2 Relevant identified uses of the	substanc	ce or mixture and us	es advised against
Identified uses :		acture of plastic article er conversion process.	s by injection molding, extrusion
Prohibited uses :	devices Applica	s; Health Canada clas	nent implantation into the body;
1.3 Details of the supplier of the sa Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	-	a sheet Registration nur NA	nber Telephone 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	product.s	safety@lyb.com	
1.4 Emergency telephone number			
Basell Sales & Marketing Company	/ B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days			
2. Hazards identification			
2.1 Classification of the substance	or mixtu	ure	
		1 / 16	



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures


4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



SAFETY DATA SHEET according to Regulation (EC) No.	Ponciplastics.com lyondellbase
Hifax CA 1110 G4 LS 1 Version 1.4 Revision Date	
In case of skin contact	 Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin.
	Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	 Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
2 Most important symptoms ar	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
3 Indication of any immediate i	medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
Fire-fighting measures	
1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	3 / 16

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 19	907/2006	lyondellbasell
Hifax CA 1110 G4 LS 17		Gen. Variant: SDS_AT
Version 1.4 Revision Date	05/24/2020 Print Date 01/06/2	022 SDS No.: BE7889
Unsuitable extinguishing media 5.2 Special hazards arising from t Specific hazards during fire	 : LARGE FIRES: Use water spray hose nozzles fror : None known. ne substance or mixture : Keep away from heat and sources 	
fighting	In case of fire hazardous decomport produced such as: Carbon monoxide, carbon dioxide hydrocarbons (smoke).	osition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pressure apparatus and firefighter protective	
Further information	 Combustible particulate solid, will conditions. Calorific Value: 8000 - 11000 kcal Fight fire from safe distance with h nozzles. Heat from fire may melt, decompositianmable vapors. Move containers from fire area if it Evacuate immediately in the event container pressure relief devices of Always stay away from tanks engu Do not attempt to get on top of stoffire. Cool storage containers with large after fire is out. 	/kg hose lines or monitor se polymer, and generate t can be done without risk. of opening of storage or discoloration of container. ulfed in fire. orage containers involved in
6. Accidental release measures	ve equipment and emergency proc	aduras
Personal precautions	: Equip responders with proper prot	
	Creates dangerous slipping hazard surface. Equip emergency responders with equipment (PPE) Avoid generating dust.	d on any hard smooth
	4 / 16	



should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling

			(+) 18	816996168 lastics.com		
	SAFETY DATA SH according to Regulation			lastics.com	lyond	ellbasell
	Hifax CA 1110 G	64 LS 1740 evision Date 05/		Print Date 01	Gen. Varian /06/2022	t: SDS_AT SDS No.: BE7889
			combustible After handlir water. When bring	e dusts. ng, always wash l ing the material to	hands thoroughly v p processing tempe in the exhaust vent	with soap and eratures vapors
	Fire-fighting class	: 1	Polymer wil	I burn but does no	ot easily ignite.	
7.	2 Conditions for safe	storage, inclu	ding any i	ncompatibilities		
	Requirements for sta areas and containers	s l s s	and handling should be u Store away oxidizing ag Keep conta	ousekeeping prac g. Process enclos ised to avoid exce from excessive h gents. iner closed to prev	ctices during storages sures and adequate essive dust accume eat and away from vent contamination e build up of electr	e ventilation ulation. strong
7.	.3 Specific end use(s)					
		: \$	See Sectior	ı 1.2.		
	8. Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters					
	Occupational Expo		or parame			
	Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4 Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168					
	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET according to Regulation (EC) No. 1	907/2006	lyondellbasell				
Hifax CA 1110 G4 LS 17	Hifax CA 1110 G4 LS 1740 Gen. Variant: SDS_AT					
Version 1.4 Revision Date	e 05/24/2020 Print Date 01.	/06/2022 SDS No.: BE7889				
	· Selection of appropriate norm	anal protoctive, equipment should				
Hygiene measures	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet				
Environmental exposure con	trols					
General advice	: See section 6.					
9. Physical and chemical properti 9.1 Information on basic physical						
Appearance	: Pellets.					
Color	: Black					
Odor	: Slight.					
Flash point	: No Data Available.					
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.				
Upper explosion limit	: Not applicable.					
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.				
Oxidizing properties	: Not considered an oxidizing a	agent.				
Autoignition temperature	: > 300 °C					
Decomposition temperature	: not determined					
Melting point/range	: 50 - 170 °C					
Boiling point/boiling range	: Not applicable.					
	8 / 16					

	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) N	lo. 1907/2006
Hifax CA 1110 G4 LS Version 1.4 Revision	Date 05/24/2020 Print Date 01/06/2022 SDS No.: BE788
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
-	: No Data Available.
Partition coefficient: n- octanol/water	
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazard	S.
10.2 Chemical stability	
Stable under normal condition	
10.3 Possibility of hazardous	
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10 6 Hazardaya dagampasitis	n products
10.6 Hazardous decompositio	

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hifax CA 1110 G4 LS 1	[1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	e 05/24/2020 Print Date 01/06/2022 SDS No.: BE7889
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	leffects
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell			
1 111 11					
Hifax CA 1110 G4 LS 1740Gen. Variant: SDS_ATVersion 1.4Revision Date 05/24/2020Print Date 01/06/2022SDS No.: BE7889					
Effects on Development	: Not classified				
Target Organ Systemic Toxicant - Single exposure					
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.				
Target Organ Systemic Toxicant - Repeated exposure					
	: The substance or mixture is organ toxicant, repeated exp	not classified as specific target posure.			
Aspiration hazard	: Not applicable.				
 12. Ecological information 12.1 Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard 	: Not classified : Not classified				
12.2 Persistence and degradabilit	у				
Biodegradability	: Not expected to be biodegra	dable.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	d to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 190		lyondellbasell			
Hifax CA 1110 G4 LS 1740 Gen. Variant: SDS_AT					
Version 1.4 Revision Date C		/06/2022 SDS No.: BE7889			
Result :		ains no components considered cumulative and toxic (PBT) or ccumulative (vPvB).			
12.6 Other adverse effects					
Environmental fate and : pathways	: This material is not volatile and insoluble in water.				
12.7 Other information					
Additional ecological : information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their			
13. Disposal considerations					
13.1 Waste treatment methods					
Product :	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.				
14. Transport information					
Not regulated for transport					
15. Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
12 / 16					
15. Regulatory information					



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Not Compliant
Canada	DSL	Not Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

*This product contains one or more substances having volume restrictions. Contact Product Safety for additional information.

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4


Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lyondellbasell

Gen. Variant: SDS AT





according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lvondellbasell

Gen. Variant: SDS AT

MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration **PPE - Personal Protective Equipment** PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS 1740

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7889

lvondellbasell

Gen. Variant: SDS AT

Disclaimer

at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet