	(+) 18816996168 nciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No.		nciplastics.com	lyondellbasell
Hifax CA 1110 G4 LS C	12477		Gen. Variant: SDS_AT
Version 1.4 Revision Dat	e 05/24/202	20 Print Date 01/	/06/2022 SDS No.: BE7890
1. Identification of the substance 1.1 Product identifier Trade name Synonyms Substance name	: Hifax (: Polyole : Compo	CA 1110 G4 LS C12477 efin, Compounded poly punded polyolefin	7 Imer
1.2 Relevant identified uses of th			U
Identified uses		er conversion process.	s by injection molding, extrusion
Prohibited uses	devices Applica	s; Health Canada class	nent implantation into the body;
1.3 Details of the supplier of the Company Basell Sales & Marketing Compa Delftseplein 27E 3013 AA Rotterdam Netherlands	-	a sheet Registration nun NA	nber Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuing person	: product.s	safety@lyb.com	
1.4 Emergency telephone number	er		
Basell Sales & Marketing Compa Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days	ny B.V.		+32 3 575 1235
2. Hazards identification			
2.1 Classification of the substand	ce or mixtu	ure	
		1 / 16	



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16




SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477




	10G4L5C	, , , ,		
ersion 1.4	Revision Dat	e 05/24/2020	Print Date 01/06/2022	SDS No.: BE7
		Obtain medic	cal attention	
			warm, if necessary give Cal	rdio-Pulmonary
		Resuscitation	ו (CPR)	
In case of ski	n contact	: If molten mat	terial contacts the skin, imme	ediately flush with
			s of water to cool the affected	ed tissue and
		polymer. Do not attem	pt to peel polymer from skin	as this will remove
		the skin.		
		Obtain imme or extensive.	diate emergency medical at	tention if burn is deep
In case of eye	e contact		noroughly with water for sevent ntion if discomfort persists.	eral minutes and seek
			e contact with molten polym	
		15 minutes.	flush eye(s) with cool runnin	ng water for at least
			ing, DO NOT attempt to rem	nove the material
		adherent to t	ne eye(s). seek medical attention.	
		-		
If swallowed		: Adverse heal	Ith effects due to ingestion a	are not anticipated.
.2 Most importa	nt symptoms a	nd effects, both a	acute and delayed	
Symptoms			process fumes and vapors i	may cause soreness
		in the nose a	and throat and coughing.	
Hazards			with the eyes can lead to m	
		Molten polym	ner may cause thermal burns	3.
.3 Indication of	any immediate	medical attentio	n and special treatment ne	eded
Treatment			overexposure should be dir	
		symptoms ar	nd the clinical condition of th	e patient.
5. Fire-fighting m	easures			
5.1 Extinguishing	media			
	auishina media	: SMALL FIRE		
Suitable extin	galerning meala			
Suitable extin	galoring modia	Use dry cher	nical, CO2, or water spray.	
Suitable extin			/ 16	

SAFETY DATA SHEET according to Regulation (EC) No. 19		Gen. Variant: SDS AT
Hifax CA 1110 G4 LS C1 Version 1.4 Revision Date		
Unsuitable extinguishing media 5.2 Special hazards arising from th	 : LARGE FIRES: Use water spray hose nozzle : None known. 	s from a safe location.
Specific hazards during fire fighting	 Keep away from heat and sou In case of fire hazardous decorroduced such as: Carbon monoxide, carbon dic hydrocarbons (smoke). 	omposition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive press apparatus and firefighter prote	-
Further information	flammable vapors. Move containers from fire are Evacuate immediately in the container pressure relief devic Always stay away from tanks	kcal/kg with hose lines or monitor ompose polymer, and generate a if it can be done without risk. event of opening of storage ces or discoloration of container. engulfed in fire. of storage containers involved in
6. Accidental release measures 6.1 Personal precautions, protecti	ve equipment and emergency	procedures
Personal precautions	: Equip responders with proper Creates dangerous slipping h surface.	protection.
	4 / 16	



Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16



. . .

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4 Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168				
	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 1	1907/2006	lyondellbasell			
Hifax CA 1110 G4 LS C12477 Gen. Variant: SDS_AT					
Version 1.4 Revision Date	e 05/24/2020 Print Date 01,	/06/2022 SDS No.: BE7890			
Hygiene measures	: Selection of appropriate pers	onal protective equipment should			
	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	the performance characteristics elative to the task(s) to be t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet			
Environmental exposure con	trols				
General advice	: See section 6.				
9. Physical and chemical propert 9.1 Information on basic physical					
Appearance	: Pellets.				
Color	: Black				
Odor	: Slight.				
Flash point	: No Data Available.				
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.			
Upper explosion limit	: Not applicable.				
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.			
Oxidizing properties	: Not considered an oxidizing a	agent.			
Autoignition temperature	: > 300 °C				
Decomposition temperature	: not determined				
Melting point/range	: 50 - 170 °C				
Boiling point/boiling range	: Not applicable.				
	8 / 16				

	(+) 1881699				
SAFETY DATA SHEET	Ponciplastic	lyondellbas	. 0		
according to Regulation (EC) No. 1907/2006					
Hifax CA 1110 G4 LS		Gen. Variant: SDS_AT			
Version 1.4 Revision	Date 05/24/2020 Print	Date 01/06/2022 SDS No.: B	E78		
Vapor pressure	: Not applicable.				
Density	: <1 g/cm3				
Water solubility	: Insoluble.				
Partition coefficient: n- octanol/water	: No Data Available.				
Viscosity, dynamic	: Not applicable.				
Relative vapor density	: Not applicable.				
Evaporation rate	: Not applicable.				
Explosive properties	: No Data Available.				
10. Stability and reactivity					
10.1 Reactivity	_				
No known reactivity hazard 10.2 Chemical stability	5.				
Stable under normal condit	ions				
10.3 Possibility of hazardous					
Hazardous reactions	: Will not occur.				
10.4 Conditions to avoid					
Conditions to avoid	: Avoid contact with st open flame.	trong oxidizers, excessive heat, sparks o	r		
10.5 Incompatible materials					
Materials to avoid	: Material may be softe	ened by some hydrocarbons.			
	• •				
10.6 Hazardous decompositio	n products				

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hifax CA 1110 G4 LS C	Gen. Variant: SDS_AT
Version 1.4 Revision Dat	te 05/24/2020 Print Date 01/06/2022 SDS No.: BE7890
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	l effects
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

SAFETY DATA SHEET according to Regulation (EC) No. 1 Hifax CA 1110 G4 LS C Version 1.4 Revision Date	12477	Gen. Variant: SDS_AT			
Effects on Development	: Not classified				
Target Organ Systemic Toxicant - Single exposure					
: The substance or mixture is not classified as specific target organ toxicant, single exposure.					
Target Organ Systemic Toxicant - Repeated exposure					
	: The substance or mixture is organ toxicant, repeated exp	not classified as specific target osure.			
Aspiration hazard	: Not applicable.				
 12. Ecological information 12.1 Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard 	: Not classified : Not classified				
12.2 Persistence and degradability	ty				
Biodegradability	: Not expected to be biodegrad	dable.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	l to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET		lyondellbasell			
1 111 11					
Hifax CA 1110 G4 LS C12477Gen. Variant: SDS_ATVersion 1.4Revision Date 05/24/2020Print Date 01/06/2022SDS No.: BE7890					
Result	: This substance/mixture conta	ins no components considered			
12.6 Other adverse effects	to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB). adverse effects				
Environmental fate and pathways	: This material is not volatile ar	nd insoluble in water.			
12.7 Other information					
Additional ecological information	: Ecotoxicity is expected to be solubility of polymers. No data available on this proc other wildlife may eat pellets intestinal tracts.	duct. However, birds, fish and			
13. Disposal considerations					
13.1 Waste treatment methods					
Product		or reclaimed in conformance with ns and in conformance with good			
14. Transport information					
Not regulated for transport					
15. Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
12 / 16					



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	
Canada	DSL	
China	IECSC	
Europe	REACH	
Japan	ENCS	
Korea	KECI	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	
Taiwan	TCSCA	

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lvondellbasel

Gen. Variant: SDS_AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1110 G4 LS C12477

Version 1.4

Revision Date 05/24/2020

Print Date 01/06/2022

SDS No.: BE7890

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet