		(+) 1	8816996168				
SAFETY DATA	SHEET		plastics.com	lyondellbasell			
according to Regulat	ion (EC) No. 1907	7/2006					
Hifax CA 1168		100/0000		Gen. Variant: SDS_AT			
Version 1.4	Revision Date 05	/22/2020	Print Date 01	//06/2022 SDS No.: BE538			
1. Identification of t	1. Identification of the substance/mixture and of the company/undertaking						
1.1 Product identifie				J			
Trade name		Hifax CA	1168 G C1V301				
Synonyms Substance name	:	Polyolefin,	Compounded poly ded polyolefin	ymer			
		•					
1.2 Relevant identifi Identified uses	ied uses of the su			es advised against s by injection molding, extrusion			
			onversion process.				
Prohibited uses	:			s; European class III medical			
		Application	ns involving perma	s IV Medical Devices; nent implantation into the body;			
		Life-sustai	ning medical applie	cations			
1.3 Details of the su	pplier of the safe	ety data sh	neet				
Company Basell Sales & Mar	keting Company I	3.V.	Registration nui	mber Telephone 31 (0) 10 275 55 00			
Delftseplein 27E 3013 AA Rotterdam	0						
Netherlands	I						
E-mail address	: р	roduct.safe	ty@lyb.com				
Responsible/issuing	g person						
1.4 Emergency tele	phone number						
Basell Sales & Mar	keting Company E	3.V.		+32 3 575 1235			
Poison Center:							
Gesundheid Österr AT: +43 1 406 43 4							
24 hours all days	·J						
2. Hazards identification							
2.1 Classification of	the substance o	r mixture					
			1 / 16				



according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4

Revision Date 05/22/2020

Print Date 01/06/2022

SDS No.: BE538

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures


4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellbase
Hifax CA 1168 G C1V3	11		Gen. Variant: SDS AT
Version 1.4 Revision Date		Print Date 01/06	5/2022 SDS No.: BE
	Resuscitation	warm, if necessary (CPR)	y give Cardio-Pulmonary
In case of skin contact	large amount polymer. Do not attem the skin.	s of water to cool t ot to peel polymer	skin, immediately flush with he affected tissue and from skin as this will remove nedical attention if burn is deep
In case of eye contact	medical atten : In case of ey Continuously 15 minutes. Beyond flushi adherent to tl	tion if discomfort p e contact with molt flush eye(s) with c ng, DO NOT atten	en polymer: cool running water for at least npt to remove the material
If swallowed .2 Most important symptoms ar			gestion are not anticipated.
Symptoms	: Inhalation of	-	vapors may cause soreness
Hazards		with the eyes can l er may cause then	lead to mechanical irritation. mal burns.
3 Indication of any immediate i	nedical attentior	and special treat	tment needed
Treatment			uld be directed at the control of ition of the patient.
. Fire-fighting measures			
.1 Extinguishing media			
Suitable extinguishing media	: SMALL FIRE Use dry chen	nical, CO2, or wate	er spray.
	3	/ 16	

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 19	lvondellbasell
Hifax CA 1168 G C1V30	1 Gen. Variant: SDS_AT
Version 1.4 Revision Date	05/22/2020 Print Date 01/06/2022 SDS No.: BE538
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media 5.2 Special hazards arising from th	: None known. he substance or mixture
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures 6.1 Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust.
	4 / 16



presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dus environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling 5 / 16

	SAFETY DATA SH			816996168 lastics.com	lyond	ellbasell	
	Hifax CA 1168 C		100 10000		Gen. Varian	—	
	Version 1.4 Re	evision Date 05/	/22/2020	Print Date 01	/06/2022	SDS No.: BE538	
			water. When bring	ng, always wash ing the material to	hands thoroughly v o processing tempe in the exhaust vent	eratures vapors	
	Fire-fighting class	:	Polymer wil	I burn but does no	ot easily ignite.		
7	.2 Conditions for safe	storage inclu	iding any i	ncompatibilities			
	Requirements for stareas and container	torage : rs	Store in a d Use good h and handlin should be u Store away oxidizing ag Keep conta	ry location. ousekeeping prac g. Process enclos ised to avoid exce from excessive h gents. iner closed to pre	ctices during storages sures and adequate essive dust accume eat and away from vent contamination e build up of electr	e ventilation ulation. strong	
7	.3 Specific end use(s)						
		: :	See Sectior	n 1.2.			
8. Exposure controls/personal protection							
8	8.1 Control parameters						
	Ingredients with workplace control parameters Occupational Exposure Limits						
	Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information	
	Materials that can be formed when		TWA	10 mg/m3 inhalable	US (ACGIH) 2005		

 be formed when handling this product: Nonspecified (inert or nuisance) dust
 innalable
 2005

 6 / 16



lyondellbasell

Gen. Variant: SDS AT

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4 Revision Date 05/22/2020 Print Date 01/06/2022 SDS No.: BE538

Materials that can TWA 3 mg/m3 US (ACGIH) be formed when respirable 2005 handling this product: Non specified (inert or nuisance) dust ust

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) 18816996168				
	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 7	1907/2006	lyondellbasell			
Hifax CA 1168 G C1V30		Gen. Variant: SDS AT			
Version 1.4 Revision Date					
Hygiene measures	be based on an evaluation of of the protective equipment re- performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	ards that may be encountered practices. rinking, smoking, or using toilet			
Environmental exposure cor					
General advice	: See section 6.				
 9. Physical and chemical propert 9.1 Information on basic physical Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties Autoignition temperature Decomposition temperature 	 I and chemical properties Pellets. gray Slight. No Data Available. The minimum explosive cond varies according to particle si Not applicable. Polymer will burn but does not Not considered an oxidizing a > 300 °C not determined 	ot easily ignite.			
Melting point/range	: 50 - 170 °C				
Boiling point/boiling range	: Not applicable.				
	8 / 16				

	(+) 18816996	0100
	Ponciplastics	. com
SAFETY DATA SHEET according to Regulation (EC)	No. 1907/2006	Iyondellbase
Hifax CA 1168 G C1		Gen. Variant: SDS AT
		Date 01/06/2022 SDS No.: BE
Vapor pressure Density Water solubility Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density	 Not applicable. < 1 g/cm3 Insoluble. No Data Available. Not applicable. Not applicable. 	
Evaporation rate	: Not applicable.	
Explosive properties	: No Data Available.	
9.2 Other information Other information	: No additional informat	ion available.
Other information	: No additional informat	ion available.
Other information 10. Stability and reactivity	: No additional informat	ion available.
Other information 10. Stability and reactivity 10.1 Reactivity		ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazar		ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazar	ls.	ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond	ls.	ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond	ls.	ion available.
 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability	ls. tions. reactions	ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond 10.3 Possibility of hazardous Hazardous reactions	ls. tions. reactions : Will not occur.	ion available.
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid Conditions to avoid	tions. reactions : Will not occur. : Avoid contact with stra	
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid	ls. tions. reactions : Will not occur. : Avoid contact with stru open flame.	
Other information 10. Stability and reactivity 10.1 Reactivity No known reactivity hazard 10.2 Chemical stability Stable under normal cond 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials	ls. tions. reactions : Will not occur. : Avoid contact with stra open flame. : Material may be softe	ong oxidizers, excessive heat, sparks or

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006			
Hifax CA 1168 G C1V3	01 Gen. Variant: SDS_AT			
Version 1.4 Revision Da	te 05/22/2020 Print Date 01/06/2022 SDS No.: BE538			
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed. 			
11. Toxicological information				
11.1 Information on toxicologica	al effects			
Acute toxicity				
Acute oral toxicity				
	Not classified			
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.			
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
	10 / 16			

SAFETY DATA SHEET according to Regulation (EC) No. 1907 Hifax CA 1168 G C1V301 Version 1.4 Revision Date 05	Gen. Variant: SDS_			
Target Organ Systemic Toxican	The substance or mixture is not classified as specific tar organ toxicant, single exposure.	get		
	The substance or mixture is not classified as specific tar organ toxicant, repeated exposure. Not applicable.	get		
hazard	Not classified Not classified			
12.3 Bioaccumulative potential	Not expected to be biodegradable. This material is not expected to bioaccumulate.			
12.4 Mobility in soil Mobility : 12.5 Results of PBT and vPvB asses	no data available sment			
12.5 Results of PBT and vPvB assessment 11 / 16				

	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET according to Regulation (EC) No. 19		lyondellbasell				
Hifax CA 1168 G C1V301		Gen. Variant: SDS_AT				
Version 1.4 Revision Date (05/22/2020 Print Date 01	/06/2022 SDS No.: BE538				
Result		ains no components considered cumulative and toxic (PBT) or ccumulative (vPvB).				
12.6 Other adverse effects						
Environmental fate and pathways	: This material is not volatile ar	nd insoluble in water.				
12.7 Other information						
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their				
13. Disposal considerations						
13.1 Waste treatment methods						
Product		or reclaimed in conformance with ns and in conformance with good				
14. Transport information						
Not regulated for transport						
15. Regulatory information						
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture						
	12 / 16					
	,					



according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4

Revision Date 05/22/2020

Print Date 01/06/2022

SDS No.: BE538

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Not Determined

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4

Revision Date 05/22/2020

Print Date 01/06/2022

SDS No.: BE538

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4

Revision Date 05/22/2020

Print Date 01/06/2022

SDS No.: BE538

lvondellbasel

Gen. Variant: SDS AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax CA 1168 G C1V301

Version 1.4

Revision Date 05/22/2020

Print Date 01/06/2022

SDS No.: BE538

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet