	(+)	18816996168 ciplastics.com	
SAFETY DATA SH		ciplastics.com	luce de llbe e e ll
according to Regulation (lyondellbasell
Hifax TKC 407P			Gen. Variant: SDS_AT
Version 1.5 Rev	ision Date 02/12/2021	Print Date 01	/06/2022 SDS No.: BE3000
1. Identification of the su	ubstance/mixture an	d of the company/u	ndertaking
1.1 Product identifier			nachanng
Trade name	: Hifax Th	(C 407P C1V301	
Synonyms Substance name	: Polyolef	in, Compounded poly Inded polyolefin	rmer
1.2 Relevant identified u			es advised against
Identified uses			s by injection molding, extrusion
		conversion process.	
Prohibited uses			s; European class III medical s IV Medical Devices;
	Applicat		nent implantation into the body;
1.3 Details of the supplie	er of the safety data	sheet	
Company		Registration nur	nber Telephone
Basell Sales & Marketin Delftseplein 27E	g Company B.V.	NA	31 (0) 10 275 55 00
3013 AA Rotterdam Netherlands			
E-mail address	· product s	afety@lyb.com	
Responsible/issuing per			
1.4 Emergency telephon	e number		
Basell Sales & Marketin	g Company B.V.		+32 3 575 1235
Poison Center:			
Gesundheid Österreich AT: +43 1 406 43 43	GMBH		
24 hours all days			
2. Hazards identification			
2.1 Classification of the		e	
		1 / 16	
		.,	



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021 Print Date 01/06/2022

SDS No.: BE3000

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures


4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



According to Regulation (EC) No. 7			Gen. Variant:	
/ersion 1.5 Revision Date		Print Date 01/06/	/2022	SDS No.: BE30
In case of skin contact	 Resuscitation If molten ma large amount polymer. Do not attem the skin. 	warm, if necessary	kin, immediately f ne affected tissue rom skin as this v	flush with and vill remove
In case of eye contact		horoughly with wate ntion if discomfort pe		ites and seek
	: In case of ey Continuously 15 minutes. Beyond flush adherent to t	ve contact with molte flush eye(s) with co ning, DO NOT attem	en polymer: pol running water pt to remove the	
If swallowed	: Adverse hea	Ith effects due to ing	pestion are not ar	nticipated.
2 Most important symptoms an	d effects, both a	acute and delayed		
Symptoms		process fumes and and throat and cough	• •	se soreness
Hazards		with the eyes can length of the second se		l irritation.
3 Indication of any immediate r	nedical attentio	n and special treat	ment needed	
Treatment		f overexposure shound the clinical condit		
Fire-fighting measures				
1 Extinguishing media				
Suitable extinguishing media	: SMALL FIRE Use dry cher	: mical, CO2, or water	spray.	
	3	/ 16		

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 1	907/2006 Iyondellbasel
Hifax TKC 407P C1V30	
Version 1.5 Revision Date	02/12/2021 Print Date 01/06/2022 SDS No.: BE3000
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media 5.2 Special hazards arising from t	: None known. he substance or mixture
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	
-	ve equipment and emergency procedures
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust.
	4 / 16



	5
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 190		lyondellbasell
Hifax TKC 407P C1V301		Gen. Variant: SDS_AT
Version 1.5 Revision Date 0	2/12/2021 Print Date 01	/06/2022 SDS No.: BE3000
	water. When bringing the material to	hands thoroughly with soap and p processing temperatures vapors in the exhaust ventilation. See
Fire-fighting class :	Polymer will burn but does no	ot easily ignite.
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	and handling. Process enclos should be used to avoid exce Store away from excessive h oxidizing agents. Keep container closed to pre-	eat and away from strong
7.3 Specific end use(s)		
:	See Section 1.2.	
8. Exposure controls/personal prote	ection	
8.1 Control parameters		
Ingredients with workplace cor	ntrol parameters	
Occupational Exposure Limits		

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021

Print Date 01/06/2022

SDS No.: BE3000

lyondellbasell

Gen. Variant: SDS AT

I .					
	Materials that can	TWA	3 mg/m3	US (ACGIH)	
	be formed when		respirable	2005	
	handling this				
	product: Non-				
	specified (inert or				
	nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) 18816996168 Ponciplastics.com	
	Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006	lyondellbasell
Hifax TKC 407P C1V30)1	Gen. Variant: SDS_AT
Version 1.5 Revision Dat	e 02/12/2021 Print Date 01/	/06/2022 SDS No.: BE3000
Hygiene measures	: Selection of appropriate perso	onal protective equipment should
	be based on an evaluation of of the protective equipment re performed, conditions present hazards and/or potential haza during use. Use good personal hygiene p	the performance characteristics elative to the task(s) to be t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure co	ntrols	
General advice	: See section 6.	
9. Physical and chemical proper 9.1 Information on basic physica		
Appearance	: Pellets.	
Color	: black	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) N	o. 1907/2006 Iyondellbasell
Hifax TKC 407P C1V	[1 1]
	Date 02/12/2021 Print Date 01/06/2022 SDS No.: BE3000
Vapor pressure	: Not applicable.
Density	: >1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n-	: No Data Available.
octanol/water Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards	3.
10.2 Chemical stability	
Stable under normal conditi	ions.
10.3 Possibility of hazardous	reactions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	n products
	9 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006			
Hifax TKC 407P C1V301 Gen. Variant: SDS_AT				
Version 1.5 Revision Dat	te 02/12/2021 Print Date 01/06/2022 SDS No.: BE3000			
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed. 			
11. Toxicological information				
11.1 Information on toxicologica	Il effects			
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity				
	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.			
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
	10 / 16			
L				

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No.		lyondellbasell			
Hifax TKC 407P C1V301 Gen. Variant: SDS_AT					
Version 1.5 Revision Date	e 02/12/2021 Print Date 01	/06/2022 SDS No.: BE3000			
Effects on Development	: Not classified				
Target Organ Systemic Toxi					
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.				
Target Organ Systemic Toxi					
	: The substance or mixture is r organ toxicant, repeated expo				
Aspiration hazard	: Not applicable.				
 12. Ecological information 12.1 Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard 	: Not classified : Not classified				
12.2 Persistence and degradabil	ity				
Biodegradability	: Not expected to be biodegrad	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
	11 / 16				

	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET according to Regulation (EC) No.		lyondellbasell				
Hifax TKC 407P C1V301 Gen. Variant: SDS_AT						
Version 1.5 Revision Dat	e 02/12/2021 Print Date 01/	06/2022 SDS No.: BE3000				
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	umulative and toxic (PBT) or				
12.6 Other adverse effects						
Environmental fate and pathways	: This material is not volatile and insoluble in water.					
12.7 Other information						
Additional ecological information	: Ecotoxicity is expected to be solubility of polymers. No data available on this proc other wildlife may eat pellets intestinal tracts.	luct. However, birds, fish and				
13. Disposal considerations						
13.1 Waste treatment methods						
Product		or reclaimed in conformance with as and in conformance with good				
14. Transport information						
Not regulated for transport						
15. Regulatory information						
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture						
	12 / 16					



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021

Print Date 01/06/2022

SDS No.: BE3000

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Not Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 3 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021

Print Date 01/06/2022

SDS No.: BE3000

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021

Print Date 01/06/2022

SDS No.: BE3000

lvondellbasel

Gen. Variant: SDS_AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax TKC 407P C1V301

Version 1.5

Revision Date 02/12/2021

Print Date 01/06/2022

SDS No.: BE3000

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet