| | (+) | 1 8816996168 iplastics.com | |
|---|-----------------------------|--|---------------------------------------|
| SAFETY DATA SHEET according to Regulation (EC) No. 19 | | iplastics.com | lyondellbasell |
| Hifax TRC 134P S82589 | | | Gen. Variant: SDS_AT |
| Version 1.4 Revision Date | 05/25/2020 | Print Date 01/ | 06/2022 SDS No.: BE8087 |
| Identification of the substance/r Indentifier Trade name Synonyms Substance name | : Hifax TR(: Polyolefir | d of the company/un C 134P S82589 n, Compounded polyn | - |
| 1.2 Relevant identified uses of the | substance | or mixture and use | s advised against |
| Identified uses | : Manufact | | by injection molding, extrusion |
| Prohibited uses | devices; Applicatio | Health Canada class | ent implantation into the body; |
| 1.3 Details of the supplier of the sa Company Basell Sales & Marketing Compan Delftseplein 27E 3013 AA Rotterdam Netherlands | - | sheet Registration num NA | nber Telephone 31 (0) 10 275 55 00 |
| E-mail address : Responsible/issuing person | product.sat | fety@lyb.com | |
| 1.4 Emergency telephone number | | | |
| Basell Sales & Marketing Company Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days | y B.V. | | +32 3 575 1235 |
| 2. Hazards identification | | | |
| 2.1 Classification of the substance | e or mixture | 9 | |
| | | 1 / 16 | |
| | | | |



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. | Classification (REGULATION (EC) No 1272/2008) | Weight % |
|---|-------------------|---|---------------|
| Proprietary blend of polyolefinic polymers | Mixture | Not Classified | 50.0 - 80.0 % |

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

| General advice | : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. |
|----------------|---|
| lf inhaled | Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. |
| | 2 / 16 |
| | |

SAFETY DA

| SAFETY DATA SHEET according to Regulation (EC) No. Hifax TRC 134P S8258 Version 1.4 Revision Da | |
|--|--|
| | Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) |
| In case of skin contact | If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. |
| In case of eye contact | Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. |
| If swallowed | : Adverse health effects due to ingestion are not anticipated. |
| 4.2 Most important symptoms a | ind effects, both acute and delayed |
| Symptoms | : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. |
| Hazards | : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. |

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire-fighting measures

5.1 Extinguishing media

- Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray.
 - 3 / 16

| | (+) 18816996168 Ponciplastics.com |
|--|--|
| SAFETY DATA SHEET according to Regulation (EC) No. 19 | lvondellbasell |
| Hifax TRC 134P S82589 | Gen. Variant: SDS_AT |
| Version 1.4 Revision Date | 05/25/2020 Print Date 01/06/2022 SDS No.: BE8087 |
| Unsuitable extinguishing media 5.2 Special hazards arising from t Specific hazards during fire fighting | Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: |
| | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |
| 5.3 Advice for firefighters | |
| Special protective equipment for fire-fighters | : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. |
| Further information | Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out. |
| 6. Accidental release measures | |
| | ve equipment and emergency procedures |
| Personal precautions | Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. |
| | 4 / 16 |
| | |



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4 Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS AT

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).Potential combustible dust hazard.Polymer particles create slipping hazard on hard smooth surfaces.

6.2 Environmental precautions


Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

| Methods for containment / Methods for cleaning up | : | On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. |
|--|---|--|
| | | |

7. Handling and storage

7.1 Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling 5/16



Ingredients with workplace control parameters

Occupational Exposure Limits

| Components | CAS-No. | Туре | Limit Value | Basis Revision Date | Additional Information |
|---|---------|------|-----------------------|------------------------|---------------------------|
| Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust | | TWA | 10 mg/m3 inhalable | US (ACGIH) 2005 | |

6 / 16



lyondellbasell

Gen. Variant: SDS AT

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

| Version 1.4 Revision Date 05/25/2020 Print Date 01/06/2022 SDS No.: B | E8087 |
|---|-------|
|---|-------|

| Materials that can | TWA | 3 mg/m3 | US (ACGIH) | |
|---------------------|-----|------------|------------|--|
| be formed when | | respirable | 2005 | |
| handling this | | | | |
| product: Non- | | | | |
| specified (inert or | | | | |
| nuisance) dust | | | | |

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

| Respiratory protection | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators. |
|--------------------------|---|
| Hand protection | : Wear gloves that provide thermal protection where there is a potential for contact with heated material. |
| Eye and face protection | : Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product. |
| Skin and body protection | : Wear suitable protective clothing. |
| | 7 / 16 |

| | (+) 18816996168 | |
|---|---|---|
| | (+) 18816996168 Ponciplastics.com | |
| SAFETY DATA SHEET according to Regulation (EC) No. | 1907/2006 | lyondellbasell |
| Hifax TRC 134P S8258 | | Gen. Variant: SDS_AT |
| | e 05/25/2020 Print Date 01/0 | 06/2022 SDS No.: BE8087 |
| | | |
| Hygiene measures | Selection of appropriate perso be based on an evaluation of t of the protective equipment re performed, conditions present, hazards and/or potential hazard during use. Use good personal hygiene pr Wash hands before eating, dri facilities. Take off contaminated clothing | the performance characteristics lative to the task(s) to be , duration of use, and the rds that may be encountered ractices. nking, smoking, or using toilet |
| Environmental exposure co | ntrols | |
| General advice | : See section 6. | |
| | | |
| 9. Physical and chemical proper 9.1 Information on basic physica | | |
| Appearance | : Pellets. | |
| Color | : Metallic silver. | |
| Odor | : Slight. | |
| Flash point | : No Data Available. | |
| Lower explosion limit | : The minimum explosive conce varies according to particle siz | |
| Upper explosion limit | : Not applicable. | |
| Flammability (solid, gas) | : Polymer will burn but does not | easily ignite. |
| Oxidizing properties | : Not considered an oxidizing a | gent. |
| Autoignition temperature | : > 300 °C | |
| Decomposition temperature | : not determined | |
| Melting point/range | : 50 - 170 °C | |
| Boiling point/boiling range | : Not applicable. | |
| | 8 / 16 | |
| | | |
| | | |
| | | |



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS_AT

| Vapor pressure | : Not applicable. |
|---|---|
| | |
| Density | : >1 g/cm3 |
| Water solubility | : Insoluble. |
| Partition coefficient: n- octanol/water | : No Data Available. |
| Viscosity, dynamic | : Not applicable. |
| Relative vapor density | : Not applicable. |
| Evaporation rate | : Not applicable. |
| Explosive properties | : No Data Available. |
| 9.2 Other information | |
| Other information | : No additional information available. |
| 10. Stability and reactivity 10.1 Reactivity | |
| No known reactivity hazards. | |
| 10.2 Chemical stability | |
| Stable under normal condition | S. |
| 10.3 Possibility of hazardous rea | actions |
| - | |
| Hazardous reactions | : Will not occur. |
| | |
| Hazardous reactions | |
| Hazardous reactions 10.4 Conditions to avoid | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or |
| Hazardous reactions 10.4 Conditions to avoid Conditions to avoid | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or |
| Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or open flame. Material may be softened by some hydrocarbons. |
| Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials Materials to avoid | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or open flame. Material may be softened by some hydrocarbons. |
| Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials Materials to avoid | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or open flame. Material may be softened by some hydrocarbons. |
| Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials Materials to avoid | Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or open flame. Material may be softened by some hydrocarbons. |

| products Thermal decomposition Note: 0 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity Acute toxicity Acute oral toxicity Not cla Acute inhalation toxicity Not cla Acute dermal toxicity Not cla Skin corrosion/irritation Not a s Serious eye damage/eye Not a s irritation Not cla Respiratory or skin Not cla Chronic toxicity Not cla Germ cell mutagenicity Not cla Reproductive toxicity Not cla Reproductive toxicity Not cla Reproductive toxicity Not cla Reproductive toxicity Not cla |) 18816996168 nciplastics.com | | | | | |
|---|--|--|--|--|--|--|
| Version 1.4 Revision Date 05/25/202 Hazardous decomposition : Not exproducts Thermal decomposition : Note: 0 11. Toxicological information : Note: 0 11.1 Information on toxicological effects Acute toxicity : Not cla Acute oral toxicity : Not cla Acute inhalation toxicity : Not cla Acute dermal toxicity : Not cla Skin corrosion/irritation : Not cla Serious eye damage/eye : Not cla Serious eye damage/eye : Not cla Serioit toxicity : Not cla Carcinogenicity : Not cla Germ cell mutagenicity : Not cla Reproductive toxicity : Not cla Reproductive toxicity : Not cla Reproductive toxicity : Not cla | [1 111 11 | | | | | |
| products Thermal decomposition Note: 0 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity Acute oral toxicity Not cla Acute inhalation toxicity Not cla Acute dermal toxicity Not cla Skin corrosion/irritation Not a s Serious eye damage/eye Not a s irritation Not cla Respiratory or skin Not cla Chronic toxicity Not cla Germ cell mutagenicity Not cla Reproductive toxicity Not cla Reproductive toxicity Sot cla Reproductive toxicity Sot cla Reproductive toxicity Sot cla | 20 Print Date 01/06/2022 SDS No.: BE8087 | | | | | |
| 11.1 Information on toxicological effects Acute toxicity Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin Serious complexity Chronic toxicity Carcinogenicity Carcinogenicity Keproductive toxicity Effects on fertility / Effects on fertility / | pected to decompose under normal conditions. Carbon monoxide, olefinic and paraffinic compounds, imounts of organic acids, ketones, aldehydes and Is may be formed. | | | | | |
| Acute toxicity | | | | | | |
| Acute oral toxicity : Not classed Acute inhalation toxicity : Not classed Acute dermal toxicity : Not classed Acute dermal toxicity : Not classed Skin corrosion/irritation : Not a set of the set of th | | | | | | |
| Acute dermal toxicity : Not classified Skin corrosion/irritation : Not a second se | assified | | | | | |
| Skin corrosion/irritation : Not a s Serious eye damage/eye : Not an Mecha irritation : Not classensitization Respiratory or skin sensitization : Not classensitization Chronic toxicity : Not classensitization Carcinogenicity : Not classensitization Germ cell mutagenicity : Not classensitization Reproductive toxicity : Not classensitization Carcinogenicity : Not classensitization | : Not classified | | | | | |
| Serious eye damage/eye : Not an Mecha irritation : Not classensitization Respiratory or skin : Not classensitization Chronic toxicity : Not classensitization Carcinogenicity : Not classensitization Germ cell mutagenicity : Not classensitization Reproductive toxicity : Not classensitization Effects on fertility / : Not classensitization | assified | | | | | |
| irritation Mecha Respiratory or skin : Not classensitization Sensitization : Not classensitization Chronic toxicity : Not classensitization Carcinogenicity : Not classensitization Germ cell mutagenicity : Not classensitization Reproductive toxicity : Not classensitization Effects on fertility / : Not classensitization | skin irritant. | | | | | |
| sensitization Chronic toxicity Carcinogenicity : Not cla Germ cell mutagenicity : Not cla Reproductive toxicity Effects on fertility / : Not cla | : Not an eye irritant. Mechanical irritation is possible. | | | | | |
| Carcinogenicity : Not cla Germ cell mutagenicity : Not cla Reproductive toxicity Effects on fertility / : Not cla | assified | | | | | |
| Germ cell mutagenicity : Not cla Reproductive toxicity Effects on fertility / : Not cla | | | | | | |
| Reproductive toxicity Effects on fertility / : Not cla | assified | | | | | |
| Effects on fertility / : Not cla | : Not classified | | | | | |
| Effects on fertility / : Not cla | | | | | | |
| Effects on or via lactation | assified | | | | | |
| | 10 / 16 | | | | | |
| | | | | | | |

| | (+) 18816996168 Ponciplastics.com | | | | |
|--|--|----------------------------------|--|--|--|
| SAFETY DATA SHEET according to Regulation (EC) No. | | lyondellbasell | | | |
| Hifax TRC 134P S82589Gen. Variant: SDS_ATVersion 1.4Revision Date 05/25/2020Print Date 01/06/2022SDS No.: BE8087 | | | | | |
| | | | | | |
| | | | | | |
| | Effects on Development : Not classified | | | | |
| Target Organ Systemic Toxi | cant - Single exposure : The substance or mixture is n | ot classified as specific target | | | |
| | organ toxicant, single exposu | | | | |
| Target Organ Systemic Toxi | | | | | |
| | : The substance or mixture is n organ toxicant, repeated expo | | | | |
| | | | | | |
| Aspiration hazard | : Not applicable. | | | | |
| | | | | | |
| | | | | | |
| 12. Ecological information | | | | | |
| 12.1 Ecotoxicology Assessment | | | | | |
| Short-term (acute) aquatic hazard | : Not classified | | | | |
| Long-term (chronic) aquatic hazard | : Not classified | | | | |
| | | | | | |
| 12.2 Persistence and degradabil | ity | | | | |
| Biodegradability | : Not expected to be biodegrada | able. | | | |
| 12.3 Bioaccumulative potential | | | | | |
| Bioaccumulation | : This material is not expected | to bioaccumulate | | | |
| 12.4 Mobility in soil | | to bloaccumulate. | | | |
| | | | | | |
| Mobility | : no data available | | | | |
| 12.5 Results of PBT and vPvB assessment | | | | | |
| 11 / 16 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | (+) 18816996168 Ponciplastics.com | | | | |
|---|--|--|--|--|--|
| SAFETY DATA SHEET according to Regulation (EC) No. 1 | | lyondellbasell | | | |
| Hifax TRC 134P S82589 Gen. Variant: SDS_AT | | | | | |
| Version 1.4 Revision Date | 05/25/2020 Print Date 01 | /06/2022 SDS No.: BE8087 | | | |
| Result | : This substance/mixture conta to be either persistent, bioaco very persistent and very bioa | cumulative and toxic (PBT) or | | | |
| 12.6 Other adverse effects | | | | | |
| Environmental fate and pathways | : This material is not volatile a | nd insoluble in water. | | | |
| 12.7 Other information | | | | | |
| Additional ecological information | solubility of polymers. | minimal based on the low water duct. However, birds, fish and which may obstruct their | | | |
| 13. Disposal considerations | | | | | |
| 13.1 Waste treatment methods | | | | | |
| Product | | or reclaimed in conformance with ns and in conformance with good | | | |
| 14. Transport information | | | | | |
| Not regulated for transport | | | | | |
| 15. Regulatory information | | | | | |
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | | |
| | 12 / 16 | | | | |
| | | | | | |



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

| Country/Region | Inventory | Status Description |
|--------------------------|-----------|--------------------------------|
| Australia | AICS | Not Compliant |
| Canada | DSL | Not Compliant |
| China | IECSC | Compliant |
| Europe | REACH | See REACH Compliance Statement |
| Japan | ENCS | Compliant |
| Korea | KECI | Compliant |
| New Zealand | NZIoC | Compliant |
| Philippines | PICCS | Not Compliant |
| United States of America | TSCA | Not Compliant |
| Taiwan | TCSCA | Compliant |

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lvondellbasel

Gen. Variant: SDS_AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax TRC 134P S82589

Version 1.4

Revision Date 05/25/2020

Print Date 01/06/2022

SDS No.: BE8087

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet