	((+) 18816996168 onciplastics.com	
SAFETY DATA according to Regulati			lyondellbasell
Hifax TRC 779	XLD E BLACK	K	Gen. Variant: SDS_AT
Version 1.4	Revision Date 04/03/2	2020 Print Date 01	/06/2022 SDS No.: BE1149
1.1 Product identifie Trade name Synonyms Substance name	r : Hifax : Poly : Corr	TRC 779 XLD E BLACI olefin, Compounded poly pounded polyolefin	۲ vmer
Identified uses		ufacture of plastic article ther conversion process.	s by injection molding, extrusion
Prohibited uses	devid Appl	ces; Health Canada clas	nent implantation into the body;
Company Basell Sales & Marł Delftseplein 27E 3013 AA Rotterdam Netherlands	keting Company B.V.	Registration nur NA	nber Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuing		ct.safety@lyb.com	
1.4 Emergency telep	hone number		
Basell Sales & Mark	eting Company B.V.		+32 3 575 1235
<u>Poison Center:</u> Gesundheid Österre AT: +43 1 406 43 43 24 hours all days			
2. Hazards identifica	tion		
2.1 Classification of	the substance or mi	xture	
		1 / 16	



according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK

Version 1.4

Revision Date 04/03/2020 Print Date 01/06/2022

SDS No.: BE1149

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers


4. First aid measures

4.1 Description of first-aid measures


General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET lyondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Hifax TRC 779 XLD E BLACK Version 1.4 Revision Date 04/03/2020 Print Date 01/06/2022 SDS No.: BE1149 Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) In case of skin contact If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. If swallowed : Adverse health effects due to ingestion are not anticipated. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray. 3/16

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 190	lvondellbasell
Hifax TRC 779 XLD E BL	ACK Gen. Variant: SDS_AT
Version 1.4 Revision Date (04/03/2020 Print Date 01/06/2022 SDS No.: BE1149
Unsuitable extinguishing : media 5.2 Special hazards arising from th	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as:
	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment : for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information :	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	
	e equipment and emergency procedures
Personal precautions :	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust.
	4 / 16



7.1 Precautions for safe handling	
Advice on safe handling :	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16



Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK Revision Date 04/03/2020

Version 1.4

Print Date 01/06/2022

SDS No.: BE1149

lyondellbasell

Gen. Variant: SDS AT

Materials that can be formed when handling this	TWA	3 mg/m3 respirable	US (ACGIH) 2005	
product: Non- specified (inert or				
nuisance) dust				

(+) 18816996168 Ponciplastics.com

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators. 	
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.	
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.	
Skin and body protection	: Wear suitable protective clothing.	
	7 / 16	

	(+) 18816996168			
	Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No.	lyondellbasell			
Hifax TRC 779 XLD E B	BLACK	Gen. Variant: SDS_AT		
Version 1.4 Revision Date	e 04/03/2020 Print Date 01/	/06/2022 SDS No.: BE1149		
Hygiene measures		onal protective equipment should		
be based on an evaluation of the performance characteristic of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.				
Environmental exposure cor				
General advice	: See section 6.			
9. Physical and chemical propert 9.1 Information on basic physica				
Appearance	: Pellets.			
Color	: Black			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.		
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.		
Oxidizing properties	: Not considered an oxidizing a	agent.		
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
8 / 16				

SAFETY DATA SHEET according to Regulation (EC) N	Poncipla	16996168 astics.com	lyondellbasell
Hifax TRC 779 XLD E	E BLACK		Gen. Variant: SDS_AT
Version 1.4 Revision	Date 04/03/2020	Print Date 01/06	/2022 SDS No.: BE1149
Vapor pressure	: Not applicable		
Density	: <1 g/cm3		
Water solubility	: Insoluble.		
Partition coefficient: n-	: No Data Availa	able.	
octanol/water Viscosity, dynamic	: Not applicable		
Relative vapor density	: Not applicable		
Evaporation rate	: Not applicable		
Explosive properties	: No Data Availa		
9.2 Other information			
Other information	: No additional	information availab	ble.
10. Stability and reactivity			
10.1 Reactivity No known reactivity hazard	e		
10.2 Chemical stability			
Stable under normal condit	tions.		
10.3 Possibility of hazardous	reactions		
Hazardous reactions	: Will not occur.		
10.4 Conditions to avoid			
Conditions to avoid	: Avoid contact open flame.	with strong oxidize	ers, excessive heat, sparks or
10.5 Incompatible materials			
Materials to avoid	: Material may l	be softened by sor	me hydrocarbons.
10.6 Hazardous decompositio	on products		
	9 /	16	

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hifax TRC 779 XLD E I	I I III II
	te 04/03/2020 Print Date 01/06/2022 SDS No.: BE1149
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica Acute toxicity	al effects
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell			
according to Regulation (EC) No. 1	1907/2006				
Hifax TRC 779 XLD E B Version 1.4 Revision Date		Gen. Variant: SDS_AT 06/2022 SDS No.: BE1149			
Version 1.4 Revision Date	e 04/05/2020 Pfint Date 01/	00/2022 3D3 NO BE1149			
Effects on Development	: Not classified				
Target Organ Systemic Toxic	cant - Single exposure				
	: The substance or mixture is n organ toxicant, single exposu				
Target Organ Systemic Toxic	cant - Repeated exposure				
	: The substance or mixture is n organ toxicant, repeated expo				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
12.2 Persistence and degradabili	ity				
Biodegradability	: Not expected to be biodegrad	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Deputies of DDT and video	co com o nt				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 19		lyondellbasell		
Hifax TRC 779 XLD E BLACK Gen. Variant: SDS_AT				
Version 1.4 Revision Date 04/03/2020 Print Date 01/06/2022 SDS No.: BE1149				
Result	This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or		
12.6 Other adverse effects				
Environmental fate and pathways	: This material is not volatile and insoluble in water.			
12.7 Other information				
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				

(+) **18816996168** Ponciplastics.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK

Version 1.4

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE1149

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms



according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK

Version 1.4

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE1149

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK

Version 1.4

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE1149

lvondellbasel

Gen. Variant: SDS AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.



according to Regulation (EC) No. 1907/2006

Hifax TRC 779 XLD E BLACK

Version 1.4

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE1149

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet