	(+) 18816996168				
SAFETY DATA SHEET	Ponciplastics.com				
DATE I DATA SHEET	lyondellbase				
Hifax TYC 773P 6NVA	NTRL SHAWD GR Gen. Variant: SDS_US_GH				
Version 1.2 Revision Date	e 10/02/2019 Print Date 01/06/2022 SDS No.: BE5				
IDENTIFICATION OF THE SUE	BSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
Trade name	: Hifax TYC 773P 6NVA NTRL SHAWD GR				
CAS Number: Chemical name	: Mixture				
Synonyms	Compounded polyolefin Polyolefin, Compounded polymer				
Synonyms	. Polyolelin, compounded polymer				
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.				
Prohibited uses	 FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications 				
Company Address	Company Telephone				
Equistar Chemicals, LP	Customer Service 888 777-0232 product.safety@lyb.com				
LyondellBasell Tower, Suite 3 1221 McKinney St.	soo product.salety@tyb.com				
P.O. Box 2583					
Houston Texas 77252-2583					
Emergency telephone num EQUISTAR 800-245-4532	ber				
E-mail address	: product.safety@lyb.com				
Responsible/issuing person					
HAZARDS IDENTIFICATION					
GHS Classification					
Combustible dust					
Label elements					
Signal word	: Warning				
Hazard Statements	: If small particles are generated during further processing,				
	handling or by other means, may form combustible dust concentrations in air.				
Other hazards					
	1 / 14				

	(+) 18816996168			
AFETY DATA SHEET	Ponciplastics.com	1 1 111		
AFEIY DATA SHEET		lyondellbase		
ifax TYC 773P 6NVA	NTRI SHAWD GR	Gen. Variant: SDS_US_GH		
ersion 1.2 Revision Date		06/2022 SDS No.: BE55		
No additional information a	vailable.			
	ON INGREDIENTS			
ctures Components				
Chemical name	CAS-No.	Weight %		
Proprietary blend of polyolefinio	: Mixture	80.0 - 100.0 %		
polymers				
Contains: Additives, stabilizer	s and fillers			
FIRST AID MEASURES				
General advice	: Take proper precautions to	ensure your own health and safe		
	before attempting rescue a	-		
K in heaterd				
If inhaled	: Remove person to fresh air. If signs/symptoms continue, get medical attention.			
		tion of fumes that may be generativitian function of fumes the person to fresh air.		
	Obtain medical attention. Keep person warm, if nece	ssary give Cardio-Pulmonary		
	Resuscitation (CPR)			
In case of skin contact	: If molten material contacts	the skin, immediately flush with		
	large amounts of water to c	cool the affected tissue and polym mer from skin as this will remove		
	skin.			
	Obtain immediate emergen or extensive.	cy medical attention if burn is dee		
In case of eye contact	: Flush eyes thoroughly with water for several minutes and see medical attention if discomfort persists.			
	: In case of eye contact with			
	Continuously flush eye(s) v minutes.	vith cool running water for at least		
		attempt to remove the material		
	Immediately seek medical	attention.		
If swallowed	: Adverse health effects due	to ingestion are not anticipated.		
	2/1/			
	2 / 14			

	D 1 1 1				
SAFETY DATA SHEET	Ponciplastics. com				
	JTRI SHAWD GR Gen. Variant: SDS_US_GH				
Hifax TYC 773P 6NVA N /ersion 1.2 Revision Date					
Notes to physician					
Symptoms	: Inhalation of process fumes and vapors may cause soreness				
	the nose and throat and coughing.				
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.				
Treatment	: Treatment of overexposure should be directed at the control				
	symptoms and the clinical condition of the patient.				
FIRE-FIGHTING MEASURES					
Suitable extinguishing media	: SMALL FIRE:				
	Use dry chemical, CO2, or water spray.				
	: LARGE FIRES:				
	: LARGE FIRES: Use water spray hose nozzles from a safe location.				
Unsuitable extinguishing	: LARGE FIRES:				
media Specific hazards during fire	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. 				
media	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be 				
media Specific hazards during fire	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon 				
media Specific hazards during fire	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: 				
media Specific hazards during fire fighting Special protective equipment	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. 				
media Specific hazards during fire fighting Special protective equipment	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbo (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzl Heat from fire may melt, decompose polymer, and generate flammable vapors. 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbor (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbor (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 LARGE FIRES: Use water spray hose nozzles from a safe location. None known. Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke). Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of containe Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 : LARGE FIRES: Use water spray hose nozzles from a safe location. : None known. : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbor (smoke). : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. : Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in 				
media Specific hazards during fire fighting Special protective equipment for fire-fighters	 LARGE FIRES: Use water spray hose nozzles from a safe location. None known. Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbor (smoke). Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing. Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. 				

	(+) 18816996168					
SAFETY DATA SHEET	Ponciplastics.com					
SAFELY DATA SHEET		lyondellbase				
Hifax TYC 773P 6NVA N		Gen. Variant: SDS_US_GH				
/ersion 1.2 Revision Date						
ACCIDENTAL RELEASE MEAS	URES					
Personal precautions	: Equip responders with pro					
	Creates dangerous slippir surface.	ng hazard on any hard smooth				
	Equip emergency respond	ders with proper personal protective				
	equipment (PPE) Avoid generating dust.					
	Avoid dispersal of dust in with compressed air).	the air (i.e., clearing dust surfaces				
	Potential combustible dus					
	Polymer particles create s surfaces.	slipping hazard on hard smooth				
Environmental precautions	: Do not flush into surface	water or sanitary sewer system.				
Methods for containment /		: On land, sweep/shovel into suitable disposal containers or				
Methods for cleaning up	vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any					
	solid. All recovered material should be packaged, labeled,					
	transported and disposed	of or reclaimed in conformance wit				
	applicable laws and regula engineering practices. Rec	ations and in conformance with goo claim where possible.				
Handling and storage						
Precautions for safe handling	-					
Advice on safe handling	: Material is in a pellet form. If converted to small partic	cles during further processing,				
	handling, or by other means, may form combustible dust					
	concentrations in air. Avoid dust accumulation in enclosed space.					
	Use dust collection systems designed per NFPA 654 to avoid					
		dust accumulation. Avoid generating dust; fine dust suspended in air and in the				
	presence of an ignition so	urce is a potential dust explosion				
	Static discharge (spark), o	hazard. Static discharge (spark), or other ignition sources, in high dust				
	environments may ignite the explosion	he dust and result in a dust				
	Electrostatic charge may b	build during conveying or handling.				
	Equipment handling polym	ner should be conductive and				
	4 / 14					

			10550100				
SAFETY DATA SHEE	Т	Poncip1	astics.com	lvood	ellbasell		
			lyonu				
Hifax TYC 773P 6N					: SDS_US_GHS		
Version 1.2 Revision Date 10/02/2019 Print Date 01/06/2022 SDS No.: BE55							
		grounded	(earthed) and b	oonded.			
				in the transfer of thi	s material		
		should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling					
		combustib After hand water.		sh hands thoroughly	with soap and		
			op may conden	al to processing tem ise in the exhaust ve			
		Refer to N Dust Explo	FPA 654, Stan sions from the	dard for the Prevention Manufacturing, Proc Particulate Solids, fo	cessing, and		
Fire-fighting class	:	-		s not easily ignite.	5		
Conditions for safe sto	rage, in	cluding any	, incompatibili	ties			
Requirements for storage	e :		dry location.				
areas and containers Use good housekeeping practices during storage, transfe and handling. Process enclosures and adequate ventilati should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic ch					ate ventilation nulation. m strong on.		
Specific end use(s)							
	:	See Section	on 1.				
8. EXPOSURE CONTROLS/I	PERSON	AL PROTE	CTION				
Control parameters							
-							
Ingredients with workp	lace cor	itrol param	eters				
Occupational Exposure	Limits						
•	S-No.	Туре	Limit Value	Basis Revision Date	Additional Information		
Materials that can be formed when		TWA	10 mg/m3 inhalable	US (ACGIH) 2005			
handling this							
product: Non- specified (inert or							
nuisance) dust							
		F	/ 14				
		5	/ 14				

(+) 18816996168

Ponciplastics.com

SAFETY DATA SHE	EET
-----------------	-----

lyondellbasell

				1 1	111 11
Hifax TYC 77	3P 6NVA N	IRL SHA	WD GR	Gen. Variant	: SDS_US_GHS
Version 1.2	Revision Date 10)/02/2019	Print Date 01/0	06/2022	SDS No.: BE5560
Materials that can		TWA	3 mg/m3	US (ACGIH)	
be formed when handling this			respirable	2005	
product: Non-					
specified (inert or					
nuisance) dust					
Materials that can		TWA	15 mg/m3	US (OSHA)	
be formed when			total dust	2005	
handling this					
product: Non-					
specified (inert or nuisance) dust					
Materials that can		TWA	5 mg/m3	US (OSHA)	
be formed when			respirable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 14

	Depain leating com
SAFETY DATA SHEET	Ponciplastics.com
Hifax TYC 773P 6NVA	
Version 1.2 Revision Date	
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
. PHYSICAL AND CHEMICAL P Appearance	ROPERTIES : Pellets.
Color	: gray
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: > 1 g/cm3
Water solubility	: Insoluble.
	7 / 14

AFETY DATA SHEET	Ponciplastics.com				
ifax TYC 773P 6NVA ersion 1.2 Revision Date					
ersion 1.2 Revision Dan	e 10/02/2019 Print Date 01/06/2022 3D3 No DE 3				
Partition coefficient: n-	: No Data Available.				
octanol/water Viscosity, dynamic	: Not applicable.				
Relative vapor density	: Not applicable.				
Evaporation rate	: Not applicable.				
Explosive properties	: No Data Available.				
Other Information	: No additional information available.				
STABILITY AND REACTIVITY	(
Reactivity	: No known reactivity hazards.				
Chemical stability	: Stable under normal conditions.				
Hazardous reactions	: Will not occur.				
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.				
Materials to avoid	: Material may be softened by some hydrocarbons.				
Hazardous decomposition	: Not expected to decompose under normal conditions.				
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.				
TOXICOLOGICAL INFORMA	ΓΙΟΝ				
Acute toxicity					
Acute oral toxicity	: Not classified				
Acute inhalation toxicity	: Not classified				
Acute dermal toxicity	Not classified				
Skin corrosion/irritation	: Not a skin irritant.				
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.				
	8 / 14				

	(+) 1881	6996168			
		stics.com			
SAFETY DATA SHEET				yonde	ellbasell
Hifax TYC 773P 6NVA N Version 1.2 Revision Date 1		WD GR Print Date 0			SDS_US_GHS
Respiratory or skin sensitization	: Not classifie	ed			
Chronic toxicity					
Component Name	NTP	IARC		OSHA	
Titanium Dioxide		2B		Present	
Carbon Black		2B		Present	
Carcinogenicity	: Not classifie	ed			
	carcinogeni This materi	omponent(s) li c to humans. al is encapsula ase under nom	ated in a	thermoplasti	-
Germ cell mutagenicity	: Not classifie	ed			
Reproductive toxicity					
Effects on fertility / Effects on or via lactation	: Not classifie	ed			
Effects on Development	: Not classifie	ed			
Target Organ Systemic Toxicant - Single exposure		nce or mixture ant, single exp		assified as s	pecific target
Target Organ Systemic Toxicant - Repeated exposure		nce or mixture ant, repeated			pecific target
Aspiration hazard	: Not applica	ole.			
12. Ecological information					
Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classifie	ed			
	: Not classifie	ed			
	9 .	/ 14			

	(+) 18816996168				
	Ponciplastics.com				
SAFETY DATA SHEET	lyondellbasell				
Hifax TYC 773P 6NVA N Version 1.2 Revision Date					
aquatic hazard					
Persistence and degradability					
Biodegradability	: Not expected to be biodegradable.				
Bioaccumulative potential					
Bioaccumulation	: This material is not expected to bioaccumulate.				
Mobility in soil					
Mobility	: no data available				
Other adverse effects					
Environmental fate and pathways	: This material is not volatile and insoluble in water.				
Other information					
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 				
13. Disposal considerations					
Waste treatment methods					
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.				
	: This material is classified as a Non-hazardous Material by RCRA.				
14. TRANSPORT INFORMATION					
	10 / 14				
	107 14				

(10010330100	(+)	188169	96168
---------------	-----	--------	-------

Ponciplastics.com

SAFETY DATA SHEET

Iyondellbase

Hifax TYC 773P 6NVA NTRL SHAWD GR Revision Date 10/02/2019

Version 1.2

Print Date 01/06/2022

Gen. Variant: SDS US GHS SDS No.: BE5560

Not regulated for transport

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material may contain trace levels of the following chemical substance(s) regulated under California Proposition 65. However, LyondellBasell has not tested for the presence of listed chemical substances. It is the responsibility of the California business owner to develop his or her own regulatory compliance plan. Contact Product Safety for further information at product.safety@lyb.com.

Substance	CASRN	Type of Toxicity			
		Carcinogen	Developmental	Repro-Male	Repro- Female
Lead	7439-92-1	Х	Х	Х	Х
Cadmium	7440-43-9	Х	Х	Х	
Chromium	7440-47-3	Х			
Arsenic	7440-38-2	Х			
Nickel	7440-02-0	X			
Mercury	7439-97-6		X		

This product contains the following chemicals regulated by New Jersey's Worker and Community Right to Know Act:

11 / 14

(+)18816996168	(+)	1881	699	6168
----------------	-----	------	-----	------

Ponciplastics.com

SAFETY DATA SHEET

lyondellbasell

Hifax TYC 773P 6NVA NTRL SHAWD GR Version 1.2 Revision Date 10/02/2019 Print Date

Print Date 01/06/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE5560

14807-96-6Talc, Magnesium Silicate1333-86-4Carbon Black

This product contains the following chemicals regulated by Massachusetts' Right to Know Law:

14807-96-6 Talc, Magnesium Silicate

This product contains the following chemicals regulated by Pennsylvania's Right to Know Act:

14807-96-6Talc, Magnesium Silicate1333-86-4Carbon Black

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.


Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Not Compliant*
China	IECSC	Not Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Not Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Contact product.safety@lyb.com for additional global inventory information.

12 / 14



(+)	1881	699	6168
(.)	1001	000	0100

	(+) 18810330108				
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell			
		1 1 11 11			
Hifax TYC 773P 6NVA NT		Gen. Variant: SDS_US_GHS			
Version 1.2 Revision Date 10	0/02/2019 Print Date 0	1/06/2022 SDS No.: BE5560			
LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.					
End	of Material Safety Data S	sheet			
	14 / 14				