	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
SAFETY DATA SHEET	lyondellbasel
Hifax TYC 900P R C1	1544 Gen. Variant: SDS_US_GHS
	ate 10/01/2019 Print Date 01/06/2022 SDS No.: BE341
I. IDENTIFICATION OF THE S	UBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name	: Hifax TYC 900P R C11544
CAS Number: Chemical name	: Mixture : Compounded polyolefin
Synonyms	: Polyolefin, Compounded polymer
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications
<u>Company Address</u> LLC LyondellBasell Polyole	Company Telephone efins +7 8482 56 60 70
Novozavodskaya Street, 6	
floor Togliatti Samara Region ∠ Russia	145007
-	
Emergency telephone nu +32 3 575 1235	mber
E-mail address	: product.safety@lyb.com
Responsible/issuing person	
. HAZARDS IDENTIFICATION	
<b>GHS</b> Classification	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
	1 / 14

	(+) 18816996168			
SAFETY DATA SHEET	Ponciplastics.com			
SAFEIT DATA SHEET		lyondellbasell		
Hifax TYC 900P R C1154	14	Gen. Variant: SDS_US_GHS		
Version 1.2 Revision Date 1		6/2022 SDS No.: BE3416		
No additional information ava	ilable			
3. COMPOSITION/INFORMATION C	ON INGREDIENTS			
Mixtures				
Components		Mainte 0/		
Chemical name	CAS-No.	Weight %		
Proprietary blend of polyolefinic polymers	Mixture	50.0 - 80.0 %		
Contains: Additives, stabilizers	and fillers			
4. FIRST AID MEASURES				
General advice	: Take proper precautions to before attempting rescue an	ensure your own health and safety nd providing first aid.		
<i></i>	-	<b>.</b>		
If inhaled	medical attention.	. If signs/symptoms continue, get		
		ion of fumes that may be generated ial, move the person to fresh air.		
	Obtain medical attention. Keep person warm, if neces	ssary give Cardio-Pulmonary		
	Resuscitation (CPR)			
In case of skin contact	: If molten material contacts	the skin, immediately flush with		
		ool the affected tissue and polymer. mer from skin as this will remove the		
	skin. Obtain immediate emergency medical attention if burn is deep			
	or extensive.			
In case of eye contact	: Flush eyes thoroughly with	water for several minutes and seek		
	medical attention if discomf			
	: In case of eye contact with Continuously flush eye(s) w	molten polymer: ith cool running water for at least 15		
	minutes.	-		
	adherent to the eye(s).	attempt to remove the material		
	Immediately seek medical a	attention.		
If swallowed	: Adverse health effects due	to ingestion are not anticipated.		
	2 / 14			

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Hifax TYC 900P R C115	
Version 1.2 Revision Date	10/01/2019 Print Date 01/06/2022 SDS No.: BE341
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control o symptoms and the clinical condition of the patient.
. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	<ul> <li>Keep away from heat and sources of ignition.</li> <li>In case of fire hazardous decomposition products may be produced such as:</li> <li>Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).</li> </ul>
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	<ul> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzles Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.</li> <li>Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in</li> </ul>
	fire. Cool storage containers with large volumes of water even after fire is out.
	3 / 14

AFETY DATA SHEET <b>lifax TYC 900P R C115</b> ersion 1.2 Revision Date 1 ACCIDENTAL RELEASE MEASU Personal precautions	0/01/2019 Print Date 01/06/2022 SDS No.: BE34
ersion 1.2 Revision Date 1 ACCIDENTAL RELEASE MEASU	0/01/2019 Print Date 01/06/2022 SDS No.: BE34 RES : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth
ACCIDENTAL RELEASE MEASU	IRES : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth
	: Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth
Personal precautions	Creates dangerous slipping hazard on any hard smooth
	Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	: On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
Handling and storage	
Precautions for safe handling	
Advice on safe handling	<ul> <li>Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dus environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and</li> </ul>
	4 / 14

		(+) 188	16996168		
SAFETY DATA SH		Poncip1:	astics.com		
SALLI DATA SI				Iyona	ellbasell
Hifax TYC 900P	R C1154	4		Gen. Variant:	SDS_US_GHS
	ision Date 10		Print Date 01	1/06/2022	SDS No.: BE3416
			(earthed) and b	onded. in the transfer of this	s material
		should be	grounded and b	oonded.	
			regulatory requ	nould conform to app irements for areas h	
		After hand water.	ling, always wa	sh hands thoroughly	·
			p may conden	al to processing tem se in the exhaust ve	
		Dust Explo	sions from the	dard for the Preventic Manufacturing, Proc Particulate Solids, fo	essing, and
Fire-fighting class	:	Polymer w	ill burn but does	s not easily ignite.	
Conditions for safe	e storage, ind	cluding any	incompatibili	ties	
Requirements for st			dry location.	araatiaaa during atar	an transforming
areas and container	5	and handli	ng. Process en	practices during stora closures and adequa	ate ventilation
				excessive dust accun ve heat and away from	
		oxidizing a	gents.	prevent contamination	-
				the build up of elec	
Specific end use(s)	)				
	:	See Section	on 1.		
8. EXPOSURE CONTRO	LS/PERSON	AL PROTE	CTION		
Control parameters					
Ingredients with w	orkplace cor	ntrol param	eters		
Occupational Expo	osure Limits				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
handling this			initialable	2000	
product: Non- specified (inert or					
nuisance) dust					
		F	/ 1 /		
		5	/ 14		

(+)	1881	69961	68
(1)	1001	05501	00

SAFETY	DATA	SHEET	

Iyondellbasell

# Hifax TYC 900P R C11544

Version 1.2 Revision Date 10/01/2019

Print Date 01/06/2022

Gen. Variant: SDS\_US\_GHS 22 SDS No.: BE3416

Materials that can be formed when	TWA	3 mg/m3 respirable	US (ACGIH) 2005	
handling this		reepirable	2000	
product: Non-				
specified (inert or				
nuisance) dust	 			
Materials that can	TWA	15 mg/m3	US (OSHA)	
be formed when		total dust	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	5 mg/m3	US (OSHA)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

## Exposure controls

#### Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

## Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 14

(+) 18816996168

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Hifax TYC 900P R C11 Version 1.2 Revision Date	
Version 1.2 Revision Date	10/01/2019 Fillit Date 01/06/2022 SDS No BE34
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	<ul> <li>Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.</li> <li>Use good personal hygiene practices.</li> <li>Wash hands before eating, drinking, smoking, or using toilet</li> </ul>
	facilities.
	Take off contaminated clothing and wash before reuse.
PHYSICAL AND CHEMICAL PI	ROPERTIES
Appearance Color	: Pellets. : Black
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dua varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: >1 g/cm3
Water solubility	: Insoluble.
	7 / 14

SAFETY DATA SHEET Hifax TYC 900P R C115 /ersion 1.2 Revision Date Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties Other Information	
/ersion 1.2Revision DatePartition coefficient: n- octanol/water Viscosity, dynamicRelative vapor densityEvaporation rateExplosive properties	10/01/2019       Print Date 01/06/2022       SDS No.: BE34         : No Data Available.       :         : Not applicable.       :         : No Data Available.       :
Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties	<ul> <li>No Data Available.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>No Data Available.</li> </ul>
octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>No Data Available.</li> </ul>
octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>No Data Available.</li> </ul>
Relative vapor density Evaporation rate Explosive properties	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>No Data Available.</li> </ul>
Evaporation rate Explosive properties	<ul><li>Not applicable.</li><li>No Data Available.</li></ul>
Explosive properties	: No Data Available.
Other Information	: No additional information available.
0. STABILITY AND REACTIVITY	
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition	: Not expected to decompose under normal conditions.
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMATI	ON
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
	8 / 14

SAFETY DATA SHEET	Poncipla	astics.com	lyoodallb	
				וססב
			lyondellba	וסכנ
Hifax TYC 900P R C11			Gen. Variant: SDS_U	
/ersion 1.2 Revision Date	10/01/2019	Print Date 01/06/	2022 SDS No.	: BE34′
Respiratory or skin sensitization	: Not classifi	ed		
Chronic toxicity				
Component Name	NTP	IARC	OSHA	
Carbon Black Titanium Dioxide		2B 2B	Present Present	
		1	Tresent	
Carcinogenicity	: Not classifi	ed		
	carcinogen This mater	ic to humans. ial is encapsulated ase under normal o	by IARC as possibly in a thermoplastic resin conditions of use, transpo	
Germ cell mutagenicity	: Not classifi	ed		
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classifi	ed		
Effects on Development	: Not classified			
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.			
Target Organ Systemic Toxicant - Repeated exposure		ance or mixture is n cant, repeated expo	ot classified as specific t sure.	arget
Aspiration hazard	: Not applica	ble.		
2. Ecological information				
Ecotoxicology Assessment				
Short-term (acute) aquatic hazard	: Not classifi	ed		
Long-term (chronic) aquatic hazard	: Not classifi	ed		
	9	/ 14		

	(+) 18816996168		
SAFETY DATA SHEET	Ponciplastics.com		
Hifax TYC 900P R C1154 Version 1.2 Revision Date 10			
Version 1.2 Revision Date in	JOT/2013 THIL Date 01/00/2022 3D3 No DE3410		
Persistence and degradability			
Biodegradability	Not expected to be biodegradable.		
Bioaccumulative potential			
Bioaccumulation	This material is not expected to bioaccumulate.		
Mobility in soil			
Mobility	no data available		
Other adverse effects			
Environmental fate and pathways	This material is not volatile and insoluble in water.		
Other information			
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>		
13. Disposal considerations			
Waste treatment methods Product	All recovered material should be packaged labeled		
Floduct	<ul> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.</li> <li>Recycle if possible.</li> </ul>		
:	This material is classified as a Non-hazardous Material by RCRA.		
14. TRANSPORT INFORMATION			
	10 / 14		

(+) <b>18816996168</b>	(+)	1881	6996168
------------------------	-----	------	---------

# SAFETY DATA SHEET

# Hifax TYC 900P R C11544

Version 1.2

Revision Date 10/01/2019

Print Date 01/06/2022

Gen. Variant: SDS\_US\_GHS 22 SDS No.: BE3416

lyondellbase

Not regulated for transport

# 15. REGULATORY INFORMATION

# TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

## Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

#### SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

#### SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

## SARA 313

This product contains no known chemicals regulated under SARA 313.

#### State Reporting

This material may contain trace levels of the following chemical substance(s) regulated under California Proposition 65. However, LyondellBasell has not tested for the presence of listed chemical substances. It is the responsibility of the California business owner to develop his or her own regulatory compliance plan. Contact Product Safety for further information at product.safety@lyb.com.

Substance	CASRN	Type of Toxicity			
		Carcinogen	Developmental	Repro-Male	Repro-
					Female
Nickel	7440-02-0	Х			
Chromium	7440-47-3	Х			
Cadmium	7440-43-9	Х	Х	Х	
Lead	7439-92-1	Х	Х	Х	Х
Arsenic	7440-38-2	Х			
Mercury	7439-97-6		Х		
Hexachlorobenzene	118-74-1	X	Х		

This product contains the following chemicals regulated by New Jersey's Worker and Community Right to Know Act:

11 / 14

(+)	1881	699	6168
( )		000	0100

# SAFETY DATA SHEET

# Hifax TYC 900P R C11544

Version 1.2

Revision Date 10/01/2019

Print Date 01/06/2022

SDS No.: BE3416

lyondellbase

Gen. Variant: SDS US GHS

14807-96-6Talc, Magnesium Silicate1333-86-4Carbon Black

This product contains the following chemicals regulated by Massachusetts' Right to Know Law:

14807-96-6Talc, Magnesium Silicate1333-86-4Carbon Black

This product contains the following chemicals regulated by Pennsylvania's Right to Know Act:

14807-96-6Talc, Magnesium Silicate1333-86-4Carbon Black

# Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Not Compliant*
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Not Determined


#### REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

\*This product contains one or more substances having volume restrictions. Contact Product Safety for additional information.

Contact product.safety@lyb.com for additional global inventory information.

12 / 14



(+) 18816996168
-----------------

SAFETY DATA SHEET	Toncipiastics. col	lyor	ndellbasell
Hifax TYC 900P R C1154	4	Gen. V	ariant: SDS_US_GHS
Version 1.2 Revision Date 10	0/01/2019 Print Date	01/06/2022	SDS No.: BE3416

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

## End of Material Safety Data Sheet