		(+) 18	8816996168 plastics.com		
SAFETY DATA	SHEET	Ponci	plastics.com		
according to Regulation	-	/2006		IYON	dellbasell
Hifax TYC 900 Version 1.5	XBLACK Revision Date 04	/15/2020	Print Date 01		ant: SDS_AT SDS No.: BE3406
Version 1.5	Revision Date 04	/15/2020	Print Date 01	1/06/2022	SDS NO.: BE3406
1. Identification of th	e substance/mix	ture and o	of the company/u	Indertaking	
1.1 Product identifier					
Trade name Synonyms Substance name	:	Polyolefin,	900X BLACK Compounded poly ed polyolefin	ymer	
1.2 Relevant identifie	eduses of the su	bstance o	or mixture and us	es advised agai	nst
Identified uses			re of plastic article poversion process.		lding, extrusion
Prohibited uses		devices; H Application	III medical device ealth Canada clas is involving perma ning medical applic	s IV Medical Devi nent implantation	ices;
1.3 Details of the sup Company Basell Sales & Mark Delftseplein 27E 3013 AA Rotterdam Netherlands		-	eet Registration nu NA		l ephone (0) 10 275 55 00
E-mail address Responsible/issuing		oduct.safet	y@lyb.com		
1.4 Emergency telep	hone number				
Basell Sales & Mark		8.V.		+32	3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days					
2. Hazards identificat	tion				
2.1 Classification of	the substance of	r mixture			
			1 / 16		



according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Print Date 01/06/2022

SDS No.: BE3406

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Revision Date 04/15/2020

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures


4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



Iccording to Regulation (EC) No. 7			Gen. Variant: SDS_AT	
Version 1.5 Revision Date	9 04/15/2020	Print Date 01/06/	2022 SDS No.: I	3E34
In case of skin contact	Resuscitation : If molten mate large amounts polymer.	warm, if necessary n (CPR) erial contacts the sl s of water to cool th	give Cardio-Pulmonary kin, immediately flush with le affected tissue and rom skin as this will remove	
	the skin. Obtain immed or extensive.	diate emergency me	edical attention if burn is de	ер
In case of eye contact		noroughly with water ntion if discomfort pe	for several minutes and se ersists.	ek
	Continuously 15 minutes. Beyond flushi adherent to th	ing, DO NOT attem	pol running water for at leas	t
If swallowed	: Adverse heal	th effects due to ing	estion are not anticipated.	
2 Most important symptoms an	d effects, both a	cute and delayed		
Symptoms	•	process fumes and nd throat and cough	vapors may cause sorenes: ning.	S
Hazards		with the eyes can le her may cause therm	ead to mechanical irritation. nal burns.	
3 Indication of any immediate r	nedical attentior	n and special treatr	nent needed	
Treatment		overexposure shou d the clinical condit	Id be directed at the control ion of the patient.	of
Fire-fighting measures				
1 Extinguishing media				
Suitable extinguishing media	: SMALL FIRE: Use dry chem	: nical, CO2, or water	spray.	
	3 /	/ 16		

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com
according to Regulation (EC) No. 1	907/2006 lyondellbasell
Hifax TYC 900X BLACK	
Version 1.5 Revision Date	04/15/2020 Print Date 01/06/2022 SDS No.: BE3406
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media 5.2 Special hazards arising from t	: None known. he substance or mixture
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	
	ve equipment and emergency procedures
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust.
	4 / 16



All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling

5/16

6	SAFETY DATA SI	(EC) No. 1907		816996168 lastics.com		ellbasell
	Hifax TYC 900X Version 1.5 Re	BLACK evision Date 04/	/15/2020	Print Date 01	Gen. Varian	t: SDS_AT SDS No.: BE3406
			combustible After handli water. When bring	e dusts. ng, always wash ing the material to	hands thoroughly v p processing tempe in the exhaust vent	with soap and eratures <i>v</i> apors
	Fire-fighting class	:	Polymer wil	I burn but does no	ot easily ignite.	
7	.2 Conditions for safe	storage, inclu	iding any i	ncompatibilities		
	Requirements for st areas and container	S	and handlin should be u Store away oxidizing ag Keep conta	ousekeeping prac g. Process encloses sed to avoid exce from excessive h pents. iner closed to pre	ctices during storages sures and adequate essive dust accume eat and away from vent contamination e build up of electr	e ventilation ulation. strong
7	.3 Specific end use(s)					
		: :	See Sectior	n 1.2.		
8	. Exposure controls/p	ersonal protec	tion			
8	.1 Control parameters	5				
	Ingradianta with w	orkalaaa aantu	al narama	10 F0		
	Ingredients with w Occupational Expo	-	or parame	1013		
	Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
	Materials that can be formed when		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

be formed when handling this product: Nonspecified (inert or nuisance) dust 6 / 16



according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Revision Date 04/15/2020

Print Date 01/06/2022

SDS No.: BE3406

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	2 mg/m2		
	IVVA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168	
	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1	1007/2006	lyondellbasell
	Gen. Variant: SDS_AT	
Hifax TYC 900X BLACH Version 1.5 Revision Date		
be based on an evaluation of of the protective equipment performed, conditions presen hazards and/or potential haz during use. Use good personal hygiene		t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure con		
General advice	: See section 6.	
 9. Physical and chemical propertion 9.1 Information on basic physical Appearance 		
Color	: Black.	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

	(+) 18816996168			
	Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) N				
Hifax TYC 900X BLA				
	Date 04/15/2020 Print Date 01/06/2022 SDS No.: BE340			
Vapor pressure Density Water solubility Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density	 Not applicable. > 1 g/cm3 Insoluble. No Data Available. Not applicable. Not applicable. 			
Evaporation rate	: Not applicable.			
Explosive properties	: No Data Available.			
10. Stability and reactivity				
10.1 Reactivity				
No known reactivity hazard	ls.			
10.2 Chemical stability				
Stable under normal condi				
10.3 Possibility of hazardous Hazardous reactions	: Will not occur.			
	· Avoid contact with strong ovidizors, excessive heat, sparks or			
10.4 Conditions to avoid Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.			
Conditions to avoid				
Conditions to avoid				
10.5 Incompatible materials	open flame. : Material may be softened by some hydrocarbons.			

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hifax TYC 900X BLAC	K Gen. Variant: SDS_AT
Version 1.5 Revision Da	te 04/15/2020 Print Date 01/06/2022 SDS No.: BE3406
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	al effects
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll		
according to Regulation (EC) No. 7	1907/2006	lyondellbasell		
Hifax TYC 900X BLACH Version 1.5 Revision Date		Gen. Variant: SDS_AT 06/2022 SDS No.: BE3406		
	3 04/10/2020 Think Date 01/	00/2022 3D3 No DE3400		
Effects on Development	: Not classified			
Target Organ Systemic Toxi				
	: The substance or mixture is no organ toxicant, single exposur			
Target Organ Systemic Toxi				
	: The substance or mixture is no organ toxicant, repeated expo			
Aspiration hazard	: Not applicable.			
12. Ecological information				
12.1 Ecotoxicology Assessment				
Short-term (acute) aquatic hazard	: Not classified			
Long-term (chronic) aquatic hazard	: Not classified			
12.2 Persistence and degradabili	ity			
Biodegradability	: Not expected to be biodegrada	able.		
12.3 Bioaccumulative potential				
Bioaccumulation	: This material is not expected t	to bioaccumulate.		
12.4 Mobility in soil				
Mobility	: no data available			
12.5 Results of PBT and vPvB assessment				
	11 / 16			

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 15		lyondellbasell		
Hifax TYC 900X BLACK Gen. Variant: SDS_AT				
Version 1.5 Revision Date	04/15/2020 Print Date 01	/06/2022 SDS No.: BE3406		
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or		
12.6 Other adverse effects				
Environmental fate and pathways	: This material is not volatile and insoluble in water.			
12.7 Other information				
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				



according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Revision Date 04/15/2020

Print Date 01/06/2022

SDS No.: BE3406

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Not Compliant
Canada	DSL	Not Compliant
China	IECSC	Not Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Not Compliant
Korea	KECI	Not Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Not Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Not Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



Print Date 01/06/2022

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Revision Date 04/15/2020

SDS No.: BE3406

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Revision Date 04/15/2020

Print Date 01/06/2022

SDS No.: BE3406

lvondellbasel

Gen. Variant: SDS_AT

NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hifax TYC 900X BLACK

Version 1.5

Revision Date 04/15/2020

Print Date 01/06/2022

SDS No.: BE3406

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet