	(+)	18816996168 ciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No		ciplastics, com	lyondellbasell
Hostacom BB 73 F C1			Gen. Variant: SDS_AT
Version 1.2 Revision D	ate 04/03/2020	Print Date 01/0	06/2022 SDS No.: BE13700
 Identification of the substance Indentification of the substance Indentifier Trade name Synonyms Substance name 	: Hostaco : Polyolefi	d of the company/un om BB 73 F C12360 in, Compounded polyr inded polyolefin	-
1.2 Relevant identified uses of	the substance	e or mixture and use	s advised against
Identified uses		cture of plastic articles conversion process.	by injection molding, extrusion
Prohibited uses	devices; Applicat	Health Canada class	ent implantation into the body;
1.3 Details of the supplier of th Company Basell Sales & Marketing Comp Delftseplein 27E 3013 AA Rotterdam Netherlands	-	Registration num	ber Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuing person	: product.sa	afety@lyb.com	
1.4 Emergency telephone num	ber		
Basell Sales & Marketing Comp	bany B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days			
2. Hazards identification			
2.1 Classification of the substa	nce or mixtur	е	
		1 / 16	



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2

Print Date 01/06/2022

SDS No.: BE13700

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Revision Date 04/03/2020

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures


4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16



SAFETY DATA SHEET	Ponciplastics.com
according to Regulation (EC) No. 7	1907/2006 Iyondellbase
Hostacom BB 73 F C12	Gen. Variant: SDS_AT
Version 1.2 Revision Date	
In case of skin contact	 Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove
	the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
.2 Most important symptoms an	d effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
.3 Indication of any immediate r	nedical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	3 / 16

SAFETY DATA SHEET according to Regulation (EC) No. 19 Hostacom BB 73 F C123		Gen. Variant: SDS AT
Version 1.2 Revision Date		2022 SDS No.: BE13700
Unsuitable extinguishing media 5.2 Special hazards arising from th	: Keep away from heat and sources In case of fire hazardous decompo	s of ignition.
	produced such as: Carbon monoxide, carbon dioxide hydrocarbons (smoke).	and unburned
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pressure apparatus and firefighter protective	-
Further information	 Combustible particulate solid, will conditions. Calorific Value: 8000 - 11000 kcal Fight fire from safe distance with h nozzles. Heat from fire may melt, decomport flammable vapors. Move containers from fire area if it Evacuate immediately in the event container pressure relief devices of Always stay away from tanks engund to not attempt to get on top of stoffire. Cool storage containers with large after fire is out. 	I/kg hose lines or monitor pse polymer, and generate t can be done without risk. t of opening of storage or discoloration of container. ulfed in fire. prage containers involved in
6. Accidental release measures	o aquipment and emergency proc	coduros
6.1 Personal precautions, protectiv Personal precautions	 Equipment and emergency prod Creates dangerous slipping hazar surface. Equip emergency responders with equipment (PPE) Avoid generating dust. 	tection. d on any hard smooth
	4 / 16	



Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16

	(+) 1881699616 Ponciplastics.co	3
SAFETY DATA SHEET according to Regulation (EC) No. 19		Jyondellbasell
Hostacom BB 73 F C12		Gen. Variant: SDS_AT
Version 1.2 Revision Date	04/03/2020 Print Date	01/06/2022 SDS No.: BE13700
	combustible dusts.	
	After handling, always was water. When bringing the materia	h hands thoroughly with soap and I to processing temperatures vapors e in the exhaust ventilation. See
Fire-fighting class	: Polymer will burn but does	not easily ignite.
7.2 Conditions for safe storage, in	cluding any incompatibilitie	25
Requirements for storage areas and containers	and handling. Process end should be used to avoid ex Store away from excessive oxidizing agents. Keep container closed to p	ractices during storage, transferring losures and adequate ventilation accessive dust accumulation. The heat and away from strong prevent contamination. The build up of electrostatic charge.
7.3 Specific end use(s)		
	: See Section 1.2.	
8. Exposure controls/personal pro	otection	
8.1 Control parameters		
Ingredients with workplace co	ontrol parameters	
Occupational Exposure Limit	S	

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	



according to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2 Revision Date 04/03/2020 Print Date 01/06/2022

SDS No.: BE13700

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
	7 / 16

	(+) 18816996168				
	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET		lyondellbasell			
according to Regulation (EC) No. 1907/2006I y OT C C T D C D CHostacom BB 73 F C12360Gen. Variant: SDS_AT					
Version 1.2 Revision Date					
Hygiene measures	· Soloction of appropriate porc	onal protective equipment should			
	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	the performance characteristics elative to the task(s) to be t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet			
Environmental exposure cor					
General advice	: See section 6.				
9. Physical and chemical propert 9.1 Information on basic physical					
Appearance	: Pellets.				
Color	: black				
Odor	: Slight.				
Flash point	: No Data Available.				
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.			
Upper explosion limit	: Not applicable.				
Flammability (solid, gas)	: Polymer will burn but does no	t easily ignite.			
Oxidizing properties	: Not considered an oxidizing a	agent.			
Autoignition temperature	: > 300 °C				
Decomposition temperature	: not determined				
Melting point/range	: 50 - 170 °C				
Boiling point/boiling range	: Not applicable.				
	8 / 16				

	(+) 188	16996168 astics.com	
SAFETY DATA SHEET	Poncipl	astics.com	lyondellbasel
according to Regulation (EC) No.	1907/2006		
Hostacom BB 73 F C1		Drint Data 01/00	Gen. Variant: SDS_AT
Version 1.2 Revision Da	te 04/03/2020	Print Date 01/06/	2022 SDS No.: BE1370
Vapor pressure	: Not applicable	Э.	
Density	: >1 g/cm3		
Water solubility	: Insoluble.		
Partition coefficient: n- octanol/water	: No Data Avai	lable.	
Viscosity, dynamic	: Not applicable	Э.	
Relative vapor density	: Not applicable	Э.	
Evaporation rate	: Not applicable	Э.	
Explosive properties	: No Data Avai	lable.	
9.2 Other information			
Other information	: No additional	information available	e.
10. Stability and reactivity			
10.1 Reactivity			
No known reactivity hazards.			
10.2 Chemical stability			
Stable under normal condition			
10.3 Possibility of hazardous re			
Hazardous reactions	: Will not occur		
10.4 Conditions to avoid			
Conditions to avoid	: Avoid contact open flame.	t with strong oxidize	rs, excessive heat, sparks or
10.5 Incompatible materials			
Materials to avoid	: Material may	be softened by son	ne hydrocarbons.
10.6 Hazardous decomposition	products		
	-	/ 16	

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006			
Hostacom BB 73 F C12360 Gen. Variant: SDS_AT				
Version 1.2 Revision Dat	te 04/03/2020 Print Date 01/06/2022 SDS No.: BE13700			
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed. 			
11. Toxicological information				
11.1 Information on toxicologica	l effects			
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity	: Not classified			
	: Not classified			
Acute dermal toxicity	. Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.			
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
10 / 16				

SAFETY DATA SHEET according to Regulation (EC) No. 7 Hostacom BB 73 F C12 Version 1.2 Revision Date	2360	Gen. Variant: SDS_AT /06/2022 SDS No.: BE13700			
Effects on Development	: Not classified				
Target Organ Systemic Toxicant - Single exposure					
: The substance or mixture is not classified as specific target organ toxicant, single exposure.					
Target Organ Systemic Toxi	cant - Repeated exposure				
	: The substance or mixture is r organ toxicant, repeated exp				
Aspiration hazard	: Not applicable.				
 12. Ecological information 12.1 Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard 	: Not classified : Not classified				
12.2 Persistence and degradabili	ty				
Biodegradability	: Not expected to be biodegrad	lable.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll				
SAFETY DATA SHEET Jon Control Section (EC) No. 1907/2006						
Hostacom BB 73 F C12360 Gen. Variant: SDS_AT						
Version 1.2 Revision Date	04/03/2020 Print Date 01	/06/2022 SDS No.: BE13700				
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or				
12.6 Other adverse effects						
Environmental fate and pathways	: This material is not volatile and insoluble in water.					
12.7 Other information						
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their				
13. Disposal considerations						
13.1 Waste treatment methods						
Product		or reclaimed in conformance with ns and in conformance with good				
14. Transport information						
Not regulated for transport						
15. Regulatory information						
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture						
12 / 16						
	12,10					



according to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE13700

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms



according to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE13700

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE13700

lvondellbasel

Gen. Variant: SDS_AT

NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.



according to Regulation (EC) No. 1907/2006

Hostacom BB 73 F C12360

Version 1.2

Revision Date 04/03/2020

Print Date 01/06/2022

SDS No.: BE13700

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet