$(+)\,18816996168$ 

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

### Hostacom CR 1171 G1 G81493 Revision Date 12/09/2015

Version 1.1

Print Date 04/13/2017

SDS No.: BE1640

1. Identification of the subs	tance/mixture and	of the company/undertaki	ng	
1.1 Product identifier				
Trade name Synonyms Substance name <b>1.2 Relevant identified uses</b>	: Polyolefin : Compoun	n CR 1171 G1 G81493 , Compounded polymer ded polyolefin <b>or mixture and uses advis</b>	ed against	
Identified uses		<ul> <li>Manufacture of plastic articles by injection molding, extrusion or other conversion process.</li> </ul>		
Prohibited uses	: Aeronautical parts; Train transportation parts; Air bag unit housings; Seat belt systems and mechanisms; Brake systems and mechanisms; Pedals ( brake , gas , clutch); Steering systems and mechanisms; Medical applications use		hanisms; Brake systems s , clutch); Steering	
1.3 Details of the supplier o	f the safety data sl	neet	1.4 Emergency telephone	
<b>Company</b> Basell Sales & Marketing Company B.V. Delftseplein 27E 3013 AA Rotterdam Netherlands	<b>Telephone</b> 31 (0) 10 275 55 00	<b>Registration number</b> NA	Emergency telephone +32 3 575 1235	
			Poison Center: National Poisons Information Service UK: +44 131 242 1383 24 hours all days	
E-mail address Responsible/issuing pers		fety@lyb.com		
2. Hazards identification				
2.1 Classification of the sub	ostance or mixture			
Classification (REGUL	ATION (EC) No 127	2/2008)		
Not a hazardous substar	nce or mixture accor	ding to Regulation (EC) No	1272/2008.	
2.2 Label elements				
		1/13		

(+) **18816996168** 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom CR 1171 G1 G81493

Version 1.1

Revision Date 12/09/2015

Print Date 04/13/2017

SDS No.: BE1640

lvondellbasell

Gen. Variant: SDS GB

### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

#### 3. Composition/information on ingredients

#### 3.2 Mixtures

#### Ingredients

Chemical Name	CAS-No. EC-No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

#### 4. First aid measures

#### 4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.</li> <li>Obtain medical attention.</li> <li>Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)</li> </ul>
In case of skin contact	<ul> <li>If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer.</li> <li>Do not attempt to peel polymer from skin as this will remove the skin.</li> <li>Obtain immediate emergency medical attention if burn is deep or extensive.</li> </ul>
	2/13

(+) 18816996168

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom CR 1171 G1	G81493	Gen	. Variant: SDS_GB
	te 12/09/2015	Print Date 04/13/2017	SDS No.: BE16
In case of eye contact		thoroughly with water for se ention if discomfort persists.	veral minutes and seek
	Continuous 15 minutes Beyond flu adherent to	eye contact with molten polyr sly flush eye(s) with cool runr s. shing, DO NOT attempt to re o the eye(s). ly seek medical attention.	ning water for at least
If swallowed	: Adverse he	ealth effects due to ingestion	are not anticipated.
.2 Most important symptoms a	nd effects, botl	n acute and delayed	
Symptoms		of process fumes and vapors and throat and coughing.	may cause soreness
Hazards		ct with the eyes can lead to r ymer may cause thermal bur	
.3 Indication of any immediate	medical attenti	on and special treatment n	eeded
Treatment		of overexposure should be d and the clinical condition of t	
. Fire-fighting measures			
. Fire-fighting measures .1 Extinguishing media			
		RE: emical, CO2, or water spray.	
.1 Extinguishing media	Use dry ch : LARGE FI	emical, CO2, or water spray.	
<b>.1 Extinguishing media</b> Suitable extinguishing media Unsuitable extinguishing	Use dry ch : LARGE FI	emical, CO2, or water spray. RES: spray hose nozzles from a sa	
<b>.1 Extinguishing media</b> Suitable extinguishing media	Use dry ch : LARGE FI Use water : None knov	emical, CO2, or water spray. RES: spray hose nozzles from a sa /n.	
<b>.1 Extinguishing media</b> Suitable extinguishing media Unsuitable extinguishing media	Use dry ch : LARGE FI Use water : None know the substance : Keep away In case of produced s Carbon mo	emical, CO2, or water spray. RES: spray hose nozzles from a sa vn. e or mixture v from heat and sources of ig fire hazardous decompositior	afe location. nition. n products may be
<ul> <li><b>.1 Extinguishing media</b>         Suitable extinguishing media         Unsuitable extinguishing media         <b>.2 Special hazards arising from</b>         Specific hazards during fire     </li> </ul>	Use dry ch : LARGE FI Use water : None know the substance : Keep away In case of produced s Carbon mo	emical, CO2, or water spray. RES: spray hose nozzles from a sa vn. e or mixture v from heat and sources of ig fire hazardous decompositior such as: pnoxide, carbon dioxide and u	afe location. nition. n products may be
<ul> <li><b>.1 Extinguishing media</b>         Suitable extinguishing media         Unsuitable extinguishing media         <b>.2 Special hazards arising from</b>         Specific hazards during fire fighting     </li> </ul>	Use dry ch : LARGE FI Use water : None know the substance : Keep away In case of produced s Carbon mo hydrocarbo : Wear appr	emical, CO2, or water spray. RES: spray hose nozzles from a sa vn. e or mixture v from heat and sources of ig fire hazardous decompositior such as: pnoxide, carbon dioxide and u	afe location. nition. n products may be unburned ontained breathing
<ul> <li><b>.1 Extinguishing media</b> <ul> <li>Suitable extinguishing media</li> <li>Unsuitable extinguishing media</li> <li><b>.2 Special hazards arising from</b> <li>Specific hazards during fire fighting</li> </li></ul> </li> <li><b>.3 Advice for firefighters</b> <ul> <li>Special protective equipment</li> </ul> </li> </ul>	Use dry ch : LARGE FI Use water : None know the substance : Keep away In case of produced s Carbon mo hydrocarbo : Wear appr apparatus	emical, CO2, or water spray. RES: spray hose nozzles from a sa vn. e or mixture v from heat and sources of ig fire hazardous decomposition such as: onoxide, carbon dioxide and u ons (smoke).	afe location. nition. n products may be unburned ontained breathing hing.

(+) 18816996168

	(1)10010350100
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006 Iyondellbase
Hostacom CR 1171 G1	G81493 Gen. Variant: SDS_GB
Version 1.1 Revision Dat	001400
	conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	
6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	<ul> <li>Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protective equipment (PPE)</li> <li>Avoid generating dust.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Potential combustible dust hazard.</li> <li>Polymer particles create slipping hazard on hard smooth surfaces.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for co	ntainment and cleaning up
Methods for cleaning up	<ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.</li> <li>On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.</li> </ul>
7. Handling and storage	
7.1 Precautions for safe handlin	1
	4 / 13

(+) 18816996168

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

	Hostacom CR 1171 G	1 G81403	Gen. Va	ariant: SDS_GB
If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.         Avoid dust accumulation in enclosed space.         Avoid dust accumulation in enclosed space.         Avoid generating dust, fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.         Static discharge (spark), or other ignition sources, in high dus environments may ignite the dust and result in a dust explosion.         Equipment handling polymer should be conductive and grounded (earthed) and bonded.         Metal containers involved in the transfer of this material should be grounded at bonded.         All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.         After handling, always wash hands thoroughly with soap and water.         When bringing the material to processing temperatures vapor may develop may condense in the exhaust ventilation. See section 10.         Eire-fighting class       Polymer will burn but does not easily ignite.         22 Conditions for safe storage, including any incompatibilities accumulation. Store away from excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents.         Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge and handling. Process enclosures and adequate ventilation sotizing agents.         Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge sotizing agents. <th></th> <th></th> <th></th> <th>SDS No.: BE164</th>				SDS No.: BE164
section 10. Fire-fighting class : Polymer will burn but does not easily ignite. <b>2 Conditions for safe storage, including any incompatibilities</b> Requirements for storage : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge <b>3 Specific end use(s)</b> : See Section 1.2. <b>4 Exposure controls/personal protection</b>		: Material is in If converted handling, or concentration Avoid dust a Avoid gener presence of hazard. Static discha environmen explosion Electrostation Equipment H grounded (en Metal contal should be g All electrical codes and r combustible After handlin water.	n a pellet form. to small particles during further by other means, may form con ons in air. accumulation in enclosed space ating dust; fine dust suspended an ignition source is a potentia arge (spark), or other ignition so ts may ignite the dust and result charge may build during conve- nandling polymer should be cor arthed) and bonded. ners involved in the transfer of rounded and bonded. equipment should conform to a egulatory requirements for area dusts. ng, always wash hands thoroug	r processing, nbustible dust e. d in air and in the l dust explosion purces, in high dust lt in a dust eying or handling. nductive and this material applicable electric as handling ghly with soap and emperatures vapors
Requirements for storage areas and containers       : Store in a dry location.         Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents.         Keep container closed to prevent contamination.         Take measures to prevent the build up of electrostatic charge         7.3 Specific end use(s)         : See Section 1.2.         3. Exposure controls/personal protection         3.1 Control parameters	Fire-fighting class	section 10.		
Requirements for storage areas and containers       : Store in a dry location.         Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents.         Keep container closed to prevent contamination.         Take measures to prevent the build up of electrostatic charge         7.3 Specific end use(s)         : See Section 1.2.         3. Exposure controls/personal protection         3.1 Control parameters	7.2 Conditions for safe storage	. including any ir	compatibilities	
: See Section 1.2. 3. Exposure controls/personal protection 3.1 Control parameters	Requirements for storage	: Store in a di Use good he and handlin should be u Store away oxidizing ag Keep contai	y location. busekeeping practices during s g. Process enclosures and ade sed to avoid excessive dust acc from excessive heat and away ents. ner closed to prevent contamin	quate ventilation cumulation. from strong ation.
3. Exposure controls/personal protection 3.1 Control parameters	7.3 Specific end use(s)			
3.1 Control parameters		: See Section	1.2.	
5 / 13		protection		
5 / 13				
		5	5/13	

(+) **18816996168** 

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom CR 1171 G1 G81493

Version 1.1

Revision Date 12/09/2015

Print Date 04/13/2017

SDS No.: BE1640

#### Ingredients with workplace control parameters

#### **Occupational Exposure Limits**

Ingredients	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	

Consult local authorities for acceptable exposure limits.

#### 8.2 Exposure controls

#### **Engineering measures**

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

#### Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
	6 / 13

(+) **18816996168** 

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

	1 G1 G81493	Gen.	/ariant: SDS_GB
ersion 1.1 Revision	on Date 12/09/2015	Print Date 04/13/2017	SDS No.: BE164
Eye and face protectior	injury or otl	e goggles should be worn to p her irritation to eyes due to airb from handling this product.	
Skin and body protectic	n : Wear suita	ble protective clothing.	
Hygiene measures	be based o of the prote performed, hazards an during use. Use good p Wash hand facilities.	f appropriate personal protection on an evaluation of the perform active equipment relative to the conditions present, duration of d/or potential hazards that may bersonal hygiene practices. Is before eating, drinking, smol ontaminated clothing and wash	ance characteristics task(s) to be f use, and the y be encountered king, or using toilet
Environmental exposi	ure controls		
General advice	: See section	2.6	
Physical and chemical p			
Physical and chemical p Information on basic p	properties		
Physical and chemical p	properties hysical and chemica		
Physical and chemical p Information on basic p Appearance	broperties hysical and chemical : Pellets.		
Physical and chemical p Information on basic p Appearance Color	<b>properties</b> hysical and chemical : Pellets. : gray : Slight. : Note: The r		
Physical and chemical p Information on basic p Appearance Color Odor	<b>properties</b> hysical and chemical : Pellets. : gray : Slight. : Note: The r	I properties minimum explosive concentrati st varies according to particle s	
Physical and chemical p Information on basic p Appearance Color Odor Lower explosion limit	broperties hysical and chemical : Pellets. : gray : Slight. : Note: The r polymer du : Note: Not a	I properties minimum explosive concentrati st varies according to particle s	size distribution.
Physical and chemical p Information on basic p Appearance Color Odor Lower explosion limit Upper explosion limit	broperties hysical and chemical : Pellets. : gray : Slight. : Note: The r polymer du : Note: Not a ) : Polymer wi	I properties minimum explosive concentrati st varies according to particle s	size distribution.
Physical and chemical p Information on basic p Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas	hysical and chemical : Pellets. : gray : Slight. : Note: The r polymer du : Note: Not a ) : Polymer wi : Not conside	I <b>properties</b> minimum explosive concentrati ist varies according to particle s applicable. Il burn but does not easily ignit	size distribution.
Physical and chemical p Information on basic p Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas Oxidizing properties	hysical and chemical : Pellets. : gray : Slight. : Note: The r polymer du : Note: Not a ) : Polymer wi : Not conside	I <b>properties</b> minimum explosive concentrati st varies according to particle s applicable. Il burn but does not easily ignit ered an oxidizing agent.	size distribution.
Physical and chemical p Information on basic p Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas Oxidizing properties Autoignition temperatur	hysical and chemical : Pellets. : gray : Slight. : Note: The r polymer du : Note: Not a ) : Polymer wi : Not conside e : > 300 °C	I properties minimum explosive concentrati ist varies according to particle s applicable. Il burn but does not easily ignit ered an oxidizing agent.	size distribution.

7/13

Version 1.1

Density

(+) 18816996168

according to Regulation (EC) No. 1907/2006

#### Ponciplastics.com lyondellbasell Gen. Variant: SDS GB Hostacom CR 1171 G1 G81493 Revision Date 12/09/2015 Print Date 04/13/2017 SDS No.: BE1640 Vapor pressure : Note: Not applicable. : < 1 g/cm3 Water solubility : Note: Insoluble. Partition coefficient: n-: Note: No Data Available. Viscosity, dynamic : Note: Not applicable. Relative vapor density : Note: Not applicable. Evaporation rate : Note: Not applicable. Explosive properties : No Data Available.

#### 9.2 Other information

octanol/water

#### 10. Stability and reactivity

#### 10.1 Reactivity

No known reactivity hazards.

#### **10.2 Chemical stability**

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions Hazardous reactions : Will not occur. 10.4 Conditions to avoid Conditions to avoid : Avoid contact with strong oxidizers, excessive heat, sparks or open flame. **10.5** Incompatible materials Materials to avoid : Material may be softened by some hydrocarbons. **10.6 Hazardous decomposition products** Hazardous decomposition : Not expected to decompose under normal conditions. products Thermal decomposition : Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed. 11. Toxicological information 11.1 Information on toxicological effects

8/13

# 9

(.)

	(+) 18816996168				
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll			
according to Regulation (EC) No. 1907/	2006	lyondellbasell			
Hostacom CR 1171 G1 G8	Hostacom CR 1171 G1 G81493 Gen. Variant: SDS_GB				
Version 1.1 Revision Date 12/0	9/2015 Print Date 04/	13/2017 SDS No.: BE1640			
Acute toxicity					
Acute oral toxicity :	lot classified				
Acute inhalation toxicity	lot classified				
Acute dermal toxicity : N	lot classified				
Skin corrosion/irritation : N	lot a skin irritant.				
	lot an eye irritant. Aechanical irritation is possib	le.			
Respiratory or skin : N sensitization	lot classified				
Chronic toxicity					
Carcinogenicity : N	lot classified				
Germ cell mutagenicity : N	lot classified				
Reproductive toxicity					
, , , , , , , , , , , , , , , , , , ,	lot classified				
Effects on or via lactation Effects on Development : N	lot classified				
Target Organ Systemic Toxicant	- Single exposure				
: 1		not classified as specific target re.			
Target Organ Systemic Toxicant	- Repeated exposure				
	he substance or mixture is r rgan toxicant, repeated expo	not classified as specific target osure.			
Aspiration hazard : N	lot applicable.				
	9 / 13				
	3713				

	(+) 18816996168
SAFETY DATA SHEET	
according to Regulation (EC) No. 7	1907/2006 Iyondelibasel
Hostacom CR 1171 G1	
Version 1.1 Revision Date	e 12/09/2015 Print Date 04/13/2017 SDS No.: BE1640
12. Ecological information	
12.1 Toxicity	
Ecotoxicology Assessment	
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
12.2 Persistence and degradabili	ity
Biodegradability	: Not expected to be biodegradable.
12.3 Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
12.4 Mobility in soil	
Additional advice Environmental fate and pathways	: This material is not volatile and insoluble in water.
12.5 Results of PBT and vPvB as	sessment
	ns no components considered to be either persistent, bioaccumulative tent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>
13. Disposal considerations	
13.1 Waste treatment methods	
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
	10 / 13

(+) 18816996168

Ponciplastics.com





Hostacom CR 1171 G1 G81493

Version 1.1

Revision Date 12/09/2015

Print Date 04/13/2017

SDS No.: BE1640

## 14. Transport information

Not regulated for transport

## 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **REACh status**

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been pre-registered or, where required under REACh, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

### Other international regulations

### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

## 15.2 Chemical Safety Assessment

No information available.

## 16. Other information

11 / 13

(+) **18816996168** 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

lyondellbasell

Gen. Variant: SDS GB

## Hostacom CR 1171 G1 G81493

Version 1.1

Revision Date 12/09/2015

Print Date 04/13/2017

SDS No.: BE1640

#### Material safety datasheet sections which have been updated:

Revised Section(s): 1 2 7 8 15 November 10 2015

#### Further information

#### Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

This document is generated for the purpose of distributing health, safety, and environmental data.

Information is correct to the best of our knowledge at the date of the SDS publication. It is not a specification sheet nor should any displayed data be construed as a specification. Before using a product sold by a company of the LyondellBasell family of companies, users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally.

SELLER MAKES NO WARRANTY; EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY) OTHER THAN AS SEPARATELY AGREED TO BY THE PARTIES IN A CONTRACT.

Users should review the applicable Safety Data Sheet before handling the product. This product(s) may not be used in the manufacture of any of the following, without prior written

approval by Seller for each specific product and application:

(i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices;

(ii) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices;

(iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration;

(iv) tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in:

(i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices;

(ii) applications involving permanent implantation into the body;

(iii) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

In addition to the above, LyondellBasell may further prohibit or restrict the use of its products in certain applications. For further information, please contact a LyondellBasell representative.

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg. Adflex, Adstif, Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Aquathene, Avant, Catalloy, Clyrell, Dexflex, Flexathene, Hifax, Histif, Hostacom, Hostalen, Indure, Integrate, Koattro, Lucalen, Luflexen, Lupolen, Metocene, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-

# (+) **18816996168**

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET

Gen. Variant: SDS\_GB

## Hostacom CR 1171 G1 G81493

Version 1.1

Revision Date 12/09/2015

Print Date 04/13/2017

SDS No.: BE1640

#### Disclaimer

Fax, Purell, Sequel, Softell, Starflex, Ultrathene, and Valtec are trademarks owned or used by the LyondellBasell family of companies.