$(+)\,18816996168$

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom CR 250 F G71322 Version 1.1 Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

1. Identification of the cube	tanaa/mixtura and	of the company/undertaki	ing
1. Identification of the subs 1.1 Product identifier	tance/mixture and	or the company/undertaki	ing
Trade name Synonyms Substance name 1.2 Relevant identified uses	: Polyolefin, : Compound	CR 250 F G71322 Compounded polymer ded polyolefin or mixture and uses advis	ed against
Identified uses		re of plastic articles by inje- onversion process.	ction molding, extrusion
Prohibited uses	housings; and mech	cal parts; Train transportatic Seat belt systems and mec anisms; Pedals (brake , ga nd mechanisms; Medical aj	hanisms; Brake systems s , clutch); Steering
1.3 Details of the supplier o	f the safety data sh	eet	1.4 Emergency telephone
Company Basell Sales & Marketing Company B.V. Delftseplein 27E 3013 AA Rotterdam Netherlands	Telephone 31 (0) 10 275 55 00	Registration number NA	Emergency telephone +32 3 575 1235
			Poison Center: National Poisons Information Service UK: +44 131 242 1383 24 hours all days
E-mail address Responsible/issuing pers	: product.saf son	ety@lyb.com	
2. Hazards identification			
2.1 Classification of the sub	ostance or mixture		
Classification (REGUL	ATION (EC) No 127	2/2008)	
Not a hazardous substar	nce or mixture accore	ding to Regulation (EC) No	1272/2008.
2.2 Label elements			
		1/13	

(+) **18816996168**

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom CR 250 F G71322

Version 1.1

Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

lvondellbasell

Gen. Variant: SDS GB

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Ingredients

Chemical Name	CAS-No. EC-No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

If inhaled : Remove person to fresh air. If signs/symmedical attention. In case of excessive inhalation of fumes generated during heating of this material fresh air. Obtain medical attention. Keep person warm, if necessary give Caresuscitation (CPR) In case of skin contact : If molten material contacts the skin, immlarge amounts of water to cool the affect polymer. Do not attempt to peel polymer from skir the skin. Obtain immediate emergency medical at or extensive.	
medical attention. In case of excessive inhalation of fumes generated during heating of this material fresh air. Obtain medical attention. Keep person warm, if necessary give Ca Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, imm large amounts of water to cool the affect polymer.	
medical attention. In case of excessive inhalation of fumes generated during heating of this material fresh air. Obtain medical attention. Keep person warm, if necessary give Ca	d tissue and
If inhaled : Remove person to fresh air. If signs/sym	nat may be move the person to
	toms continue, get
General advice : Take proper precautions to ensure your before attempting rescue and providing f	

(+) 18816996168

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom CR 250 F G7	Gen. Variant: SDS_GB
Version 1.1 Revision Date	
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes.
	Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
.2 Most important symptoms ar	d effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
.3 Indication of any immediate r	nedical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of
	symptoms and the clinical condition of the patient.
5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media	
. Fire-fighting measures .1 Extinguishing media	symptoms and the clinical condition of the patient.
. Fire-fighting measures .1 Extinguishing media	symptoms and the clinical condition of the patient.
. Fire-fighting measures .1 Extinguishing media	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES:
5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location. None known.
5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location. None known.
 Fire-fighting measures Fire-fighting media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from Specific hazards during fire 	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location. None known. the substance or mixture Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned
 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire fighting 	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location. None known. the substance or mixture Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned
 Fire-fighting measures Fire-fighting media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from Specific hazards during fire fighting Advice for firefighters Special protective equipment 	 symptoms and the clinical condition of the patient. SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location. None known. the substance or mixture Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Wear approved positive pressure self-contained breathing

(+) **18816996168**

Ponciplastics.com



according to Regulation (EC) No 1907/200

lyon	dell	base	2
Ĩ			
Con Vori	0 0 ti 0 D		

according to Reg	ulation (EC) No. 19	07/2006		I Y U I U	
Hostacom C	CR 250 F G71	322		Gen. Varian	
Version 1.1	Revision Date 1	1/16/2015	Print Date 04/13/20	17	SDS No.: BE7026
		Fight fire from nozzles. Heat from fire flammable va Move contain Evacuate imm container pre Always stay a Do not attem fire.	ers from fire area if it nediately in the event ssure relief devices of away from tanks engu pt to get on top of stor containers with large	ose lines or n se polymer, a can be done of opening o r discoloration lfed in fire. rage containe	nd generate without risk. f storage n of container. ers involved in
6. Accidental rele		o oquinmont o		oduroo	
-			ind emergency proce		
Personal pred	cautions :	Creates dang surface. Equip emerge equipment (P Avoid genera Avoid dispers with compres Potential com	ting dust. al of dust in the air (i.	l on any hard proper perso e., clearing d	nal protective ust surfaces
6.2 Environmenta	al precautions				
Environmenta	al precautions :	Do not flush i	nto surface water or s	anitary sewe	r system.
6.3 Methods and	materials for cont	ainment and c	leaning up		
Methods for c	leaning up :	vacuum using On water, ma solid. All recovered transported a applicable lav	ep/shovel into suitable g equipment which ave aterial is insoluble; coll material should be pa nd disposed of or recl ws and regulations and practices. Reclaim who	oids ignition i lect and conta ackaged, labe laimed in con d in conforma	risk. ain as any eled, formance with
7. Handling and s	storage				

7.1 Precautions for safe handling

4/13

(+) 18816996168

Ponciplastics.com




according to Regulation (EC) No. 1907/2006

Hostacom CR 250 F G	Gen. Variant: SDS_GB
	ate 11/16/2015 Print Date 04/13/2017 SDS No.: BE70
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.
Fire-fighting class	: Polymer will burn but does not easily ignite.
2.2 Conditions for safe storage	, including any incompatibilities
Requirements for storage areas and containers	 Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge.
.3 Specific end use(s)	
	: See Section 1.2.
3. Exposure controls/personal 3.1 Control parameters	protection
ar control parameters	
	5/13

(+) **18816996168**

Ponciplastics.com



Hostacom CR 250 F G71322

Version 1.1

Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

lyondellbasell

Gen. Variant: SDS GB

Ingredients with workplace control parameters

Occupational Exposure Limits

Ingredients	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
	6 / 13

(+) **18816996168**

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

ostacom CR 250 F C		Gen. Variant: SDS_GB		
rsion 1.1 Revision D	ate 11/16/2015	Print Date 04/13/2017	SDS No.: BE7	
Eye and face protection	injury or oth	e goggles should be worn to p er irritation to eyes due to airb rom handling this product.		
Skin and body protection	: Wear suitab	le protective clothing.		
Hygiene measures : Selection of appropriate persor		an evaluation of the perform ctive equipment relative to the conditions present, duration of /or potential hazards that may ersonal hygiene practices. s before eating, drinking, smol	the performance characteristics elative to the task(s) to be t, duration of use, and the rds that may be encountered ractices. inking, smoking, or using toilet	
Environmental exposure of	ontrols			
General advice				
hysical and chemical properion	erties cal and chemical			
hysical and chemical prop	erties			
hysical and chemical propo Information on basic physi Appearance	erties cal and chemical : Pellets.			
hysical and chemical prop Information on basic physi Appearance Color	erties cal and chemical : Pellets. : beige : Slight. : Note: The m		,	
hysical and chemical prop Information on basic physi Appearance Color Odor	erties cal and chemical : Pellets. : beige : Slight. : Note: The m	properties ninimum explosive concentrati	,	
hysical and chemical prop Information on basic physi Appearance Color Odor Lower explosion limit	erties cal and chemical : Pellets. : beige : Slight. : Note: The m polymer dus : Note: Not aj	properties ninimum explosive concentrati	size distribution.	
hysical and chemical prop Information on basic physi Appearance Color Odor Lower explosion limit	erties cal and chemical : Pellets. : beige : Slight. : Note: The m polymer dus : Note: Not ap : Polymer will	properties ninimum explosive concentrati at varies according to particle s	size distribution.	
hysical and chemical proper Information on basic physic Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas)	erties cal and chemical : Pellets. : beige : Slight. : Note: The m polymer dus : Note: Not ap : Polymer will	properties ninimum explosive concentrati at varies according to particle s oplicable. burn but does not easily ignit	size distribution.	
hysical and chemical properiod Information on basic physic Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties	erties cal and chemical : Pellets. : beige : Slight. : Note: The m polymer dus : Note: Not ap : Polymer will : Not conside	properties ninimum explosive concentrati at varies according to particle s oplicable. burn but does not easily ignit red an oxidizing agent.	size distribution.	
hysical and chemical proper Information on basic physic Appearance Color Odor Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties Autoignition temperature	erties cal and chemical : Pellets. : beige : Slight. : Note: The m polymer dus : Note: Not ap : Polymer will : Not conside : > 300 °C	properties ninimum explosive concentrati at varies according to particle s oplicable. burn but does not easily ignit red an oxidizing agent.	size distribution.	

 $(+)\,18816996168$

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

COM Jyondellbasell Gen. Variant: SDS_GB

Hostacom CR 250 F G	Gen. Variant: SDS_GB
Version 1.1 Revision Da	tte 11/16/2015 Print Date 04/13/2017 SDS No.: BE7026
Vapor pressure	: Note: Not applicable.
Density	: > 1 g/cm3
Water solubility	: Note: Insoluble.
Partition coefficient: n- octanol/water	: Note: No Data Available.
Viscosity, dynamic	: Note: Not applicable.
Relative vapor density	: Note: Not applicable.
Evaporation rate	: Note: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal conditio	ns.
10.3 Possibility of hazardous re	actions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	products
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	 Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologic	
	8 / 13

9


(1) 100160061 ٦

		(+) 188	16996168					
SAFETY DATA SHEET	г		stics.com	lvc	ndollbacoll			
according to Regulation (EC)	2006		i iyu	ondellbasell				
Hostacom CR 250 F G71322 Gen. Variant: SDS_GB								
Version 1.1 Revision	Date 11/1	6/2015	Print Date 04	/13/2017	SDS No.: BE7026			
Acute toxicity								
Acute oral toxicity	: N	: Not classified						
Acute inhalation toxicity	, : N	: Not classified						
Acute dermal toxicity	: N	: Not classified						
Skin corrosion/irritation	: N	: Not a skin irritant.						
Serious eye damage/eye irritation		: Not an eye irritant. Mechanical irritation is possible.						
Respiratory or skin sensitization	: N	ot classified						
Chronic toxicity								
Carcinogenicity	: N	ot classified						
Germ cell mutagenicity	: N	ot classified						
Reproductive toxicity								
Effects on fertility / Effects on or via lactation	ot classified							
Effects on Development	: N	ot classified						
Target Organ Systemic	Toxicant -	Single exp	osure					
			e or mixture is r , single exposu		d as specific target			
Target Organ Systemic	Toxicant -	Repeated e	exposure					
			e or mixture is r , repeated exp		d as specific target			
Aspiration hazard	: N	ot applicable).					
		9 /	13					

	(+) 18816996168					
SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com					
according to Regulation (EC) No.						
Hostacom CR 250 F G71322Gen. Variant: SDS_GBVersion 1.1Revision Date 11/16/2015Print Date 04/13/2017SDS No.: BE7026						
Version 1.1 Revision Dat	te 11/16/2015 Print Date 04/13/2017 SDS No.: BE7026					
12. Ecological information						
12.1 Toxicity						
Ecotoxicology Assessment						
Acute aquatic toxicity	: Not classified					
Chronic aquatic toxicity	Not classified					
12.2 Persistence and degradabil	ity					
Biodegradability	Not expected to be biodegradable.					
12.3 Bioaccumulative potential						
Bioaccumulation	: This material is not expected to bioaccumulate.					
12.4 Mobility in soil						
Additional advice Environmental fate and pathways	: This material is not volatile and insoluble in water.					
12.5 Results of PBT and vPvB as						
and toxic (PBT) or very persis	ins no components considered to be either persistent, bioaccumulative stent and very bioaccumulative (vPvB).					
12.6 Other adverse effects						
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 					
13. Disposal considerations						
13.1 Waste treatment methods						
Product	: All recovered material should be packaged, labeled,					
	transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.					
10 / 13						
1						

(+) **18816996168**

Ponciplastics.com



Hostacom CR 250 F G71322

Version 1.1

Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

lvondellbasell

Gen. Variant: SDS GB

14. Transport information

Not regulated for transport

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been pre-registered or, where required under REACh, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Not Determined
Canada	DSL	Not Determined
China	IECSC	Not Determined
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Not Determined
Korea	KECI	Not Determined
New Zealand	NZIoC	Compliant
Philippines	PICCS	Not Determined
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical Safety Assessment


No information available.

16. Other information

11 / 13

(+) **18816996168**

Ponciplastics.com



Hostacom CR 250 F G71322

Version 1.1

Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

lvondellbasel

Gen. Variant: SDS GB

Material safety datasheet sections which have been updated:

Revised Section(s): 1 2 7 8 15 November 10 2015

Further information

Disclaimer Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product. This document is generated for the purpose of distributing health, safety, and environmental data. Information is correct to the best of our knowledge at the date of the SDS publication. It is not a specification sheet nor should any displayed data be construed as a specification. Before using a product sold by a company of the LyondellBasell family of companies, users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally. SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY) OTHER THAN AS SEPARATELY AGREED TO BY THE PARTIES IN A CONTRACT. Users should review the applicable Safety Data Sheet before handling the product. This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices; (ii) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices; (iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration:

(iv) tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in:

(i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices;

(ii) applications involving permanent implantation into the body;

(iii) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

In addition to the above, LyondellBasell may further prohibit or restrict the use of its products in certain applications. For further information, please contact a LyondellBasell representative.

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg. Adflex, Adstif, Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Aquathene, Avant, Catalloy, Clyrell, Dexflex, Flexathene, Hifax, Histif, Hostacom, Hostalen, Indure, Integrate, Koattro, Lucalen, Luflexen, Lupolen, Metocene, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-



Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom CR 250 F G71322

Version 1.1

Revision Date 11/16/2015

Print Date 04/13/2017

SDS No.: BE7026

П

lyondellbasell

Gen. Variant: SDS_GB

Disclaimer

Fax, Purell, Sequel, Softell, Starflex, Ultrathene, and Valtec are trademarks owned or used by the LyondellBasell family of companies.