	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
according to Regulation (EC) No. 1907/2	2006



Gen. Variant: SDS AT

Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

1. Identification of the substance/mixture and of the company/undertaking

Print Date 01/06/2022

SDS No.: BE7112

1.1 Product identifier Trade name : Hostacom EKC 297T BLACK Synonyms : Polyolefin, Compounded polymer Substance name : Compounded polyolefin 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. : FDA Class III medical devices; European class III medical Prohibited uses devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications 1.3 Details of the supplier of the safety data sheet Company **Registration number** Telephone Basell Sales & Marketing Company B.V. 31 (0) 10 275 55 00 NA Delftseplein 27E 3013 AA Rotterdam Netherlands E-mail address : product.safety@lyb.com Responsible/issuing person **1.4 Emergency telephone number** Basell Sales & Marketing Company B.V. +32 3 575 1235 **Poison Center:** Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days 2. Hazards identification 2.1 Classification of the substance or mixture 1/16

(+) **18816996168**

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 100.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary
	2 / 16

 $(+)\,18816996168$

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom EKC 297T B	LACK Gen. Variant: SDS_AT
Version 1.5 Revision Date	
	Resuscitation (CPR)
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms ar	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immediate I	medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
	3 / 16

Version 1.5

 $(+)\,18816996168$

Ponciplastics.com

according to Regulation (EC) No. 1907/2006



Hostacom EKC 297T BLACK Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

Unsuitable extinguishing	
media	: None known.
.2 Special hazards arising from	the substance or mixture
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
Accidental release measures	tive equipment and emergency procedures
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard.
	Polymer particles create slipping hazard on hard smooth
	Polymer particles create slipping hazard on hard smooth

(+) 18816996168

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

lvondellbasell

Gen. Variant: SDS AT

Hostacom EKC 297T BLACK Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

presence of an ignition source is a potential dust explosion

environments may ignite the dust and result in a dust

Metal containers involved in the transfer of this material

grounded (earthed) and bonded.

should be grounded and bonded.

5/16

combustible dusts.

Static discharge (spark), or other ignition sources, in high dust

Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and

All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling

After handling, always wash hands thoroughly with soap and

When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See

SDS No.: BE7112

	surfaces.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for c	ontainment and cleaning up
Methods for containment / Methods for cleaning up	 On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
7. Handling and storage	
7.1 Precautions for safe handlin	ng
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the

hazard.

explosion

water.

٨ **--** ^ ~

 $(+)\,18816996168$

SAFETY DATA SH according to Regulation			lastics.com	lyond	ellbasel
Hostacom EKC	· · ·			Gen. Varian	t: SDS AT
	evision Date 05		Print Date 01		SDS No.: BE711
Fire-fighting class		section 10. Polymer will	burn but does no	ot easily ignite.	
7.2 Conditions for sofe	store so inclu		oomnotikilitioo		
7.2 Conditions for safe	storage, inclu	iding any ir	compatibilities		
Requirements for st areas and container	S	and handling should be u Store away oxidizing ag Keep contai	ousekeeping prace g. Process encloses sed to avoid exce from excessive h ents. ner closed to pre	ctices during storages sures and adequate essive dust accume eat and away from vent contamination e build up of electron	e ventilation ulation. strong
7.3 Specific end use(s)					
		See Section	1 2		
8. Exposure controls/pe	ersonal protec	tion			
8.1 Control parameters	5				
Ingredients with w Occupational Expo	-	rol parame	ters		
Components	CAS-No.	Туре	Limit Value	Basis Povision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	Revision Date US (ACGIH) 2005	mornation
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	

6 / 16



Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

lyondellbasell

Gen. Variant: SDS AT

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet
	7 / 16

	(+) 18816996168			
SAFETY DATA SHEET				
according to Regulation (EC) No. 19	Ponciplastics. com lyondellbasell			
Hostacom EKC 297T BI				
Version 1.5 Revision Date	05/07/2021 Print Date 01/06/2022 SDS No.: BE7112			
	facilities.			
	Take off contaminated clothing and wash before reuse.			
Environmental exposure cont	rols			
General advice	: See section 6.			
9. Physical and chemical propertie	\$S			
9.1 Information on basic physical				
Appearance	: Pellets.			
Color	: black			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.			
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.			
Oxidizing properties	: Not considered an oxidizing agent.			
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
Vapor pressure	: Not applicable.			
Density	: > 1 g/cm3			
Water solubility	: Insoluble.			
Partition coefficient: n- octanol/water	: No Data Available.			
	8 / 16			

	(+) 18816996168
SAFETY DATA SHEET according to Regulation (EC) No. 1	Ponciplastics.com lyondellbasell
Hostacom EKC 297T B Version 1.5 Revision Date	
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal conditions	
10.3 Possibility of hazardous read	ctions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition p	oducts
Hazardous decomposition	: Not expected to decompose under normal conditions.
products Thermal decomposition	: Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicological	effects
	9 / 16

S

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com	lvoodollbacoll		
according to Regulation (EC) No. 1	1907/2006	lyondellbasell		
Hostacom EKC 297T B		Gen. Variant: SDS_AT		
Version 1.5 Revision Date	e 05/07/2021 Print Date 01/	06/2022 SDS No.: BE7112		
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possib	le.		
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
Effects on Development	: Not classified			
Target Organ Systemic Toxicant - Single exposure				
	: The substance or mixture is n organ toxicant, single exposu			
Target Organ Systemic Toxic	cant - Repeated exposure			
	: The substance or mixture is n organ toxicant, repeated expo			
	10 / 16			
	10 / 10			

		(+) 188	16996168		
SAFETY DATA SHEET			astics.com	lvoo	المعجمال
according to Regulation (EC) No.	1907/2	2006		iyun	dellbasell
Hostacom EKC 297T B	LAC	CK			ant: SDS_AT
Version 1.5 Revision Date	e 05/0	7/2021	Print Date 01	/06/2022	SDS No.: BE7112
Aspiration hazard	: N	lot applicabl	e.		
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: N	lot classified	l		
Long-term (chronic) aquatic hazard	: N	lot classified	I		
12.2 Persistence and degradabil	ity				
Biodegradability	: N	lot expected	to be biodegrad	lable.	
12.3 Bioaccumulative potential					
Bioaccumulation	: T	his material	is not expected	to bioaccumulat	e.
12.4 Mobility in soil					
Mobility	: no	o data availa	able		
12.5 Results of PBT and vPvB as	sessn	nent			
Result	to	be either p	ersistent, bioaco	ains no compone cumulative and t ccumulative (vP	oxic (PBT) or
12.6 Other adverse effects					
Environmental fate and pathways	: TI	his material	is not volatile a	nd insoluble in w	vater.
12.7 Other information					
Additional ecological	: E	cotoxicity is	expected to be	minimal based	on the low water
		11	/ 16		

	(+) 1881699	6168			
SAFETY DATA SHEET	Ponciplastic		odollbacoll		
according to Regulation (EC) No. 19	907/2006		ndellbasell		
Hostacom EKC 297T BLACK Gen. Variant: SDS_AT					
Version 1.5 Revision Date 05/07/2021 Print Date 01/06/2022 SDS No.: BE7112					
information	solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.				
13. Disposal considerations					
13.1 Waste treatment methods					
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.				
Not regulated for transport					
15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Annex XVII					
This product contains an ingred	ient listed in Annex XVII	of the REACH Regu	lation 1907/2006/EC.		
Component	CASRN	-	emarks		
Decamethylcyclopentasiloxa ne	541-02-6	Use restricted.	See item 70.		
Octamethylcyclotetrasiloxan	556-67-2	Use restricted	See item 70.		
Cyclohexane	110-82-7	Use restricted	See item 57.		
12 / 16					

(+) 18816996168

Ponciplastics.com



according to Regulation (EC) No. 1907/2006

Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

Gen. Variant: SDS_AT Print Date 01/06/2022

SDS No.: BE7112

Methanol	67-56-1	Use restricted. See item 69.
Nickel	7440-02-0	Use restricted. See item 27.
Lead	7439-92-1	Use restricted. See item 72.
		Use restricted. See item 30. powder
		Use restricted. See item 30. massive
		Use restricted. See item 63.

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Not Compliant
Canada	DSL	Not Compliant
China	IECSC	Not Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Not Compliant
Korea	KECI	Not Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Not Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Not Compliant

Contact product.safety@lyb.com for additional global inventory information.


15.2 Chemical safety assessment

No information available.

13 / 16

(+) **18816996168**

Ponciplastics.com





Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

16. OTHER INFORMATION


Material safety datasheet sections which have been updated:

Revised Section(s): 3 15 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC** - Chinese Chemicals Inventory IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty 14 / 16

 $(+)\,18816996168$

Ponciplastics.com



Hostacom EKC 297T BLACK

Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

lvondellbasell

Gen. Variant: SDS AT

LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration **PPE - Personal Protective Equipment** PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may

15 / 16

(+) 18816996168

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Hostacom EKC 297T BLACK

Gen. Variant: SDS AT

Version 1.5

Revision Date 05/07/2021

Print Date 01/06/2022

SDS No.: BE7112

Disclaimer

further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet