	(+)	18816996168 ciplastics.com		
SAFETY DATA S	SHEET L	ciplastics.com	lyondellbasell	
Hostacom EKC	330N E1 C1149	8	Gen. Variant: SDS_GB	
	Revision Date 11/06/2019		3/2019 SDS No.: BE3432	
 Identification of the Interval 1.1 Product identifier Trade name Synonyms 		nd of the company/und om EKC 330N E1 C1149 in, Compounded polym	98	
Substance name	: Compou	inded polyolefin		
Identified uses	d uses of the substance		advised against	
	or other	conversion process.		
Prohibited uses	devices; Applicat	Health Canada class I	nt implantation into the body;	
1.3 Details of the supp Company Basell Sales & Marke Delftseplein 27E 3013 AA Rotterdam Netherlands		Registration numb	Der Telephone 31 (0) 10 275 55 00	
E-mail address Responsible/issuing p		afety@lyb.com		
1.4 Emergency teleph	one number			
Basell Sales & Marketing Company B.V.+32 3 575 1235Poison Center: National Poisons Information Service UK: +44 131 242 1383 24 hours all days+32 3 575 1235				
2. Hazards identificati 2.1 Classification of th	on ne substance or mixtu	re		
		1 / 16		



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Hostacom EKC 330N E1 C11498

Version 1.3

Revision Date 11/06/2019 Print Date 12/23/2019

SDS No.: BE3432

lyondellbasell

Gen. Variant: SDS GB

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	80.0 - 100.0 %

Contains: Additives, stabilizers and fillers


4. First aid measures

4.1 Description of first-aid measures


General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET lyondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS GB Hostacom EKC 330N E1 C11498 Version 1.3 Revision Date 11/06/2019 Print Date 12/23/2019 SDS No.: BE3432 Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) In case of skin contact If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. If swallowed : Adverse health effects due to ingestion are not anticipated. 4.2 Most important symptoms and effects, both acute and delayed : Inhalation of process fumes and vapors may cause soreness Symptoms in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray. 3/16

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com	lyondellbasell		
Hostacom EKC 330N E1 Version 1.3 Revision Date		Gen. Variant: SDS_GB /23/2019 SDS No.: BE3432		
Version 1.5 Revision Date	: LARGE FIRES:	723/2019 3D3 NO BE3432		
	Use water spray hose nozzle	s from a safe location.		
Unsuitable extinguishing media 5.2 Special hazards arising from t	: None known. he substance or mixture			
Specific hazards during fire fighting	: Keep away from heat and so In case of fire hazardous dec produced such as: Carbon monoxide, carbon dic hydrocarbons (smoke).	omposition products may be		
5.3 Advice for firefighters				
Special protective equipment for fire-fighters	: Wear approved positive press apparatus and firefighter prote			
Further information	flammable vapors. Move containers from fire are Evacuate immediately in the container pressure relief devic Always stay away from tanks	kcal/kg with hose lines or monitor ompose polymer, and generate ea if it can be done without risk. event of opening of storage ces or discoloration of container. engulfed in fire. of storage containers involved in		
6. Accidental release measures				
6.1 Personal precautions, protecti Personal precautions	 equipment and emergency Equip responders with proper 	-		
Personal precautions	Creates dangerous slipping h surface.	•		
	4 / 16			



7.1 Precautions for safe handling	
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16



Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hostacom EKC 330N E1 C11498

Version 1.3 Revision Date 11/06/2019

Print Date 12/23/2019

SDS No.: BE3432

lyondellbasell

Gen. Variant: SDS GB

Ma	terials that can	TWA	3 mg/m3	US (ACGIH)
be	formed when		respirable	2005
ha	ndling this			
pro	duct: Non-			
sp	ecified (inert or			
nui	sance) dust			

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) 18816996168	
	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1	1907/2006	lyondellbasell
Hostacom EKC 330N E	Gen. Variant: SDS GB	
Version 1.3 Revision Date		
Hygiene measures	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure con	ntrols	
General advice	: See section 6.	
9. Physical and chemical propert 9.1 Information on basic physical		
Appearance	: Pellets.	
Color	: Black	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

	(+) 1883	16996168 astics.com	
SAFETY DATA SHEET according to Regulation (EC) N	No. 1907/2006	stics.com	lyondellbasel
Hostacom EKC 330N Version 1.3 Revision 1	NE1 C11498 Date 11/06/2019	Print Date 12/23/	Gen. Variant: SDS_GB (2019 SDS No.: BE343
Vapor pressure Density Water solubility Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties 9.2 Other information	 Not applicable. > 1 g/cm3 Insoluble. No Data Availa Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. 	able.	
Other information	: No additional i	information availab	e.
10. Stability and reactivity			
10.1 Reactivity			
No known reactivity hazard	S.		
10.2 Chemical stability			
Stable under normal condit			
10.3 Possibility of hazardous Hazardous reactions	: Will not occur.		
	. Winnot occur.		
10.4 Conditions to avoid			
Conditions to avoid	: Avoid contact open flame.	with strong oxidize	ers, excessive heat, sparks or
10.5 Incompatible materials			
Materials to avoid	: Material may b	be softened by son	ne hydrocarbons.
10.6 Hazardous decompositio	n products		
	9 /	16	
	-	16	

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Hostacom EKC 330N E	
Version 1.3 Revision Dat	te 11/06/2019 Print Date 12/23/2019 SDS No.: BE3432
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	Il effects
Acute toxicity	
Acute oral toxicity	: Not classified
Aguto inholotion toxicity	
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16
L	

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET		lyondellbasell		
according to Regulation (EC) No. 1				
Hostacom EKC 330N E Version 1.3 Revision Date		Gen. Variant: SDS_GB /23/2019 SDS No.: BE3432		
		20/2019 3D3 No DL3432		
Effects on Development	: Not classified			
Target Organ Systemic Toxic	ant - Single exposure			
	: The substance or mixture is r organ toxicant, single exposu			
Target Organ Systemic Toxic	ant - Repeated exposure			
	: The substance or mixture is r organ toxicant, repeated expo	not classified as specific target osure.		
Aspiration hazard	: Not applicable.			
12. Ecological information				
12.1 Ecotoxicology Assessment				
Short-term (acute) aquatic	: Not classified			
hazard Long-term (chronic) aquatic hazard	: Not classified			
12.2 Persistence and degradabilit	у			
Biodegradability	: Not expected to be biodegrad	able.		
12.3 Bioaccumulative potential				
Bioaccumulation	: This material is not expected	to bioaccumulate.		
12.4 Mobility in soil				
Mobility	: no data available			
12.5 Results of PBT and vPvB assessment				
11 / 16				

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell		
according to Regulation (EC) No. 1907/2006				
Hostacom EKC 330N E1 C11498 Gen. Variant: SDS_GB				
Version 1.3 Revision Date 11/06/2019 Print Date 12/23/2019 SDS No.: BE3432				
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or		
12.6 Other adverse effects				
Environmental fate and pathways	: This material is not volatile and insoluble in water.			
12.7 Other information				
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 			
13. Disposal considerations				
13.1 Waste treatment methods				
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				

(+) **18816996168** Ponciplastics.com

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Hostacom EKC 330N E1 C11498

Version 1.3

Revision Date 11/06/2019

Print Date 12/23/2019

SDS No.: BE3432

lyondellbasell

Gen. Variant: SDS GB

REACH Annex XIV

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH Annex XVII

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH - Candidate List of Substances of Very High Concern for Authorisation

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant



SAFETY DATA SHEET

Hostacom EKC 330N E1 C11498

Version 1.3

Revision Date 11/06/2019

Print Date 12/23/2019

SDS No.: BE3432

lyondellbasell

Gen. Variant: SDS GB

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 16 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods

14 / 16



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hostacom EKC 330N E1 C11498

Version 1.3

Revision Date 11/06/2019

Print Date 12/23/2019

SDS No.: BE3432

lyondellbasell

Gen. Variant: SDS GB

IECSC - Chinese Chemicals Inventory IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables** KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

15 / 16

(+) **18816996168** Ponciplastics.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hostacom EKC 330N E1 C11498

Version 1.3

Revision Date 11/06/2019

Print Date 12/23/2019

SDS No.: BE3432

lvondellbasell

Gen. Variant: SDS GB

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet