	(+	) 18816996168	
SAFETY DATA SHEE		nciplastics.com	المعمط والله وموال
according to Regulation (EC	- '		lyondellbasell
Hostacom EKC 33		67	Gen. Variant: SDS AT
	on Date 09/27/202		_
1. Identification of the subs	stance/mixture a	and of the company/un	dertaking
1.1 Product identifier			
Trade name		com EKC 330N E1 C12A	
Synonyms Substance name		efin, Compounded polyn ounded polyolefin	ner
1.2 Relevant identified use	s of the substand	ce or mixture and uses	s advised against
Identified uses		acture of plastic articles er conversion process.	by injection molding, extrusion
Prohibited uses	device: Applica	s; Health Canada class	ent implantation into the body;
1.3 Details of the supplier of	of the safety data	a sheet	
<b>Company</b> Basell Sales & Marketing ( Delftseplein 27E 3013 AA Rotterdam Netherlands	Company B.V.	<b>Registration num</b> NA	ber Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuing perso		safety@lyb.com	
1.4 Emergency telephone	number		
Basell Sales & Marketing (	Company B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GM AT: +43 1 406 43 43 24 hours all days	ЛВН		
2. Hazards identification			
2.1 Classification of the su	bstance or mixt	ure	
		1 / 16	

(+) **18816996168** 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

# Hostacom EKC 330N E1 C12A67

Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

lyondellbasell

Gen. Variant: SDS AT

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

## 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

#### 3. Composition/information on ingredients

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Proprietary blend of polyolefinic polymers	Mixture		80.0 - 100.0 %

Contains: Additives, stabilizers and fillers

#### 4. First aid measures

#### 4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.</li> <li>Obtain medical attention.</li> <li>Keep person warm, if necessary give Cardio-Pulmonary</li> </ul>
	2 / 16

(+) 18816996168

Ponciplastics.com

lvondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Hostacom EKC 330N E1 C12A67 Revision Date 09/27/2021 Version 1.0 Print Date 01/06/2022 SDS No.: BE43080 Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. If swallowed : Adverse health effects due to ingestion are not anticipated. 4.2 Most important symptoms and effects, both acute and delayed **Symptoms** : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray. : LARGE FIRES: Use water spray hose nozzles from a safe location. 3/16

 $(+)\,18816996168$ 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

lyondellbasell Gen. Variant: SDS\_AT 

Hostacom EKC 330N E1 C12A67 Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during fire fighting	:	Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	:	Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	tivo	equipment and emergency procedures
Personal precautions	:	Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth
		4 / 16

 $(+)\,18816996168$ 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Gen. Variant: SDS\_AT

Hostacom E	KC 330N E1 C12A67
Varaian 10	Devision Data 00/07/0001

Version 1.0 Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

	surfaces.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for co	ntainment and cleaning up
Methods for containment / Methods for cleaning up	<ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.</li> <li>On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.</li> </ul>
7. Handling and storage	
7.1 Precautions for safe handling	
Advice on safe handling	: Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust

handling, or by other means, may form combustible dust concentrations in air.
Avoid dust accumulation in enclosed space.
Avoid generating dust; fine dust suspended in air and in the
presence of an ignition source is a potential dust explosion
hazard.
Static discharge (spark), or other ignition sources, in high dust
environments may ignite the dust and result in a dust
explosion
Electrostatic charge may build during conveying or handling.
Equipment handling polymer should be conductive and
grounded (earthed) and bonded. Metal containers involved in the transfer of this material
should be grounded and bonded.
All electrical equipment should conform to applicable electric
codes and regulatory requirements for areas handling combustible dusts.
After handling, always wash hands thoroughly with soap and water.
When bringing the material to processing temperatures vapors
may develop may condense in the exhaust ventilation. See
5 / 16

handling this product: Non-specified (inert or nuisance) dust

(+) 18816996168

SAFETY DATA SH according to Regulation			lastics.com	lyond	ellbasell
Hostacom EKC	330N E1 C	12A67		Gen. Varian	t: SDS_AT
	vision Date 09/		Print Date 01	/06/2022	SDS No.: BE43080
	S	section 10.			
Fire-fighting class	: F	Polymer will	burn but does no	ot easily ignite.	
7.2 Conditions for safe	storage, inclu	ding any in	compatibilities		
Requirements for st areas and container	s l s s	and handling should be us Store away f oxidizing age Keep contair	usekeeping prac Process enclosed to avoid excer rom excessive h ents. her closed to pre	ctices during storages sures and adequate essive dust accume leat and away from vent contamination le build up of electr	e ventilation ulation. strong
7.3 Specific end use(s)	: {	See Section	1.2.		
8. Exposure controls/pe 8.1 Control parameters Ingredients with w Occupational Expo	orkplace contr		ers		
Components	CAS-No.	Туре	Limit Value	Basis	Additional
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	Revision Date US (ACGIH) 2005	Information
Materials that can be formed when		TWA	3 mg/m3 respirable	US (ACGIH) 2005	



Ponciplastics.com

according to Regulation (EC) No. 1907/2006

## Hostacom EKC 330N E1 C12A67

Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

lyondellbasell

Gen. Variant: SDS AT

Consult local authorities for acceptable exposure limits.

#### 8.2 Exposure controls

#### **Engineering measures**

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

#### Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	<ul> <li>Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.</li> <li>Use good personal hygiene practices.</li> <li>Wash hands before eating, drinking, smoking, or using toilet</li> </ul>
	7 / 16

	(+) 18816996168			
SAFETY DATA SHEET				
according to Regulation (EC) No. 19				
Hostacom EKC 330N E1 C12A67 Gen. Variant: SDS_AT				
Version 1.0 Revision Date	09/27/2021 Print Date 01/06/2022 SDS No.: BE43080			
	facilities.			
	Take off contaminated clothing and wash before reuse.			
Environmental exposure cont	ols			
General advice	: See section 6.			
9. Physical and chemical propertie	S			
9.1 Information on basic physical	and chemical properties			
Appearance	: pellets solid			
Color	: black			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust			
	varies according to particle size distribution.			
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.			
Oxidizing properties	: Not considered an oxidizing agent.			
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
Vapor pressure	: Not applicable.			
Density	: > 1 g/cm3			
Water solubility	: Insoluble.			
Partition coefficient: n-	: No Data Available.			
	8 / 16			

(+) 18816996168

SAFETY DATA SHEET according to Regulation (EC) No	
Hostacom EKC 330N	E1 C12A67         Gen. Variant: SDS_AT           ate 09/27/2021         Print Date 01/06/2022         SDS No.: BE4308
octanol/water	
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
I0. Stability and reactivity	
I0.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal conditio	ns.
10.3 Possibility of hazardous re	eactions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	products
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.


	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com lyondellbasell
according to Regulation (EC) No.	1907/2006 Iyondenbasen
Hostacom EKC 330N	
Version 1.0 Revision Da	te 09/27/2021 Print Date 01/06/2022 SDS No.: BE43080
11. Toxicological information	
11.1 Information on toxicologica	al effects
Acute toxicity	
Acute oral toxicity	:
	Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
initation	
Respiratory or skin	: Not classified
sensitization	
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility /	: Not classified
Effects on or via lactation Effects on Development	: Not classified
Target Organ Systemic Tox	: The substance or mixture is not classified as specific target
	organ toxicant, single exposure.
	10/10
	10 / 16

	(+) 18816996168				
SAFETY DATA SHEET					
according to Regulation (EC) No. 1	907/2006 Iyondellbasell				
Hostacom EKC 330N E	1 C12A67 Gen. Variant: SDS_AT				
Version 1.0 Revision Date	09/27/2021         Print Date 01/06/2022         SDS No.: BE43080				
Target Organ Systemic Toxic	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
12.2 Persistence and degradabili	ty				
Biodegradability	: Not expected to be biodegradable.				
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected to bioaccumulate.				
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
Result	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).				
12.6 Other adverse effects					
Environmental fate and	: This material is not volatile and insoluble in water.				
	11 / 16				

	(+) 188169	996168	
SAFETY DATA SHEET	Ponciplast	ics.com	lvoodollbacoll
according to Regulation (EC) No. 19	07/2006		lyondellbasell
Hostacom EKC 330N E1			Gen. Variant: SDS_AT
Version 1.0 Revision Date	09/27/2021 Pr	int Date 01/06/2	2022 SDS No.: BE43080
nathwaya			
pathways			
12.7 Other information			
Additional ecological information	solubility of polym No data available	ers. on this product.	mal based on the low water However, birds, fish and h may obstruct their
13. Disposal considerations			
13.1 Waste treatment methods			
Product	-	isposed of or re nd regulations and ces. Reclaim wh	claimed in conformance with nd in conformance with
14. Transport information			
Not regulated for transport			
15. Regulatory information			
15.1 Safety, health and environme	ntal regulations/leg	islation specifi	c for the substance or mixture
REACH Annex XVII			
This product contains an ingredi	ent listed in Annex >	VII of the REAC	CH Regulation 1907/2006/EC.
Component	CASRN		Remarks
	12 / 16		

(+) **18816996168** 

Ponciplastics.com





## Hostacom EKC 330N E1 C12A67

Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

Octamethylcyclotetrasiloxan	556-67-2	Use restricted. See item 70.
Octamentylcyclotetrasiloxan	550-07-2	Use lestificieu. See item 70.
Δ		
C		

## **REACh** status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

## Other international regulations

## **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

## 15.2 Chemical safety assessment

No information available.


## 16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

First Edition Abbreviations and Acronyms

(+) **18816996168** 

Ponciplastics.com





Hostacom EKC 330N E1 C12A67

Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials BEL - Biological Exposure Limits BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC** - Chinese Chemicals Inventory **IOELV - Indicative Occupational Exposure Limit Values** IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIOC - New Zealand Inventory of Chemicals 14 / 16

 $(+)\,18816996168$ 

Ponciplastics.com

according to Regulation (EC) No. 1907/2006

## Hostacom EKC 330N E1 C12A67

Version 1.0

Revision Date 09/27/2021

Print Date 01/06/2022

SDS No.: BE43080

lvondellbasell

Gen. Variant: SDS AT

OE\_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development OEL - Occupational Exposure Limit PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACH - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

#### Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and

	(+) 18816996168			
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell		
according to Regulation (EC) No. 1907/2	iyondenbasen			
Hostacom EKC 330N E1 C <sup>2</sup>	12A67	Gen. Variant: SDS_AT		
Version 1.0 Revision Date 09/2	27/2021 Print Date 01	/06/2022 SDS No.: BE43080		
toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg. <u>Language Translations</u> The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellBasell.com) for the original document written in English.				

End of Material Safety Data Sheet