	(	+) <b>18816996168</b> onciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 19			lyondellbasel
Hostacom TYC 2101NC	12A1	19	Gen. Variant: SDS_AT
Version 1.2 Revision Date	04/25/2	020 Print Date 01	/07/2022 SDS No.: BE1683
1. Identification of the substance/n 1.1 Product identifier Trade name Synonyms Substance name	Hosta Polyc	and of the company/un acom TYC 2101N C12A <sup>.</sup> olefin, Compounded poly pounded polyolefin	19
1.2 Relevant identified uses of the	substa	nce or mixture and use	es advised against
Identified uses		ufacture of plastic articles her conversion process.	s by injection molding, extrusion
Prohibited uses	devic Appli	es; Health Canada class	nent implantation into the body;
<b>Company</b> Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	/ B.V.	Registration num NA	<b>nber Telephone</b> 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	produc	t.safety@lyb.com	
1.4 Emergency telephone number			
Basell Sales & Marketing Company Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days	<sup>,</sup> B.V.		+32 3 575 1235
2. Hazards identification 2.1 Classification of the substance	or mix	cture	
		1 / 16	
		., 10	



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

SDS No.: BE16831

lyondellbasell

Gen. Variant: SDS AT

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.2 Label elements

# Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

### 3. Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

### 4. First aid measures

#### 4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.</li> </ul>
	2 / 16



SAFETY DATA SHEET according to Regulation (EC) No. 1	1907/2006 Iyondellbase
Hostacom TYC 2101N	C12A19 Gen. Variant: SDS_AT
Version 1.2 Revision Date	
In case of skin contact	Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and
	polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	<ul> <li>In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes.</li> <li>Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s).</li> <li>Immediately seek medical attention.</li> </ul>
If swallowed	: Adverse health effects due to ingestion are not anticipated.
.2 Most important symptoms an	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
.3 Indication of any immediate r	nedical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
i. Fire-fighting measures	
.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	3 / 16


	(+) <b>18816996168</b> Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Hostacom TYC 2101N		Gen. Variant: SDS_A1
Version 1.2 Revision Date	e 04/25/2020 Print Date 01	1/07/2022 SDS No.: BE16831
Unsuitable extinguishing media <b>5.2 Special hazards arising from</b> Specific hazards during fire fighting	: Keep away from heat and so	
	Carbon monoxide, carbon di hydrocarbons (smoke).	oxide and unburned
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pres apparatus and firefighter pro	•
Further information	flammable vapors. Move containers from fire and Evacuate immediately in the container pressure relief dev Always stay away from tanks Do not attempt to get on top fire.	0 kcal/kg with hose lines or monitor ompose polymer, and generate ea if it can be done without risk. event of opening of storage ices or discoloration of container.
6. Accidental release measures 6.1 Personal precautions, protect	tive equipment and emergency	/ procedures
Personal precautions	: Equip responders with prope Creates dangerous slipping surface.	r protection.
	4 / 16	



SAFETY DATA SHEET	Ponciplasti		/ondellbasell
according to Regulation (EC) No.			
Hostacom TYC 2101N			en. Variant: SDS_AT
Version 1.2 Revision Date	<u>= 04/25/2020 Fill</u>	nt Date 01/07/2022	SDS No.: BE16831
	Avoid dispersal of o with compressed ai Potential combustik Polymer particles c surfaces.	ir). ble dust hazard.	clearing dust surfaces ard on hard smooth
6.2 Environmental precautions			
Environmental precautions	: Do not flush into su	inface water or san	itary sewer system.
6.3 Methods and materials for co	ntainment and cleanir	ng up	
Methods for containment / Methods for cleaning up	solid. All recovered mater transported and dis	oment which avoids is insoluble; collec rial should be pack posed of or reclain d regulations and ir	ignition risk. t and contain as any aged, labeled, ned in conformance with n conformance with good
7. Handling and storage			
7.1 Precautions for safe handling	J		
Advice on safe handling	presence of an igni hazard. Static discharge (sp environments may explosion	Il particles during fi er means, may form ir. lation in enclosed s ust; fine dust suspe- tion source is a point park), or other ignit ignite the dust and e may build during g polymer should b and bonded. volved in the transf	n combustible dust space. ended in air and in the tential dust explosion tion sources, in high dust result in a dust conveying or handling. be conductive and

5 / 16

should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling



#### Ingredients with workplace control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



according to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

# SDS No.: BE16831

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)
be formed when		respirable	2005
handling this			
product: Non-			
specified (inert or			
nuisance) dust			

Consult local authorities for acceptable exposure limits.

# 8.2 Exposure controls

# Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168	
	(+) <b>18816996168</b> Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1	1907/2006	lyondellbasell
Hostacom TYC 2101N	Gen. Variant: SDS_AT	
Version 1.2 Revision Date		/07/2022 SDS No.: BE16831
Hygiene measures	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure con	trols	
General advice	: See section 6.	
9. Physical and chemical propert 9.1 Information on basic physical		
Appearance	: Pellets.	
Color	: Black	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

		16996168 astics.com		
SAFETY DATA SHEET according to Regulation (EC) No	o. 1907/2006		Iyon	dellbase
Hostacom TYC 2101				riant: SDS_AT
	ate 04/25/2020	Print Date 01/07	7/2022	SDS No.: BE16
Vapor pressure Density Water solubility Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties	<ul> <li>Not applicable</li> <li>&gt; 1 g/cm3</li> <li>Insoluble.</li> <li>No Data Availa</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	able.		
Other information	: No additional i	information availal	ble.	
0. Stability and reactivity 0.1 Reactivity				
No known reactivity hazards				
10.2 Chemical stability				
Stable under normal condition	ons.			
10.3 Possibility of hazardous r	eactions			
Hazardous reactions	: Will not occur.			
10.4 Conditions to avoid				
Conditions to avoid	: Avoid contact open flame.	with strong oxidiz	ers, excessi	e heat, sparks or
10.5 Incompatible materials				
Materials to avoid	: Material may b	be softened by so	me hydrocar	bons.
10.6 Hazardous decomposition	products			

	(+) 18816996168	
	Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No.		lyondellbasell
Hostacom TYC 2101N	C12A19	Gen. Variant: SDS_AT
Version 1.2 Revision Date		07/2022 SDS No.: BE16831
Hazardous decomposition	: Not expected to decompose u	under normal conditions.
products Thermal decomposition	: Note: Carbon monoxide, olefir trace amounts of organic acid alcohols may be formed.	
11. Toxicological information		
11.1 Information on toxicologica Acute toxicity	Tenects	
Acute oral toxicity	: Not classified	
Acute inhalation toxicity	: Not classified	
Acute dermal toxicity	: Not classified	
Skin corrosion/irritation	: Not a skin irritant.	
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possib	le.
Respiratory or skin sensitization	: Not classified	
Chronic toxicity		
Carcinogenicity	: Not classified	
Germ cell mutagenicity	: Not classified	
Reproductive toxicity		
Effects on fertility / Effects on or via lactation	: Not classified	
	10 / 16	

	(+) <b>18816996168</b> Ponciplastics.com				
SAFETY DATA SHEET		lyondellbasell			
Hostacom TYC 2101N C12A19Gen. Variant: SDS_ATVersion 1.2Revision Date 04/25/2020Print Date 01/07/2022SDS No.: BE16831					
Effects on Development	: Not classified				
Target Organ Systemic Toxicant - Single exposure					
	: The substance or mixture is n organ toxicant, single exposur				
Target Organ Systemic Toxi	Target Organ Systemic Toxicant - Repeated exposure				
	: The substance or mixture is n organ toxicant, repeated expo				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
aqualic hazaru					
12.2 Persistence and degradabil	ity				
Biodegradability	: Not expected to be biodegrada	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) <b>18816996168</b> Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 19		lyondellbasell		
Hostacom TYC 2101N C12A19 Gen. Variant: SDS_AT				
Version 1.2 Revision Date				
Result		ains no components considered cumulative and toxic (PBT) or ccumulative (vPvB).		
12.6 Other adverse effects				
Environmental fate and pathways	: This material is not volatile a	nd insoluble in water.		
12.7 Other information				
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product		or reclaimed in conformance with ns and in conformance with good		
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				

(+) **18816996168** Ponciplastics.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

SDS No.: BE16831

lyondellbasell

Gen. Variant: SDS AT

#### **REACh** status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Not Determined
New Zealand	NZIoC	Compliant
Philippines	PICCS	Not Determined
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

#### 15.2 Chemical safety assessment

No information available.

### 16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

SDS No.: BE16831

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

SDS No.: BE16831

lvondellbasel

Gen. Variant: SDS\_AT

NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN\_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

### Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

# Hostacom TYC 2101N C12A19

Version 1.2

Revision Date 04/25/2020

Print Date 01/07/2022

SDS No.: BE16831

lyondellbasell

Gen. Variant: SDS AT

### Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

### Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

# End of Material Safety Data Sheet