	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET	lyondellbasell
Hostacom TYC727D 1T (D	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date (04/21/2015 Print Date 12/24/2019 SDS No.: BE13557
SECTION 1. PRODUCT AND COM	PANY IDENTIFICATION
Product name	: Hostacom TYC727D 1T3A MED LT STONE HP (D
CAS Number:	Mixture
Chemical Name	: Compounded polyolefin
Synonyms	: Polyolefin, Compounded polymer
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	: Aeronautical parts; Train transportation parts; Air bag unit housings; Seat belt systems and mechanisms; Brake systems and mechanisms; Pedals (brake , gas , clutch); Steering systems and mechanisms; Medical applications use
Company	 Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583
Telephone	: Customer Service 888 777-0232 Product Safety 800 700-0946
Emergency telephone	: CHEMTREC USA 800-424-9300 EQUISTAR 800-245-4532
E-mail address	product.safety@lyb.com
SECTION 2. HAZARDS IDENTIFIC	ATION
GHS Classification	
OSHA Hazard Category: Co	ombustible Dust
Label elements	
Signal Word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
No additional information ava	ailable.
	1 / 13
L	

	(+) 18816996168		
FETY DATA SHEET	Ponciplastics.com	lyondellbase	
		IYUIUEIIDaSt	
ostacom TYC727D 11	3AMEDLT STONE	IP Gen. Variant: SDS_US_GF	
rsion 1.0 Revision Date	04/21/2015 Print Date 12/2	24/2019 SDS No.: BE13	
omposition/information on in	gredients		
tures			
Ingredients Chemical Name	CAS-No.	Weight %	
Proprietary blend of polyolefinic polymers	Mixture	50.0 - 80.0 %	
Contains: Additives, stabilizers	s and fillers		
TION 4. FIRST AID MEASURE	S		
First aid procedures			
General advice	: Take proper precautions to before attempting rescue a	ensure your own health and safe nd providing first aid.	
If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) 		
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deel or extensive. 		
In case of eye contact	: Flush eyes thoroughly with medical attention if discomf	water for several minutes and se fort persists.	
	15 minutes.	vith cool running water for at least attempt to remove the material	
If swallowed	: Adverse health effects due	to ingestion are not anticipated.	
Notes to physician			
Symptoms	: Inhalation of process fumes	s and vapors may cause soreness	

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasel
Hostacom TYC727D 1 (D	T3AMEDLT STONE HP Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date	e 04/21/2015 Print Date 12/24/2019 SDS No.: BE1355
	in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
SECTION 5. FIRE-FIGHTING ME	ASURES
Flammable properties	
Autoignition temperature	: > 572 °F (300 °C)
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Fire fighting	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
Protective equipment and p	-
Specific hazards during fire	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be

L

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com yondelbasel 3AMEDLT STONE HP Gen. Variant: SDS_US_GHS
(D	
Version 1.0 Revision Date	04/21/2015 Print Date 12/24/2019 SDS No.: BE13557
	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
SECTION 6. ACCIDENTAL RELEA	ASE MEASURES
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	 On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
SECTION 7. HANDLING AND ST	DRAGE
Handling	
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded.
	4 / 13

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com	lyondellbasell
Hostacom TYC727D 1T3 (D		
Version 1.0 Revision Date 04	/21/2015 Print Date 12	2/24/2019 SDS No.: BE13557
	should be grounded and All electrical equipment s codes and regulatory required combustible dusts. After handling, always wat water. When bringing the matering may develop may condern section 10. Refer to NFPA 654, Stand Dust Explosions from the	in the transfer of this material bonded. hould conform to applicable electric uirements for areas handling ash hands thoroughly with soap and al to processing temperatures vapors use in the exhaust ventilation. See dard for the Prevention of Fire and Manufacturing, Processing, and Particulate Solids, for safe handling.
Storage		
Requirements for storage : areas and containers	and handling. Process en should be used to avoid a Store away from excessiv oxidizing agents. Keep container closed to	practices during storage, transferring aclosures and adequate ventilation excessive dust accumulation. ve heat and away from strong prevent contamination. t the build up of electrostatic charge.

8. Exposure controls/personal protection

Control parameters

Ingredients with workplace control parameters

Occupational Exposure Limits

Ingredients	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	

$(+)\,18816996168$

Ponciplastics.com

SAFETY DATA SHEET

lyondellbasell

Gen. Variant: SDS US GHS

Hostacom TYC727D 1T3A MED LT STONE HP

(D						
Version 1.0	Revision	Date 04/21/2015	Print Date 12/2	4/2019	SDS No.:	BE13557
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	15 mg/m3 total dust	US (OSHA) 2005		
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	5 mg/m3 respirable	US (OSHA) 2005		

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	: Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics
	6 / 13

	(+) 18816996168 Ponciplastics.com		
SAFETY DATA SHEET	Iyondellbasel		
Hostacom TYC727D 1 D	T3AMEDLT STONE HP Gen. Variant: SDS_US_GHS		
	e 04/21/2015 Print Date 12/24/2019 SDS No.: BE1355		
	of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.		
ECTION 9. PHYSICAL AND CH Appearance	IEMICAL PROPERTIES		
Physical state	: Pellets.		
Color	: Yellowish.		
Odor	: Slight.		
Safety data			
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.		
Upper explosion limit	: Not applicable.		
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.		
Oxidizing properties	: Not considered an oxidizing agent.		
Autoignition temperature	: > 572 °F (300 °C)		
Decomposition temperature	: not determined		
рН	: Not applicable.		
Melting point/range	: 122 - 338 °F (50 - 170 °C)		
Boiling point/boiling range	: Not applicable.		
Vapor pressure	: Not applicable.		
Density	: >1 g/cm3		
Water solubility	: Insoluble.		
Partition coefficient: n- octanol/water	: No Data Available.		

	(+) 18816996168		
SAFETY DATA SHEET	Ponciplastics.com		
Hostacom TYC727D 1T3 (D	Gen. Variant: SDS_US_GHS		
Version 1.0 Revision Date 04	4/21/2015 Print Date 12/24/2019 SDS No.: BE13557		
Viscosity, dynamic	Not applicable.		
	Not applicable.		
Evaporation rate	Not applicable.		
Explosive properties	No Data Available.		
Remarks - Other information	No additional information available.		
SECTION 10. STABILITY AND READ			
Reactivity	: No known reactivity hazards.		
Chemical stability	: Stable under normal conditions.		
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.		
Materials to avoid	: Material may be softened by some hydrocarbons.		
	: Not expected to decompose under normal conditions.		
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
Hazardous reactions	: Will not occur.		
SECTION 11. TOXICOLOGICAL INF	ORMATION		
Acute toxicity			
Acute oral toxicity	Not classified		
Acute inhalation toxicity	Not classified		
Acute dermal toxicity	Not classified		
Skin corrosion/irritation	: Not a skin irritant.		
	. Not a Skin initiant.		
Serious eye damage/eye irritation	Not an eye irritant. Mechanical irritation is possible.		
	8 / 13		

		16996168	
AFETY DATA SHEET	Poncipla	astics.com	lyondellbase
		—	
lostacom TYC727D 1T	3AMEDL	T STONE HP	Gen. Variant: SDS_US_GH
D ersion 1.0 Revision Date	04/21/2015	Print Date 12/24/20	019 SDS No.: BE135
	04/21/2013		
Respiratory or skin sensitization	: Not classifie	ed	
Chronic toxicity			
Component Name	NTP		OSHA
Titanium Dioxide		2B	Present
Carcinogenicity	: Not classifi	ind	
	Contains co	omponent(s) listed by	/ IARC as possibly
	carcinogeni	ic to humans.	a thermoplastic resin with
	limited relea	ase under normal con	nditions of use, transportation
	and storage	Ә.	
Corm call mutagonicity	: Not classifi		
Germ cell mutagenicity	: INUL CIASSIN	ea	
Reproductive toxicity			
Effects on fertility / Effects on or via lactation	: Not classifie	ed	
Effects on Development	: Not classifi	ed	
Target Organ Systemic	· The substa	ance or mixture is not	classified as specific target
Toxicant - Single exposure		cant, single exposure.	
Target Organ Systemic	: The substa	ance or mixture is not	classified as specific target
Toxicant - Repeated exposure		cant, repeated exposu	
exposure			
Aspiration hazard	: Not applica	able.	
ECOLOGICAL INFORMATION			
Ecotoxicology Assessment			
Acute aquatic toxicity	: Not classifie	ed	
	: Not classifie		
Chronic aquatic toxicity	: INUL CIASSING	ea	
reidence and degradability			
rsistence and degradability	0	/ 13	

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET	Ponciplastics.com
ON ETT DATA ONEET	lyondellbasell
	T3AMEDLT STONE HP Gen. Variant: SDS_US_GHS
(D Version 1.0 Revision Date	e 04/21/2015 Print Date 12/24/2019 SDS No.: BE13557
Biodegradability	: Not expected to be biodegradable.
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Additional advice Environmental fate and pathways	: This material is not volatile and insoluble in water.
Results of PBT and vPvB assess	sment
Not applicable.	
Other adverse effects	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
SECTION 13. DISPOSAL CONSI	DERATIONS
Further information	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
	This material is classified as a Non-hazardous Material by RCRA.
SECTION 14. TRANSPORT INFO	DRMATION
Not regulated for transport	
SECTION 15. REGULATORY INF	ORMATION
If identified components of this p will be listed below.	roduct are listed under the TSCA 12(b) Export Notification rule, they
SARA 302/304 This product contains no known c	chemicals regulated under SARA 302/304.
SARA 313 This product contains no known c	chemicals regulated under SARA 313.
	10 / 13

	(+) 188169				
SAFETY DATA SHEET	Ponciplast	ics.com	lyon	dellbasell	
Hostacom TYC727D 1T3A MED LT STONE HP Gen. Variant: SDS_US_GHS					
Version 1.0 Revision Date 04	/21/2015 P	rint Date 1'	2/24/2019	SDS No · BE13557	
Version 1.0 Revision Date 04/21/2015 Print Date 12/24/2019 SDS No.: BE13557 State Reporting					
This material is not known to contain a chemical substance known to the State of California to cause cancer, reproductive, or developmental toxicity under California Proposition 65. However, LyondellBasell has not tested for the presence of listed chemical substances.					
This product contains the following chemicals regulated by New Jersey's Worker and Community Right to Know Act: 14807-96-6 Talc, Magnesium Silicate					
13463-67-7 Titanium Dioxide	-				
1333-86-4 Carbon Black					
This product contains the following chemicals regulated by Massachusetts' Right to Know Law:					
14807-96-6 Talc, Magnesium Silicate					
13463-67-7 Titanium Dioxide					
1333-86-4 Carbon Black					
This product contains the following chemicals regulated by Pennsylvania's Right to Know Act: 14807-96-6 Talc, Magnesium Silicate 13463-67-7 Titanium Dioxide 1333-86-4 Carbon Black					
Other international regulations					
Global Inventory Status					
The ingredients of this product are con	npliant with the f	following ch	nemical inventory	requirements or	
exemptions. *Additional Explanatory Status	Statements follo	ow the tabl	e. as necessarv.		
			•		
Country/Region	Inventory		Description		
Australia Canada	AICS DSL	Complia Complia			
China	IECSC	Complia			
Europe	REACH		ACH Compliance	Statement	
Japan	ENCS	Complia			
Korea	KECI	Complia	int		
New Zealand	NZIoC	Complia			
Philippines	PICCS	Complia			
United States of America	TSCA	Complia			
Taiwan	TCSCA	Not Det	ermined		
REACh status If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been pre- registered or, where required under REACh, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)					

11 / 13

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	luce de lle se el
ON ETT DANK ONEET		lyondellbase
Hostacom TYC727D [·] (D	1T3A MED LT STONE HP	Gen. Variant: SDS_US_GHS
	te 04/21/2015 Print Date 12/24/2	019 SDS No.: BE1355
Contact product.safety@lyb.com	for additional global inventory informa	tion.
ECTION 16. OTHER INFORMA	ATION	
Further information		
HMIS Classification	: Health Hazard: 0 Flammability: 1 Physical hazards: 0	0 1 0
NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Instability: 0	
NFPA rating scale (0 = minir	nal hazard; 4 = severe hazard) mal hazard; 4 = severe hazard) t sections which have been updated lition April 15 2015	d:
	Disclaimer	
This document is generate	d for the purpose of distributing health	n, safety, and environmental
data. Information is correct to the It is not a specification she Before using a product sol	e best of our knowledge at the date of et nor should any displayed data be c d by a company of the LyondellBasell ependent determination that the produ	the SDS publication. onstrued as a specification. family of companies, users ict is suitable for the intended
use and can be used safel IMPLIED (INCLUDING AN PARTICULAR PURPOSE TO BY THE PARTIES IN A This product(s) may not be	y and legally. SELLER MAKES NO W Y WARRANTY OF MERCHANTABILI OR ANY WARRANTY) OTHER THAN A CONTRACT.	TY OR FITNESS FOR A AS SEPARATELY AGREED
use and can be used safel IMPLIED (INCLUDING AN PARTICULAR PURPOSE TO BY THE PARTIES IN A This product(s) may not be (i) any U.S. FDA Class I, H devices, without prior notifi manufacture of any of the product and application: U. III Medical Devices; Europe packaging that is considered	y and legally. SELLER MAKES NO W IY WARRANTY OF MERCHANTABILI OR ANY WARRANTY) OTHER THAN A CONTRACT.	TY OR FITNESS FOR A A AS SEPARATELY AGREED In Union Class I medical act and application; or (ii) the I by Seller for each specific alth Canada Class II or Class Im, overwrap and/or product aforementioned medical

	(+) 18816996168				
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll			
		lyondellbasell			
Hostacom TYC727D 1T3A MED LT STONE HP Gen. Variant: SDS_US_GHS					
(D Version 1.0 Revision Date 04	1/21/2015 Print Date 12/2	24/2019 SDS No.: BE13557			
	Disclaimer				
 form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; tobacco related products and applications, electronic cigarettes and similar devices, and pressure pipe or fittings that are considered a part or component of a nuclear reactor. Additionally, the product(s) may not be used in: (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices; (ii) applications involving permanent implantation into the body; (iii) life-sustaining medical applications; and (iv) lead, asbestos or MTBE related applications. All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification. Adflex, Adstif, Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Aquathene, Avant, Catalloy, Clyrell, Dexflex, Flexathene, Hifax, Histif, Hostacom, Hostalen, Indure, Integrate, Koattro, Lucalen, Luflexen, Lupolen, Metocene, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-Fax, Purell, Sequel, Softell, Starflex, Ultrathene, and Valtec are trademarks owned or used by the LyondellBasell family of companies. Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Avant, Dexflex, Flexathene, Hifax, Hostacom, Hostalen, Integrate, Koattro, Lucalen, Lupolen, Microthene, Moplen, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Plexar, Pristene, Pro-Fax, Purell, Sequel, Softell, Starflex, Ultrathene, and Valtec are trademarks owned or used by the LyondellBasell family of companies. Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Avant, Dexflex, Flexathene, Hifax, Hostacom, Hostalen, Integrate, Koattro, Lucalen, Lupolen, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-Fax, Purell, Sequel, Softell, Starflex, and Ultrathene are registered in the U.S. Patent and Trademark Office. 					
LyondellBasell believes to be r effort to verify the accuracy of t	eliable. LyondellBasell and it the translation, but assume no rred. Please refer to our web	nslated from English by a vendor ts vendor have made a good-faith o liability or other responsibility for o site (www.lyondellbasell.com) for			
	13 / 13				