	(+)	18816996168 ciplastics.com	
SAFETY DATA SH according to Regulation	EET L	ciplastics, com	lyondellbasell
Hostacom X M4	U34 102943		Gen. Variant: SDS_AT
Version 1.4 Rev	ision Date 04/03/2020	Print Date 01/07	7/2022 SDS No.: BE1185
 Identification of the s 1.1 Product identifier Trade name Synonyms Substance name 	: Hostaco : Polyolefi	d of the company/und m X M4 U34 102943 n, Compounded polyme nded polyolefin	-
1.2 Relevant identified u	uses of the substance	or mixture and uses	advised against
Identified uses		ture of plastic articles b conversion process.	y injection molding, extrusion
Prohibited uses	devices; Applicati	Health Canada class IN	t implantation into the body;
1.3 Details of the supplie Company Basell Sales & Marketir Delftseplein 27E 3013 AA Rotterdam Netherlands		sheet Registration numb NA	er Telephone 31 (0) 10 275 55 00
E-mail address Responsible/issuing per		lfety@lyb.com	
1.4 Emergency telephor	ne number		
Basell Sales & Marketir Poison Center: Gesundheid Österreich AT: +43 1 406 43 43 24 hours all days			+32 3 575 1235
2. Hazards identificatior	l		
2.1 Classification of the	substance or mixtur	е	
		1 / 16	



according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4

Revision Date 04/03/2020 Print Date 01/07/2022

SDS No.: BE1185

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16

(+) **18816996168** Ponciplastics.com

SAFETY DATA SHEET

Version 1.4

according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Revision Date 04/03/2020



Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention. If swallowed : Adverse health effects due to ingestion are not anticipated. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray. 3/16

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Hostacom X M4 U34 10		Gen. Variant: SDS_AT
Version 1.4 Revision Date	e 04/03/2020 Print Date 01	/07/2022 SDS No.: BE1185
Unsuitable extinguishing media 5.2 Special hazards arising from the Specific hazards during fire fighting 5.3 Advice for firefighters	 : LARGE FIRES: Use water spray hose nozzle : None known. the substance or mixture : Keep away from heat and so In case of fire hazardous dec produced such as: Carbon monoxide, carbon did hydrocarbons (smoke). 	urces of ignition. composition products may be
Special protective equipment	: Wear approved positive pres	-
for fire-fighters	apparatus and firefighter prot	ective clothing.
Further information	flammable vapors. Move containers from fire are Evacuate immediately in the container pressure relief devi Always stay away from tanks	kcal/kg with hose lines or monitor ompose polymer, and generate ea if it can be done without risk. event of opening of storage ces or discoloration of container. engulfed in fire. of storage containers involved in
6. Accidental release measures		
6.1 Personal precautions, protect		
Personal precautions	 Equip responders with proper Creates dangerous slipping h surface. Equip emergency responders equipment (PPE) Avoid generating dust. 	•
	4 / 16	



SAFETY DATA SHEET lvondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Hostacom X M4 U34 102943 Print Date 01/07/2022 Version 1.4 Revision Date 04/03/2020 SDS No.: BE1185 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. 6.2 Environmental precautions Environmental precautions : Do not flush into surface water or sanitary sewer system. 6.3 Methods and materials for containment and cleaning up Methods for containment / : On land, sweep/shovel into suitable disposal containers or Methods for cleaning up vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling 5/16



Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

6 / 16



lyondellbasell

Gen. Variant: SDS AT

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4 Revision Date 04/03/2020 Print Date 01/07/2022 SDS No.: BE1185

Materials that can	TWA	3 mg/m3	US (ACGIH)
be formed when		respirable	2005
handling this			
product: Non-			
specified (inert or			
nuisance) dust			

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) 18816996168	
	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 7	1907/2006	lyondellbasell
Hostacom X M4 U34 10	Gen. Variant: SDS_AT	
Version 1.4 Revision Date	/07/2022 SDS No.: BE1185	
Hygiene measures		onal protective equipment should
	of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p Wash hands before eating, du facilities. Take off contaminated clothir	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure cor		
General advice	: See section 6.	
 9. Physical and chemical propert 9.1 Information on basic physical Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties Autoignition temperature Decomposition temperature Melting point/range Boiling point/boiling range 	I and chemical properties : Pellets. : Black : Slight. : No Data Available.	ot easily ignite.
	8 / 16	

	(+)	18816996168 ciplastics.com		
	Pone	ciplastics.com		
SAFETY DATA SHEET according to Regulation (EC) N	lo 1907/2006		lyoi	ndellbasell
				ariant: SDS_AT
Hostacom X M4 U34 Version 1.4 Revision I	102943 Date 04/03/2020	0 Print Date 01/0		SDS No.: BE1185
Vapor pressure	: Not app	licable		
Density	: >1 g/ci	m3		
Water solubility	: Insoluble	е.		
Partition coefficient: n- octanol/water	: No Data	a Available.		
Viscosity, dynamic	: Not app	licable.		
Relative vapor density	: Not app	licable.		
Evaporation rate	: Not app	licable.		
Explosive properties	: No Data	a Available.		
9.2 Other information				
Other information	: No addi	itional information avail	able.	
10. Stability and reactivity				
10.1 Reactivity				
No known reactivity hazards	S.			
10.2 Chemical stability				
Stable under normal condit	ions.			
10.3 Possibility of hazardous	reactions			
Hazardous reactions	: Will not	occur.		
10.4 Conditions to avoid				
Conditions to avoid	: Avoid co open fla	ontact with strong oxidi ame.	izers, excess	sive heat, sparks or
10.5 Incompatible materials				
Materials to avoid	: Material	I may be softened by s	ome hydroca	arbons.
10.6 Hazardous decompositio	n products			
		9 / 16		
1				

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006	lyondellbasell
Hostacom X M4 U34 1	02943	Gen. Variant: SDS_AT
Version 1.4 Revision Da	te 04/03/2020 Print Date 01/0	7/2022 SDS No.: BE1185
Hazardous decomposition products Thermal decomposition	 Not expected to decompose ur Note: Carbon monoxide, olefini trace amounts of organic acids alcohols may be formed. 	c and paraffinic compounds,
11. Toxicological information		
11.1 Information on toxicologica	Il effects	
Acute toxicity		
Acute oral toxicity	: Not classified	
Acute inhalation toxicity	: Not classified	
Acute dermal toxicity	: Not classified	
Skin corrosion/irritation	: Not a skin irritant.	
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible	Э.
Respiratory or skin sensitization	: Not classified	
Chronic toxicity		
Carcinogenicity	: Not classified	
Germ cell mutagenicity	: Not classified	
Reproductive toxicity		
Effects on fertility / Effects on or via lactation	: Not classified	
	10 / 16	

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell		
Hostacom X M4 U34 10 Version 1.4 Revision Date		Gen. Variant: SDS_AT /07/2022 SDS No.: BE1185		
Effects on Development	: Not classified			
Target Organ Systemic Toxic	ant - Single exposure			
	: The substance or mixture is organ toxicant, single exposu			
Target Organ Systemic Toxic	ant - Repeated exposure			
	: The substance or mixture is organ toxicant, repeated exp			
Aspiration hazard	: Not applicable.			
 12. Ecological information 12.1 Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard 	Not classifiedNot classified			
12.2 Persistence and degradabilit	у			
Biodegradability	: Not expected to be biodegrad	lable.		
12.3 Bioaccumulative potential				
Bioaccumulation	: This material is not expected	to bioaccumulate.		
12.4 Mobility in soil				
Mobility	: no data available			
12.5 Results of PBT and vPvB assessment				
	11 / 16			

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll		
according to Regulation (EC) No. 19	lyondellbasell			
Hostacom X M4 U34 102943 Gen. Variant: SD				
Version 1.4 Revision Date	04/03/2020 Print Date 01	/07/2022 SDS No.: BE1185		
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or		
12.6 Other adverse effects				
Environmental fate and pathways	: This material is not volatile an	nd insoluble in water.		
12.7 Other information				
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product		or reclaimed in conformance with ns and in conformance with good		
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	12 / 16			
	,			



according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4

Revision Date 04/03/2020

Print Date 01/07/2022

SDS No.: BE1185

lyondellbasell

Gen. Variant: SDS AT

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

13 / 16



according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4

Revision Date 04/03/2020

Print Date 01/07/2022

SDS No.: BE1185

lyondellbasell

Gen. Variant: SDS AT

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level 14 / 16



according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4

Revision Date 04/03/2020

Print Date 01/07/2022

SDS No.: BE1185

lvondellbasell

Gen. Variant: SDS AT

NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

15 / 16



according to Regulation (EC) No. 1907/2006

Hostacom X M4 U34 102943

Version 1.4

Revision Date 04/03/2020

Print Date 01/07/2022

SDS No.: BE1185

lyondellbasell

Gen. Variant: SDS AT

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet