	(+)	18816996168 iplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		iplastics.com	lyondellbasell
Hostacom XBR 169 G G	31463		Gen. Variant: SDS_AT
Version 1.5 Revision Date	02/12/2021	Print Date 01/0	07/2022 SDS No.: BE13403
 Identification of the substance/in Indentification of the substance/in Indentifier Trade name Synonyms Substance name Indentified uses of the indentified uses Prohibited uses 	 Hostacor Polyolefir Compour substance Manufact or other FDA Class 	m XBR 169 G G31463 n, Compounded polyr nded polyolefin or mixture and use ture of plastic articles conversion process. ss III medical devices;	3 mer s advised against by injection molding, extrusion ; European class III medical
1.3 Details of the supplier of the s	devices; Applicatio Life-susta	Health Canada class ons involving permane aining medical applica	IV Medical Devices; ent implantation into the body;
Company Basell Sales & Marketing Compar Delftseplein 27E 3013 AA Rotterdam Netherlands	ny B.V.	Registration num NA	ber Telephone 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	product.sat	fety@lyb.com	
1.4 Emergency telephone number	r		
Basell Sales & Marketing Compan Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days	y B.V.		+32 3 575 1235
2. Hazards identification 2.1 Classification of the substance	e or mixture	9	
		1 / 16	



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Version 1.5

Print Date 01/07/2022

SDS No.: BE13403

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Revision Date 02/12/2021

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture	Not Classified	50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16




Symptoms : Inhalation of process fumes and vapors may cau in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. .3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	Pate 01/07/2022 SDS No.: BE134
large amounts of water to cool the affected tissu polymer. Do not attempt to peel polymer from skin as this the skin. Obtain immediate emergency medical attention or extensive. In case of eye contact : Flush eyes thoroughly with water for several min medical attention if discomfort persists. : In case of eye contact : Flush eyes thoroughly with molten polymer: Continuously flush eye(s) with cool running wate 15 minutes. Beyond flushing, DO NOT attempt to remove the adherent to the eye(s). Immediately seek medical attention. If swallowed : Adverse health effects due to ingestion are not a coupling. 22 Most important symptoms and effects, both acute and delayed Symptoms Symptoms : Inhalation of process fumes and vapors may cat in the nose and throat and couphing. Hazards : Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. 31 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	
 medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running wate 15 minutes. Beyond flushing, DO NOT attempt to remove the adherent to the eye(s). Immediately seek medical attention. If swallowed Adverse health effects due to ingestion are not a 2 Most important symptoms and effects, both acute and delayed Symptoms Inhalation of process fumes and vapors may cau in the nose and throat and coughing. Hazards Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. 3 Indication of any immediate medical attention and special treatment needed Treatment Treatment of overexposure should be directed a symptoms and the clinical condition of the patier 	r to cool the affected tissue and polymer from skin as this will remove
.2 Most important symptoms and effects, both acute and delayed Symptoms : Inhalation of process fumes and vapors may cau in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. .3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	comfort persists. with molten polymer: e(s) with cool running water for at least NOT attempt to remove the material
Symptoms : Inhalation of process fumes and vapors may cau in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. .3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	due to ingestion are not anticipated.
in the nose and throat and coughing. Hazards : Dust contact with the eyes can lead to mechanic Molten polymer may cause thermal burns. 3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	l delayed
Molten polymer may cause thermal burns. 3 Indication of any immediate medical attention and special treatment needed Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	
Treatment : Treatment of overexposure should be directed a symptoms and the clinical condition of the patier	
symptoms and the clinical condition of the patier	cial treatment needed
. Fire-fighting measures	
.1 Extinguishing media	
Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray.	2, or water spray.
3 / 16	

	(+) 1881699616 Ponciplastics.co	8
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Hostacom XBR 169 G C		Gen. Variant: SDS_AT
Version 1.5 Revision Date	e 02/12/2021 Print Date	01/07/2022 SDS No.: BE13403
Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire	 : LARGE FIRES: Use water spray hose noz : None known. the substance or mixture : Keep away from heat and 	
fighting		decomposition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pr apparatus and firefighter p	ressure self-contained breathing protective clothing.
Further information	conditions. Calorific Value: 8000 - 110 Fight fire from safe distance nozzles. Heat from fire may melt, d flammable vapors. Move containers from fire Evacuate immediately in th container pressure relief d Always stay away from tar Do not attempt to get on to fire.	ce with hose lines or monitor ecompose polymer, and generate area if it can be done without risk. he event of opening of storage levices or discoloration of container.
6. Accidental release measures 6.1 Personal precautions, protect	tive equipment and emerger	ncv procedures
Personal precautions	: Equip responders with pro Creates dangerous slippin surface.	
	4 / 16	

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET lyondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Hostacom XBR 169 G G31463 Version 1.5 Revision Date 02/12/2021 Print Date 01/07/2022 SDS No.: BE13403 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. 6.2 Environmental precautions Environmental precautions : Do not flush into surface water or sanitary sewer system. 6.3 Methods and materials for containment and cleaning up Methods for containment / : On land, sweep/shovel into suitable disposal containers or Methods for cleaning up vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.

7. Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling
	5 / 16



Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	



according to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Revision Date 02/12/2021

Version 1.5

Print Date 01/07/2022

SDS No.: BE13403

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168					
	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET according to Regulation (EC) No. 1	1907/2006	lyondellbasell				
Hostacom XBR 169 G G31463 Gen. Variant: SDS_AT						
Version 1.5 Revision Date		/07/2022 SDS No.: BE13403				
	· Soloction of appropriate para	anal protoctive, equipment should				
Hygiene measures	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet				
Environmental exposure con	itrols					
General advice	: See section 6.					
9. Physical and chemical propert 9.1 Information on basic physical						
Appearance	: Pellets.					
Color	: Grey.					
Odor	: Slight.					
Flash point	: No Data Available.					
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.				
Upper explosion limit	: Not applicable.					
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.				
Oxidizing properties	: Not considered an oxidizing a	agent.				
Autoignition temperature	: > 300 °C					
Decomposition temperature	: not determined					
Melting point/range	: 50 - 170 °C					
Boiling point/boiling range	: Not applicable.					
	8 / 16					

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET		
according to Regulation (EC)	No. 1907/2006	ndellbasel
Hostacom XBR 169	G G31463 Gen.	Variant: SDS_AT
	Date 02/12/2021 Print Date 01/07/2022	SDS No.: BE1340
Vapor pressure Density Water solubility Partition coefficient: n- octanol/water Viscosity, dynamic Relative vapor density Evaporation rate Explosive properties	 Not applicable. > 1 g/cm3 Insoluble. No Data Available. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. 	
9.2 Other information Other information 10. Stability and reactivity	: No additional information available.	
10.1 Reactivity		
No known reactivity hazard 10.2 Chemical stability	.כנ	
Stable under normal condi	tions	
10.3 Possibility of hazardous		
Hazardous reactions	: Will not occur.	
10.4 Conditions to avoid		
Conditions to avoid	: Avoid contact with strong oxidizers, excess open flame.	ssive heat, sparks or
10.5 Incompatible materials		
Materials to avoid	: Material may be softened by some hydrod	carbons.
10.6 Hazardous decomposition	on products	
	9 / 16	

SAFETY DATA SHEET according to Regulation (EC) No.	Poncipla	16996168 astics.com	lyor	ndellbasell
Hostacom XBR 169 G	G31463		Gen. Va	ariant: SDS_AT
Version 1.5 Revision Da	te 02/12/2021	Print Date 01/0	7/2022	SDS No.: BE13403
Hazardous decomposition products Thermal decomposition	: Note: Carbon	to decompose un monoxide, olefinio of organic acids, be formed.	c and paraffi	nic compounds,
11. Toxicological information				
11.1 Information on toxicologica	al effects			
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
,				
Skin corrosion/irritation	: Not a skin irrit	ant.		
Serious eye damage/eye irritation	: Not an eye irri Mechanical irr	tant. itation is possible		
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
	10 .	/ 16		

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 7		lyondellbasell			
Hostacom XBR 169 G G31463 Gen. Variant: SDS_AT					
Version 1.5 Revision Date	e 02/12/2021 Print Date 01/	07/2022 SDS No.: BE13403			
Effects on Development	: Not classified				
Target Organ Systemic Toxi	cant - Single exposure				
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.				
Target Organ Systemic Toxic					
	: The substance or mixture is n organ toxicant, repeated expo				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
12.2 Persistence and degradabili	ity				
Biodegradability	: Not expected to be biodegrada	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected t	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
Mobility					
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll			
SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006					
Hostacom XBR 169 G G31463 Gen. Variant: SDS_AT					
Version 1.5 Revision Date	02/12/2021 Print Date 01.	/07/2022 SDS No.: BE13403			
Result	: This substance/mixture conta to be either persistent, bioacc very persistent and very bioac	cumulative and toxic (PBT) or			
12.6 Other adverse effects					
Environmental fate and pathways	: This material is not volatile and insoluble in water.				
12.7 Other information					
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their			
13. Disposal considerations					
13.1 Waste treatment methods					
Product		or reclaimed in conformance with ns and in conformance with good			
14. Transport information					
Not regulated for transport					
15. Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
12 / 16					
	,				



according to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Version 1.5

Revision Date 02/12/2021 Print Date 01/07/2022

SDS No.: BE13403

lyondellbasell

Gen. Variant: SDS AT

REACH Annex XVII

This product contains an ingredient listed in Annex XVII of the REACH Regulation 1907/2006/EC.

Component	CASRN	Remarks
Decamethylcyclopentasiloxa ne	541-02-6	Use restricted. See item 70.
Octamethylcyclotetrasiloxan e	556-67-2	Use restricted. See item 70. shall apply after January 31, 2020

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.



according to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Version 1.5

Revision Date 02/12/2021 Print Date 01/07/2022

SDS No.: BE13403

lyondellbasell

Gen. Variant: SDS AT

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH_BEIs - American Conference of Governmental Industrial Hygienists_Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory IOELV - Indicative Occupational Exposure Limit Values**



according to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Version 1.5

Revision Date 02/12/2021

Print Date 01/07/2022

SDS No.: BE13403

lyondellbasell

Gen. Variant: SDS_AT

IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use,



according to Regulation (EC) No. 1907/2006

Hostacom XBR 169 G G31463

Version 1.5

Revision Date 02/12/2021

Print Date 01/07/2022

SDS No.: BE13403

lvondellbasel

Gen. Variant: SDS AT

Disclaimer

processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet