SAFETY DATA SHEET Moplen EP548R Version 1.0 Revision Date 07 . IDENTIFICATION OF THE SUBST Trade name : CAS Number: : Chemical characterization : Chemical name : Synonyms : Identified uses : Prohibited uses :	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Moplen EP548R 9010-79-1 Polypropylene copolymer 1-Propene, Polymer with Ethene Ethylene-Propylene copolymer, 1-Propene-Ethylene- Copolymer	
Version 1.0 Revision Date 07 . IDENTIFICATION OF THE SUBST Trade name : CAS Number: : Chemical characterization : Chemical name : Synonyms : Identified uses :	7/09/2021 Print Date 01/08/2022 SDS No.: BE85 TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Moplen EP548R 9010-79-1 Polypropylene copolymer 1-Propene, Polymer with Ethene Ethylene-Propylene copolymer, 1-Propene-Ethylene- Copolymer Manufacture of plastic articles by injection molding, extrusion	
IDENTIFICATION OF THE SUBST Trade name : CAS Number: : Chemical characterization : Chemical name : Synonyms : Identified uses :	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Moplen EP548R 9010-79-1 Polypropylene copolymer 1-Propene, Polymer with Ethene Ethylene-Propylene copolymer, 1-Propene-Ethylene- Copolymer Manufacture of plastic articles by injection molding, extrusion	
CAS Number: : Chemical characterization : Chemical name : Synonyms : Identified uses :	9010-79-1 Polypropylene copolymer 1-Propene, Polymer with Ethene Ethylene-Propylene copolymer, 1-Propene-Ethylene- Copolymer Manufacture of plastic articles by injection molding, extrusion	
Prohibited uses :		
	FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications	
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	Customer Service 888 777-0232 product.safety@lyb.com	
Emergency telephone number EQUISTAR 800-245-4532	<u>r</u>	
E-mail address : Responsible/issuing person	product.safety@lyb.com	
2. HAZARDS IDENTIFICATION		
GHS Classification		
Combustible dust		
Label elements		
Signal word :	: Warning	
Hazard Statements :	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	
1 / 13		

	(+) 18816996168		
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell	
Moplen EP548R Version 1.0 Revision Date 0	7/09/2021 Print Date 01	Gen. Variant: SDS_US_GHS I/08/2022 SDS No.: BE8522	
Other hazards			
No additional information avai	lable.		
3. COMPOSITION/INFORMATION C			
Mixtures	in Ingredients		
Components			
Chemical name	CAS-No.	Weight %	
1-Propene, Polymer with Ethene	9010-79-1	98.0 - 100.0 %	
Contains: Additives and stabilize	ers		
4. FIRST AID MEASURES			
General advice	: Take proper precautions before attempting rescue	to ensure your own health and safety and providing first aid.	
If inhaled	medical attention. In case of excessive inha during heating of this ma Obtain medical attention.	air. If signs/symptoms continue, get lation of fumes that may be generated terial, move the person to fresh air. cessary give Cardio-Pulmonary	
In case of skin contact	large amounts of water to Do not attempt to peel po skin.	ts the skin, immediately flush with o cool the affected tissue and polymer. Ilymer from skin as this will remove the ency medical attention if burn is deep	
In case of eye contact	: Flush eyes thoroughly wir medical attention if disco	th water for several minutes and seek mfort persists.	
	minutes.) with cool running water for at least 15 T attempt to remove the material	
If swallowed	Adverse health effects du	ue to ingestion are not anticipated.	
	2 / 13		

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET	Gen. Variant: SDS_US_GHS
/ersion 1.0 Revision Date	
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
Suitable extinguishing media	 SMALL FIRE: Use dry chemical, CO2, or water spray. LARGE FIRES: Use water spray hose nozzles from a safe location.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
	3 / 13

SAFETY DATA SHEET Security Control as the control of the control		(+) 18816996168
Mopion EP548R Gen. Variant: SDS_US_GHS Version 1.0 Revision Date 07/09/2021 Print Date 01/08/2022 SDS No.: BE8522 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PFE) Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid generating clust. Avoid generating clust. Avoid generating clust. Avoid generating clust. Potential combustible dust hazard. Polymer particles: create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or variaces. 7. Handling and storage : On land, sweep/shovel into suitable disposal containers or variace. All recovered material is insoluble; collect and contain as any soid. All recovered material should be packaged, labeled, transported and disposed or reclaimed in conformance with applicable laws and no requisitors applice. 7. Handling and storage : Material is in a pellet form. if converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation inenclosed space. Use dust collection systems designed per NFPA 664 to avoid dust accumulation. Avoid dust accumulation inenclosed space. Use dust collectorine systems		
Version 1.0 Revision Date 07/09/2021 Print Date 01/08/2022 SDS No.: BE8522 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Axoid depersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for containment / Methods for coleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. 7. Handling and storage : Material is in a pellet form. If converted naterial should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed pr NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	SAFETT DATA SHEET	iyondelibaseli
Version 1.0 Revision Date 07/09/2021 Print Date 01/08/2022 SDS No.: BE852 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed pr NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion </th <th>Moplen EP548R</th> <th>Gen. Variant: SDS_US_GHS</th>	Moplen EP548R	Gen. Variant: SDS_US_GHS
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dgenerating dust. Avoid dgenerating dust. Avoid dgenerating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		e 07/09/2021 Print Date 01/08/2022 SDS No.: BE8522
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dgenerating dust. Avoid dgenerating dust. Avoid dgenerating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dgenerating dust. Avoid dgenerating dust. Avoid dgenerating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dgenerating dust. Avoid dgenerating dust. Avoid dgenerating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid digenerating dust. Avoid digenerating dust. Avoid digenerating dust. Avoid digenerating dust. Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		
Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion hazard.		
equipment (PPE) Avoid generating dust. Avoid generating dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/showel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions	Creates dangerous slipping hazard on any hard smooth
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation. Avoid dust accumulation. Avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion		equipment (PPE)
Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage Precautions for safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust explosion Electrostatic charge may build during conveying or handling.		Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion. Electrostatic charge may build during conveying or handling.		
Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage Image: Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		
Methods for cleaning up vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Precautions for safe handling : Material is in a pellet form. Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust explosion Electrostatic charge may build during conveying or handling.		 vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good
 Advice on safe handling Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust explosion Electrostatic charge may build during conveying or handling. 	7. Handling and storage	
If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		ng
presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Advice on safe handling	If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid
environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.		presence of an ignition source is a potential dust explosion
Electrostatic charge may build during conveying or handling.		environments may ignite the dust and result in a dust
4 / 13		•
		4 / 13

		(+) 188	16996168		
SAFETY DATA S	HEET	Poncip1:	astics.com	lyood	allbacoll
				Iyunut	ellbasell
Moplen EP548	R				: SDS_US_GHS
Version 1.0 Re	vision Date 07	/09/2021	Print Date 07	1/08/2022	SDS No.: BE8522
				ner should be condu	ctive and
		-	(earthed) and b ainers involved	onded. in the transfer of this	s material
			grounded and la al equipment sl	bonded. hould conform to app	olicable electric
			regulatory requ	uirements for areas h	
		After hand		sh hands thoroughly	with soap and
		water. When brin	ging the materia	al to processing tem	peratures vapors
			op may conden	se in the exhaust ve	
		Refer to N	FPA 654, Stand	dard for the Preventic	
		•		Manufacturing, Proc Particulate Solids, fo	-
Fire-fighting class	:	Polymer w	ill burn but doe:	s not easily ignite.	
Conditions for sat	fe storage, in	cluding any	incompatibili	ties	
Requirements for s	-		dry location.	araatiaaa during atar	and transforming
areas and containe	ers	and handli	ng. Process en	practices during stora closures and adequa	ate ventilation
				excessive dust accun ve heat and away fro	
		oxidizing a	•	prevent contamination	on.
		•		the build up of elec	
Specific end use(Specific end use(s)				
		See Section	on 1.		
8. EXPOSURE CONTR	OL S/PERSON		CTION		
Control parameters					
Ingredients with workplace control parameters					
Occupational Exposure Limits					
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when handling this			inhalable	2005	
product: Non- specified (inert or					
nuisance) dust					
		5	/ 13		
L					

(+)	1881	699	6168
()	1001	000	0100

		Poncip12	astics.com		
SAFETY DATA S	SHEET	1 onorpre		lyond	ellbasell
Moplen EP548	R			Gen. Varian	t: SDS_US_GHS
	evision Date 07	/09/2021	Print Date 01	1/08/2022	SDS No.: BE8522
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	15 mg/m3 total dust	US (OSHA) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

SAFETY DATA SHEET	Ponciplastics.com
	lyondellbase
Moplen EP548R	Gen. Variant: SDS_US_GHS
Version 1.0 Revision Date	07/09/2021 Print Date 01/08/2022 SDS No.: BE85
Skin and body protection	injury or other irritation to eyes due to airborne particles which may result from handling this product.Wear suitable protective clothing.
Hygiene measures	: Selection of appropriate personal protective equipment should
	be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
PHYSICAL AND CHEMICAL P	
Appearance	: pellets solid
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dual varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
	7 / 13

	(+) 18816996168
AFETY DATA SHEET	Ponciplastics.com
Ioplen EP548R	Gen. Variant: SDS_US_GH
ersion 1.0 Revision Date	e 07/09/2021 Print Date 01/08/2022 SDS No.: BE8
Water solubility	: Insoluble.
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
. STABILITY AND REACTIVITY	/
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks o open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition	: Not expected to decompose under normal conditions.
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
. TOXICOLOGICAL INFORMA	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye	: Not an eye irritant.
	8 / 13

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	
ON ETT DATA ONEET	lyondellbasell	
Moplen EP548R	Gen. Variant: SDS_US_GHS	
Version 1.0 Revision Date	07/09/2021 Print Date 01/08/2022 SDS No.: BE8522	
irritation	Mechanical irritation is possible.	
Respiratory or skin sensitization	: Not classified	
Chronic toxicity		
Carcinogenicity	: Not classified	
	Not listed by IARC, NTP, OSHA or EPA.	
Germ cell mutagenicity	: Not classified	
Reproductive toxicity		
Effects on fertility / Effects on or via lactation	: Not classified	
Effects on Development	: Not classified	
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.	
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.	
Aspiration hazard	: Not applicable.	
12. Ecological information		
Ecotoxicology Assessment		
Short-term (acute) aquatic	: Not classified	
hazard Long-term (chronic)	: Not classified	
aquatic hazard		
Persistence and degradability		
Biodegradability	: Not expected to be biodegradable.	
	9 / 13	

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	
Moplen EP548R	Gen. Variant: SDS_US_GHS	
Version 1.0 Revision Date	07/09/2021 Print Date 01/08/2022 SDS No.: BE8522	
Bioaccumulative potential		
Bioaccumulation	: This material is not expected to bioaccumulate.	
Mobility in soil		
Mobility	: no data available	
Other adverse effects		
Environmental fate and pathways	: This material is not volatile and insoluble in water.	
Other information		
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 	
13. Disposal considerations		
Waste treatment methods Product	 All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible. This material is classified as a Non-hazardous Material by 	
RCRA. 14. TRANSPORT INFORMATION Not regulated for transport		
	10 / 13	

(+)	1881	699	6168
(.)	1001	000	0100

Ponciplastics.com

Moplen EP548R

SAFETY DATA SHEET

Version 1.0

Revision Date 07/09/2021

Print Date 01/08/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE8522

....

Ivondellbase

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act. However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to

Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
	11 / 1	3

	(+) 1881	6996168				
	Poncipla	stics.com				
SAFETY DATA SHEET			lyondellbasel			
Moplen EP548R			Gen. Variant: SDS_US_GHS			
	ate 07/09/2021	Print Date 01/	08/2022 SDS No.: BE852			
Canada	DSL	Complian				
China	IECSC REACH	Complian	CH Compliance Statement			
Europe Japan	ENCS	Complian				
Korea	KECI	Complian				
New Zealand	NZIOC	Complian				
Philippines	PICCS	Complian				
United States of Americ		Complian				
Taiwan	TCSCA	Complian				
Contact product.safety@lyb.com for additional global inventory information.						
6. OTHER INFORMATION Material safety datasheet	sections which h	ave been upda	ated:			
First Edition						
HMIS Classification	: Health Hazard Flammability: Physical haza	1	0 1 0			
NFPA Classification	: Health Hazard Fire Hazard: Instability: 0					
Further information			Ŷ			
HMIS rating scale (0 = minimal hazard; 4 = severe hazard) NFPA rating scale (0 = minimal hazard; 4 = severe hazard)						
	12	/ 13				

	(+) 18816996168							
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell						
Moplen EP548R Gen. Variant: SDS_US_GHS								
Version 1.0 Revision Date 07	Version 1.0 Revision Date 07/09/2021 Print Date 01/08/2022 SDS No.: BE8522							
Disclaimer Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.								
In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.								
<u>Numerical Data Presentation</u> The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.								
Language Translations The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.								
End of Material Safety Data Sheet								

13 / 13