	(+) 18	3816996168	
	Poncip	8816996168	
SAFETY DATA SHEET according to Regulation (EC) No. 19	07/2006		lyondellbasell
Moplen EP648V			Gen. Variant: SDS_AT
Version 1.5 Revision Date	07/26/2021	Print Date 01	/08/2022 SDS No.: BE8545
1. Identification of the substance/m	ixture and c	of the company/u	ndertaking
1.1 Product identifier			
Trade name : Synonyms :	Copolymer	ropylene copolym	er, 1-Propene-Ethylene-
Substance name : Substance No. :	1-Propene, 9010-79-1	Polymer with Eth	lene
Chemical characterization :		ene copolymer	
1.2 Relevant identified uses of the	substance o	r mixture and use	es advised against
Identified uses :		e of plastic article nversion process.	s by injection molding, extrusion
Prohibited uses :	devices; He Application	ealth Canada clas	s; European class III medical s IV Medical Devices; nent implantation into the body; cations
1.3 Details of the supplier of the sa	fety data she	eet	
Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	B.V.	Registration nur NA	mber Telephone 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	product.safet	y@lyb.com	
1.4 Emergency telephone number			
Basell Sales & Marketing Company	B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days			
		1 / 16	



according to Regulation (EC) No. 1907/2006

Moplen EP648V

Version 1.5

Print Date 01/08/2022

SDS No.: BE8545

lyondellbasell

Gen. Variant: SDS AT

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Revision Date 07/26/2021

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
1-Propene, Polymer with Ethene	9010-79-1		98.0 - 100.0 %

Contains: Additives and stabilizers

4. First aid measures

4.1 Description of first-aid measures

General advice : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.

If inhaled

: Remove person to fresh air. If signs/symptoms continue, get

 $(+)\,18816996168$ Ponciplastics.com

Noplen EP648V	Gen. Variant: SDS_AT
	Date 07/26/2021 Print Date 01/08/2022 SDS No.: BE8
	medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
2 Most important sympton	as and effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
3 Indication of any immed	iate medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
Fire-fighting measures	
1 Extinguishing media	
	3 / 16

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 190	J7/2006 lyondellbasell
Moplen EP648V	Gen. Variant: SDS_AT
Version 1.5 Revision Date 0	07/26/2021 Print Date 01/08/2022 SDS No.: BE8545
Suitable extinguishing media :	SMALL FIRE: Use dry chemical, CO2, or water spray.
:	LARGE FIRES: Use water spray hose nozzles from a safe location.
media	None known.
5.2 Special hazards arising from the Specific hazards during fire :	e substance or mixture Keep away from heat and sources of ignition.
fighting	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment : for fire-fighters	Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information :	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
6. Accidental release measures	
	e equipment and emergency procedures Equip responders with proper protection.
reisonal precautions .	Creates dangerous slipping hazard on any hard smooth surface.
	4 / 16

SAFETY DATA SHEET according to Regulation (EC) No. 190	(+) 18816996168 Ponciplastics.com
Moplen EP648V	Gen. Variant: SDS_AT
Version 1.5 Revision Date 0	7/26/2021 Print Date 01/08/2022 SDS No.: BE8545 Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
6.2 Environmental precautions	
	Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for conta Methods for containment / : Methods for cleaning up	On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
7. Handling and storage	
7.1 Precautions for safe handling Advice on safe handling :	Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material
	5 / 16

			(+) 18	816996168 1astics.com		
	SAFETY DATA SH according to Regulation			lastics.com	lyond	ellbasell
	Moplen EP648V				Gen. Varian	- 111 - 11
		ision Date 07/	26/2021	Print Date 01	/08/2022	SDS No.: BE8545
	Fire-fighting class 7.2 Conditions for safe Requirements for sto areas and containers 7.3 Specific end use(s)	storage, inclu	All electrical codes and r combustible After handlir water. When bringi may develop section 10. Polymer will ding any ir Store in a di Jse good hu and handling should be u Store away oxidizing ag Keep contai	egulatory requirer dusts. ng, always wash ing the material to o may condense I burn but does no ncompatibilities ry location. ousekeeping prace g. Process encloses sed to avoid exces from excessive h ents. ner closed to pre- ures to prevent th	ld conform to appli ments for areas ha hands thoroughly v p processing tempe in the exhaust vent	ndling vith soap and eratures vapors ilation. See le, transferring e ventilation llation. strong
	8. Exposure controls/pe 8.1 Control parameters Ingredients with we Occupational Expo	orkplace contr		ters Limit Value	Basis Revision Date	Additional Information
			(6 / 16		
-1						



according to Regulation (EC) No. 1907/2006

Revision Date 07/26/2021

Moplen EP648V

Version 1.5

Print Date 01/08/2022

SDS No.: BE8545

lyondellbasell

Gen. Variant: SDS AT

Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	3 mg/m3 respirable	US (ACGIH) 2005	

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	gineering controls to ke commended exposure li hen workers are facing on hit they must use approp se appropriate respirator ceeds recommended lin here workers could be e	concentrations above the exposure riate certified respirators. y protection where atmosphere
Hand protection	ear gloves that provide t tential for contact with h	thermal protection where there is a neated material.
	7 / 16	

(+) 18816996168 Ponciplastics.com 0. 1907/2006 ate 07/26/2021 Print Date 01,	Gen. Variant: SDS_AT /08/2022 SDS No.: BE854
	Gen. Variant: SDS_AT
ate 07/26/2021 Print Date 01/	
ate 07/26/2021 Print Date 01,	109/2022 SDS No · BE954
	106/2022 3D3 No BE834
: Dust service goggles should	
injury or other irritation to eye may result from handling this	•
: Wear suitable protective cloth	ning.
be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
ontrols	
: See section 6.	
al and chemical properties : pellets	
: Translucent to white	
: Slight.	
: No Data Available.	
: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.
: Not applicable.	
: Polymer will burn but does no	ot easily ignite.
: Not considered an oxidizing a	agent.
8 / 16	
	 injury or other irritation to eye may result from handling this Wear suitable protective cloth Selection of appropriate persobe based on an evaluation of of the protective equipment reperformed, conditions presen hazards and/or potential hazard

(+) 18816996168 Ponciplastics.com
Ponciplastics.com

according to Regulation (EC) No. 1907/2006

Moplen EP648V

Version 1.5

Revision Date 07/26/2021

Print Date 01/08/2022

SDS No.: BE8545

lyondellbasell

Gen. Variant: SDS_AT

Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: < 1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.

10. Stability and reactivity 10.1 Reactivity No known reactivity hazards. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : Will not occur. 10.4 Conditions to avoid Conditions to avoid : Avoid contact with strong oxidizers, excessive heat, sparks or 9 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Moplen EP648V	Gen. Variant: SDS_AT
Version 1.5 Revision Da	tte 07/26/2021 Print Date 01/08/2022 SDS No.: BE854
	open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	products
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11.1 Information on toxicologic Acute toxicity Acute oral toxicity	:
	Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
	10 / 16

SAFETY DATA SHEET according to Regulation (EC) No. Moplen EP648V Version 1.5 Revision Dat	Gen. Variant: SDS_AT				
Germ cell mutagenicity	: Not classified				
Reproductive toxicity					
Effects on fertility /	: Not classified				
Effects on or via lactation Effects on Development	: Not classified				
Target Organ Systemic Toxi	cant - Single exposure				
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.				
Target Organ Systemic Toxi	cant - Repeated exposure				
	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
12.2 Persistence and degradabil	ity				
Biodegradability	: Not expected to be biodegradable.				
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected to bioaccumulate.				
11 / 16					

	(+) 188	16996168 astics.com			
SAFETY DATA SHEET	Poncip1	astics.com	lvoodollbacoll		
SAFETY DATA SHEET Jon Cellbase					
Moplen EP648V Version 1.5 Revision D	Date 07/26/2021	Print Date 01	Gen. Variant: SDS_AT /08/2022 SDS No.: BE8545		
12.4 Mobility in soil					
Mobility	: no data availa	ble			
12.5 Results of PBT and vPvB	assessment				
Result	to be either p	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).			
12.6 Other adverse effects					
Environmental fate and pathways	: This material	: This material is not volatile and insoluble in water.			
12.7 Other information					
Additional ecological information	solubility of p No data availa other wildlife	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 			
13. Disposal considerations					
13.1 Waste treatment methods	6				
Product	transported a applicable lav engineering p	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information					
12 / 16					



according to Regulation (EC) No. 1907/2006

Revision Date 07/26/2021

Moplen EP648V

Version 1.5

Print Date 01/08/2022

SDS No.: BE8545

lyondellbasell

Gen. Variant: SDS AT

Not regulated for transport

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.



according to Regulation (EC) No. 1907/2006

Moplen EP648V

Version 1.5

Print Date 01/08/2022

SDS No.: BE8545

lvondellbasell

Gen. Variant: SDS_AT

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revision Date 07/26/2021

Revised Section(s): 15 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC** - Chinese Chemicals Inventory **IOELV - Indicative Occupational Exposure Limit Values** IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient



according to Regulation (EC) No. 1907/2006

Revision Date 07/26/2021

Moplen EP648V

Version 1.5

Print Date 01/08/2022

SDS No.: BE8545

lvondellbasel

Gen. Variant: SDS_AT

LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.



according to Regulation (EC) No. 1907/2006

Moplen EP648V

Version 1.5

Revision Date 07/26/2021

Print Date 01/08/2022

SDS No.: BE8545

lvondellbasell

Gen. Variant: SDS AT

Disclaimer

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet