	(+) 18	816996168		
	Poncip	lastics.com		
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellba	asell
Moplen HP552N			Gen. Variant: SDS_A	ΑT
Version 1.4 Revision Dat	e 05/29/2020	Print Date 01/	05/2022 SDS No	.: BE8665
 Identification of the substance. I.1 Product identifier Trade name Synonyms Substance name Substance No. 	: Moplen HP	552N homopolymer, PP		
Chemical characterization	: Polypropyle	ne Homopolymer		
1.2 Relevant identified uses of th	e substance o	r mixture and use	s advised against	
Identified uses		e of plastic articles oversion process.	by injection molding, extru	ision
Prohibited uses	devices; He Applications	alth Canada class	; European class III medica IV Medical Devices; ent implantation into the bo ations	
1.3 Details of the supplier of the	safety data she	et		
Company Basell Sales & Marketing Compa Delftseplein 27E 3013 AA Rotterdam Netherlands	ny B.V.	Registration num	Telephone 31 (0) 10 275	55 00
E-mail address Responsible/issuing person	: product.safety	/@lyb.com		
1.4 Emergency telephone numbe	er			
Basell Sales & Marketing Compa	ny B.V.		+32 3 575 1235	5
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days				
		1 / 16		
		, 10		



according to Regulation (EC) No. 1907/2006

Moplen HP552N

Version 1.4

Revision Date 05/29/2020

Print Date 01/05/2022

SDS No.: BE8665

lyondellbasell

Gen. Variant: SDS AT

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.1 Substances

Components

Chemical name	CAS-No. EINECS-No. / ELINCS No./EC-No.	<u>Weight %</u>	Component Type
Polypropylene	9003-07-0	> 99.5 %	

Contains: Stabilizers

4. First aid measures

4.1 Description of first-aid measures

General advice

: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.



according to Regulation (EC) No. 1907/2006

lyondellbasell Gen. Variant: SDS_AT

Moplen HP552N Revision Date 05/29/2020

Version 1.4

Print Date 01/05/2022

SDS No.: BE8665

lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immedia	te medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
	3 / 16

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET	
according to Regulation (EC) No.	1907/2006 Iyondellbase
Moplen HP552N	Gen. Variant: SDS_AT
Version 1.4 Revision Date	e 05/29/2020 Print Date 01/05/2022 SDS No.: BE866
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising from	
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
	: The formation of hydrocarbons and aldehydes are possible in the initial stages of a fire (especially in between 400 C and 700 C)
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor
	nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk.
	Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire.
	Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
	4 / 16

SAFETY DATA SHEET according to Regulation (EC) No. 19	(+) 18816996168 Ponciplastics.com	Gen. Variant: SDS_AT
Moplen HP552N Version 1.4 Revision Date (05/29/2020 Print Date 01	
	<i>56/26/26/26/26</i>	
 Accidental release measures Personal precautions, protectiv 	e equipment and emergency	procedures
	 Equip responders with proper Creates dangerous slipping h surface. Equip emergency responders equipment (PPE) Avoid generating dust. 	air (i.e., clearing dust surfaces
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface wate	er or sanitary sewer system.
6.3 Methods and materials for cont	ainment and cleaning up	
Methods for containment / Methods for cleaning up	solid. All recovered material should transported and disposed of e	ch avoids ignition risk. e; collect and contain as any l be packaged, labeled, or reclaimed in conformance with ns and in conformance with good
7. Handling and storage		
7.1 Precautions for safe handling		
Advice on safe handling		may form combustible dust
	5 / 16	

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET lyondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Moplen HP552N Print Date 01/05/2022 Version 1.4 Revision Date 05/29/2020 SDS No.: BE8665 presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10. : Polymer will burn but does not easily ignite. Fire-fighting class 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Store in a dry location. areas and containers Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 7.3 Specific end use(s) : See Section 1.2. 8. Exposure controls/personal protection 8.1 Control parameters 6/16



according to Regulation (EC) No. 1907/2006

Moplen HP552N

Version 1.4

Revision Date 05/29/2020 Print Date 01/05/2022

SDS No.: BE8665

lyondellbasell

Gen. Variant: SDS AT

Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when			inhalable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					
Materials that can		TWA	3 mg/m3	US (ACGIH)	
be formed when			respirable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations
	7 / 16

(+)18816996168
Ponciplastics.com

	No. 1907/2006 Iyondellbas		
loplen HP552N	Gen. Variant: SDS_AT		
	Date 05/29/2020 Print Date 01/05/2022 SDS No.: BI		
Hand protection	above the exposure limit they must use appropriate certified respirators.: Wear gloves that provide thermal protection where there is a potential for contact with heated material.		
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.		
Skin and body protection	: Wear suitable protective clothing.		
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. 		
Environmental exposur General advice	e controls : See section 6.		
Physical and chemical pro	operties		
,	voiced and chemical preparties		
	sical and chemical properties		
1 Information on basic phy Appearance	: Pellets.		
1 Information on basic phy			
1 Information on basic phy Appearance	: Pellets.		
1 Information on basic phy Appearance Color	Pellets.Translucent to white		
1 Information on basic phy Appearance Color Odor	Pellets.Translucent to whiteSlight.		
1 Information on basic phy Appearance Color Odor Flash point	 Pellets. Translucent to white Slight. No Data Available. The minimum explosive concentration (MEC) for polymer dust 		



according to Regulation (EC) No. 1907/2006

Moplen HP552N

Version 1.4

Revision Date 05/29/2020

Print Date 01/05/2022

SDS No.: BE8665

lyondellbasell

Gen. Variant: SDS_AT

Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n-	: No Data Available.
octanol/water Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal conditio	ns.
10.3 Possibility of hazardous re	actions
	9 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com
	Gen. Variant: SDS AT
Moplen HP552N Version 1.4 Revision Date	te 05/29/2020 Print Date 01/05/2022 SDS No.: BE8665
Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials Materials to avoid	 Will not occur. Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
 11. Toxicological information 11.1 Information on toxicologica Acute toxicity 	ıl effects
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
	10 / 16

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET	
according to Regulation (EC) No.	1907/2006 Iyondellbasell
Moplen HP552N Version 1.4 Revision Da	Gen. Variant: SDS_AT te 05/29/2020 Print Date 01/05/2022 SDS No.: BE8665
Version 1.4 Revision Da	te 03/29/2020 Filiti Date 01/03/2022 3D3 No BE8003
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Tox	: The substance or mixture is not classified as specific target
	organ toxicant, single exposure.
Target Organ Systemic Tox	
	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
12.1 Ecotoxicology Assessment	
Short-term (acute) aquatic	: Not classified
hazard Long-term (chronic) aquatic hazard	: Not classified
12.2 Persistence and degradabi	lity
Biodegradability	: Not expected to be biodegradable.
	11 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com		
Moplen HP552N Gen. Variant: SDS_AT			
	te 05/29/2020 Print Date 01/05/2022 SDS No.: BE8665		
12.3 Bioaccumulative potential			
Bioaccumulation	: This material is not expected to bioaccumulate.		
12.4 Mobility in soil			
Mobility	: no data available		
12.5 Results of PBT and vPvB assessment			
Result	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).		
12.6 Other adverse effects			
Environmental fate and pathways	: This material is not volatile and insoluble in water.		
12.7 Other information			
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts. 		
13. Disposal considerations			
13.1 Waste treatment methods			
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.		
	12 / 16		
12 / 10			



according to Regulation (EC) No. 1907/2006

Revision Date 05/29/2020

Moplen HP552N

Version 1.4

Print Date 01/05/2022

SDS No.: BE8665

lyondellbasell

Gen. Variant: SDS AT

14. Transport information

Not regulated for transport

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that the chemical substance in this product has been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.



according to Regulation (EC) No. 1907/2006

Moplen HP552N

Version 1.4

Revision Date 05/29/2020 Print Date 01/05/2022

SDS No.: BE8665

lyondellbasell

Gen. Variant: SDS AT

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH_BEIs - American Conference of Governmental Industrial Hygienists_Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values



according to Regulation (EC) No. 1907/2006

Revision Date 05/29/2020

Moplen HP552N

Version 1.4

Print Date 01/05/2022

SDS No.: BE8665

lvondellbasell

Gen. Variant: SDS_AT

IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC - Process Category** QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use,



according to Regulation (EC) No. 1907/2006

Moplen HP552N

Version 1.4

Revision Date 05/29/2020

Print Date 01/05/2022

SDS No.: BE8665

lvondellbasell

Gen. Variant: SDS AT

Disclaimer

processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet