(+) 1	8816996168		
	iplastics.com		
07/2006	史多贠科 頃 坊 188169961	系 lyond	ellbasell
		Gen. Variant	:: SDS_AT
05/08/2020	Print Date 01	/04/2022	SDS No.: BE28069
ixture and	of the company/u	ndertaking	
Ethylene- Copolyme	Propylene copolyme er		lene-
		ene	
substance	or mixture and use	es advised agains	st
	•	s by injection moldi	ng, extrusion
devices; l Applicatio	Health Canada class	s IV Medical Device ent implantation in	es;
fety data s	heet		
B.V.	Registration num NA		ohone
) 10 275 55 00
product.saf	ety@lyb.com) 10 275 55 00
product.saf	ety@lyb.com) 10 275 55 00
product.safe B.V.	ety@lyb.com) 10 275 55 00 575 1235
	ety@lyb.com		
	ety@lyb.com		
	ety@lyb.com 1 / 16		
	Ponc: 07/2006 05/08/2020 iixture and Moplen H Ethylene- Copolyme 1-Propene 9010-79-1 Polypropy substance Manufactu or other of FDA Clas devices; I Applicatic Life-susta	Ponciplastics.com 07/2006 EXAMPLE 188169961 05/08/2020 Print Date 01/ 05/08/2020 Print Date 01/ 0	Ponciplastics.com 07/2006 EAST Company/undertaking Moplen HP740J P9T Ethylene-Propylene copolymer, 1-Propene-Ethyl Copolymer 1-Propene, Polymer with Ethene 9010-79-1 Polypropylene copolymer Substance or mixture and uses advised againse Manufacture of plastic articles by injection moldi or other conversion process. FDA Class III medical devices; European class devices; Health Canada class IV Medical Devices Applications involving permanent implantation in Life-sustaining medical applications

	(+) 18816996	5168	
SAFETY DATA SHEET	Ponciplastics	s. com	adallbacall
according to Regulation (EC)	No. 1907/2006	件调 软示 IYU 996168 I	ndellbasell
Moplen HP740J P9 ⁻			Variant: SDS_AT
Version 1.0 Revision	Date 05/08/2020 Print I	Date 01/04/2022	SDS No.: BE28069
2. Hazards identification			
2.1 Classification of the subs	stance or mixture		
Classification (REGULA	TION (EC) No 1272/2008)		
Not a hazardous substan	ce or mixture according to Reg	ulation (EC) No 127	2/2008.
2.2 Label elements			
Labeling (REGULATION	(EC) No 1272/2008)		
Not a hazardous substan	ce or mixture according to Reg	ulation (EC) No 127	2/2008.
2.3 Other hazards			
combustible dust concent This substance/mixture co	rated during further processing rations in air. ontains no components conside ersistent and very bioaccumula	ered to be either per	
3. Composition/information	on ingredients		
3.1 Substances			
Components			
Chemical name	CAS-No. EINECS-No. / ELINCS No./EC-No.	<u>Weight %</u>	Component Type
1-Propene, Polymer with Ethene	9010-79-1	> 99.5 %	A
Contains: Additives and	stabilizers		
Key: (A) Substance			
4. First aid measures			
4.1 Description of first-aid m	leasures		
General advice	: Take proper precaution	ons to ensure your o	wn health and safety
	2 / 16		

SAFETY DATA SHEET	(+) 18816996168 Ponciplastics.com
according to Regulation (EC) N	エク以作用状示 //
Moplen HP740J P9T Version 1.0 Revision	
Version 1.0 Revision	Date 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069 before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	 Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes.
	Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
	3 / 16

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics. com
according to Regulation (EC) No. 1	
Moplen HP740J P9T Version 1.0 Revision Date	Gen. Variant: SDS_AT
Version 1.0 Revision Date	05/08/2020 Print Date 01/04/2022 SDS No.: BE28069
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media 5.2 Special hazards arising from t	: None known.
Specific hazards during fire	: Keep away from heat and sources of ignition.
fighting	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	: Combustible particulate solid, will decompose under fire conditions.
	Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor
	nozzles.
	Heat from fire may melt, decompose polymer, and generate flammable vapors.
	Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage
	container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire.
	Do not attempt to get on top of storage containers involved in
	fire. Cool storage containers with large volumes of water even after fire is out.
	4 / 16
	-7.10

	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 190	
Moplen HP740J P9T	Gen. Variant: SDS_AT
Version 1.0 Revision Date (05/08/2020 Print Date 01/04/2022 SDS No.: BE28069
6. Accidental release measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
6.2 Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for cont	ainment and cleaning up
	 On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
7. Handling and storage	
7.1 Precautions for safe handling	
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion
	5 / 16

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	
according to Regulation (EC) No.	1907/2006 史多货科項联系 18816996168 Iyondellbasell	
Moplen HP740JP9T Version 1.0 Revision Da	Gen. Variant: SDS_AT	
Version 1.0 Revision Da	te 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069	
	hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and	
	grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.	
	After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.	
Fire-fighting class	: Polymer will burn but does not easily ignite.	
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	 Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 	
7.3 Specific end use(s)		
	: See Section 1.2.	
8. Exposure controls/personal protection 8.1 Control parameters Ingredients with workplace control parameters 6 / 16		



Version 1.0

Revision Date 05/08/2020

Print Date 01/04/2022

SDS No.: BE28069

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
	7 / 16


	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No.	
Moplen HP740J P9T	Gen. Variant: SDS_AT
Version 1.0 Revision Da	ate 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
Environmental exposure co	ontrols
General advice	: See section 6.
9. Physical and chemical prope 9.1 Information on basic physic	
Appearance	: Pellets.
Color	: Translucent to white
Odor	: Slight.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
	8 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006 史多资料項联系 18816996168
Moplen HP740J P9T	Gen. Variant: SDS_AT
Version 1.0 Revision Da	te 05/08/2020 Print Date 01/04/2022 SDS No.: BE2806
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
0. Stability and reactivity	
0.1 Reactivity	
No known reactivity hazards.	
Stable under normal condition	IS.
0.3 Possibility of hazardous re	actions
Hazardous reactions	: Will not occur.
	9 / 16

	(+) 18816996168
SAFETY DATA SHEET according to Regulation (EC) No.	Ponciplastics.com 1907/2006 史多资科項联系 18816996168 Yondelbase
Moplen HP740J P9T Version 1.0 Revision Da	Gen. Variant: SDS_AT te 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
10.5 Incompatible materials	
Materials to avoid	: Material may be softened by some hydrocarbons.
10.6 Hazardous decomposition	products
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11.1 Information on toxicologica Acute toxicity Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
	10 / 16

	(+) 18816996168
	Ponciplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 1	
Moplen HP740J P9T	Gen. Variant: SDS_AT
Version 1.0 Revision Date	e 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069
Carcinogenicity	: Not classified
Carcinogenicity	
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Toxic	cant - Single exposure
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxi	cant - Repeated exposure
	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
12.1 Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Not classified
Long-term (chronic) aquatic hazard	: Not classified
12.2 Persistence and degradabili	ty
Biodegradability	: Not expected to be biodegradable.
12.3 Bioaccumulative potential	
	11 / 16

	(+) 18816996168					
SAFETY DATA SHEET according to Regulation (EC) No.	Ponciplastics.com 1907/2006 史多资料項联系 18816996168 Yondellbasell					
Moplen HP740J P9T	Gen. Variant: SDS_AT					
Version 1.0 Revision Da	ate 05/08/2020 Print Date 01/04/2022 SDS No.: BE28069					
Bioaccumulation : This material is not expected to bioaccumulate.						
12.4 Mobility in soil						
Mobility	: no data available					
12.5 Results of PBT and vPvB a	issessment					
Result	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).					
12.6 Other adverse effects						
Environmental fate and pathways	: This material is not volatile and insoluble in water.					
12.7 Other information						
Additional ecological information	: Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.					
13. Disposal considerations						
13.1 Waste treatment methods						
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.					
	12 / 16					



Not regulated for transport

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that the chemical substance in this product has been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status


The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.


*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory Status Description		
Australia	AICS	Compliant	
Canada	DSL	Compliant	
China	IECSC	Compliant	
Europe	REACH	See REACH Compliance Statement	
Japan	ENCS	Compliant	
Korea	KECI	Compliant	
New Zealand	NZIoC	Compliant	
Philippines	PICCS	Compliant	
United States of America	TSCA	Compliant	
Taiwan	TCSCA	Compliant	

Contact product.safety@lyb.com for additional global inventory information.

13 / 16





		18816996168			
SAFETY DATA S		ciplastics.com 史多贷科項助 188169961	I		
Moplen HP740			Gen. Variant: SDS_AT		
Version 1.0	Revision Date 05/08/2020	D Print Date 01	/04/2022 SDS No.: BE2806		
		Disclaimer			
or quality specifi fitness for any pa	cation, either express or	implied, including any shall determine wheth	does not constitute any warranty warranty of merchantability or her the product is suitable for		
further prohibit of information, plea at: https://www.ly	r restrict the sale of its pl se contact a LyondellBas yondellbasell.com/en/proc referenced in section 1	roducts into certain ap sell representative or ducts-technology/prod	visit the LyondellBasell website		
toxicological valu	n of numerical data, such	a comma (,) to separa	sical and chemical properties and ate digits into groups of three and kg = 1 234,56 mg/kg.		
LyondellBasell b effort to verify th any errors that r	presented in this docu believes to be reliable. L he accuracy of the transla	yondellBasell and its ation, but assume no	lated from English by a vendor vendor have made a good-faith liability or other responsibility for site (www.lyondellbasell.com) for		
	End of Material Safety Data Sheet				
		16 / 16			