	(+) 18	8816996168		
SAFETY DATA SHEET	Poncip	lastics.com		
according to Regulation (EC) No. 190	07/2006		lyondellbasell	
Moplen QCP300U lvory			Gen. Variant: SDS_AT	
Version 1.1 Revision Date 1	1/05/2019	Print Date 12	2/24/2019 SDS No.: BE16837	
1. Identification of the substance/m 1.1 Product identifier Trade name :	Moplen QC	P300U Ivory	ndertaking	
Synonyms:Substance name:Chemical characterization:	Polypropyle	polymers, PP ene ene polymers		
1.2 Relevant identified uses of the	substance o	r mixture and use	es advised against	
Identified uses :		e of plastic articles nversion process.	s by injection molding, extrusion	
1.3 Details of the supplier of the safety data sheet				
Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	B.V.	Registration nur NA	mber Telephone 31 (0) 10 275 55 00	
E-mail address : product.safety@lyb.com Responsible/issuing person				
1.4 Emergency telephone number				
Basell Sales & Marketing Company	B.V.		+32 3 575 1235	
Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days				
2. Hazards identification				
2.1 Classification of the substance or mixture				
Classification (REGULATION (EC) No 1272/2008)				
Not a hazardous substance or m	ixture accord	ing to Regulation	(EC) No 1272/2008.	
		1 / 16		



according to Regulation (EC) No. 1907/2006

Moplen QCP300Ulvory

Version 1.1

Revision Date 11/05/2019

Gen. Variant: SDS_AT Print Date 12/24/2019 SDS No.: BE16837

lyondellbasell

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Mixture of Polypropylenes	Mixture		>= 99.5 %

4. First aid measures

4.1 Description of first-aid measures

before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continue, ge medical attention. In case of excessive inhalation of fumes that may be	If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)	-	
medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)	medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush with	General advice	
In case of skin contact : If molten material contacts the skin, immediately flush with		If inhaled	medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary
	2 / 16	In case of skin contact	: If molten material contacts the skin, immediately flush with
2 / 16			2 / 16



SAFETY DATA SHEET	Ponciplastics.com
according to Regulation (EC) No.	1907/2006 Iyondellbase
Moplen QCP300U lvor	
Version 1.1 Revision Dat	te 11/05/2019 Print Date 12/24/2019 SDS No.: BE1683
	large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove
	the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes.
	Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
.2 Most important symptoms a	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
.3 Indication of any immediate	medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
. Fire-fighting measures	
.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Moplen QCP300Ulvory		Gen. Variant: SDS_AT
Version 1.1 Revision Date	e 11/05/2019 Print Date 7	12/24/2019 SDS No.: BE16837
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during fire fighting	 Keep away from heat and s In case of fire hazardous de produced such as: Carbon monoxide, carbon of hydrocarbons (smoke). 	ecomposition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pre apparatus and firefighter pr	essure self-contained breathing otective clothing.
Further information	conditions. Calorific Value: 8000 - 1100 Fight fire from safe distance nozzles. Heat from fire may melt, de flammable vapors. Move containers from fire a Evacuate immediately in th container pressure relief de Always stay away from tanl Do not attempt to get on to fire.	e with hose lines or monitor compose polymer, and generate area if it can be done without risk. e event of opening of storage evices or discoloration of container.
6. Accidental release measures		
6.1 Personal precautions, protect	tive equipment and emergend	cy procedures
Personal precautions	 Equip responders with prop Creates dangerous slipping surface. Equip emergency responde equipment (PPE) Avoid generating dust. Avoid dispersal of dust in th with compressed air). Potential combustible dust 	per protection. I hazard on any hard smooth ers with proper personal protective the air (i.e., clearing dust surfaces
	4 / 16	

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET	Ponciplastics.com	luce de lle e e ll
according to Regulation (EC) No. 1	907/2006	lyondellbasell
Moplen QCP300Ulvory		Gen. Variant: SDS_AT
Version 1.1 Revision Date	e 11/05/2019 Print Date 12/	24/2019 SDS No.: BE16837
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface wate	er or sanitary sewer system.
6.3 Methods and materials for co	ntainment and cleaning up	
Methods for containment / Methods for cleaning up	: On land, sweep/shovel into su vacuum using equipment white	-
	On water, material is insoluble	0
	solid. All recovered material should	be packaged labeled
	transported and disposed of c	or reclaimed in conformance with
	applicable laws and regulation engineering practices. Reclair	ns and in conformance with good
7. Handling and storage		
7.1 Precautions for safe handling	ł	
Advice on safe handling	: Material is in a pellet form.	
	If converted to small particles handling, or by other means,	
	concentrations in air. Avoid dust accumulation in er	inclosed space
	Avoid generating dust; fine du	ust suspended in air and in the
	presence of an ignition source hazard.	
	Static discharge (spark), or ot environments may ignite the o	her ignition sources, in high dust dust and result in a dust
	explosion	d during conveying or handling.
	Equipment handling polymer	should be conductive and
	grounded (earthed) and bond Metal containers involved in the	
	should be grounded and bond All electrical equipment should	ded. d conform to applicable electric
	codes and regulatory requiren combustible dusts.	
	After handling, always wash h	nands thoroughly with soap and
	water. When bringing the material to	processing temperatures vapors
	may develop may condense i	n the exhaust ventilation. See
	5 / 16	

		(+) 18	816996168 lastics.com		
		Poncip	lastics.com		
SAFETY DATA SI according to Regulation		2006		lyond	ellbasell
Moplen QCP30	OUlvory			Gen. Varian	t: SDS_AT
Version 1.1 Re	vision Date 11/	05/2019	Print Date 12	2/24/2019	SDS No.: BE16837
	5	section 10.			
Fire-fighting class	: F	Polymer wil	I burn but does no	ot easily ignite.	
7.2 Conditions for safe	storage, inclu	ding any i	ncompatibilities		
 Requirements for storage areas and containers Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 					
7.3 Specific end use(s)					
	: \$	See Sectior	า 1.2.		
8. Exposure controls/pe	ersonal protec	tion			
8.1 Control parameters	5				
Ingredients with w	orkplace contr	ol parame	ters		
Occupational Expo	osure Limits				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	
			6 / 16		



according to Regulation (EC) No. 1907/2006

Moplen QCP300Ulvory

Version 1.1

Print Date 12/24/2019

SDS No.: BE16837

lyondellbasell

Gen. Variant: SDS AT

Consult local authorities for acceptable exposure limits.

Revision Date 11/05/2019

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
Hygiene measures	:	Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.
		7 / 16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006			
Moplen QCP300Ulvory Gen. Variant: SDS_AT				
	te 11/05/2019 Print Date 12/24/2019 SDS No.: BE168			
Environmental exposure co General advice	Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. ntrols : See section 6.			
Physical and chemical proper				
1 Information on basic physica				
Appearance Color	: Pellets. : Ivory white			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.			
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.			
Oxidizing properties	: Not considered an oxidizing agent.			
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
Vapor pressure	: Not applicable.			
Density	: <1 g/cm3			
Water solubility	: Insoluble.			
	8 / 16			

	(+) 18816996168			
SAFETY DATA SHEET	Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006				
Moplen QCP300U lvor Version 1.1 Revision Date	Y Gen. Variant: SDS_AT te 11/05/2019 Print Date 12/24/2019 SDS No.: BE16837			
	le 11/03/2019 Filit Date 12/24/2019 SDS No DE 1003/			
11. Toxicological information 11.1 Information on toxicological effects				
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye	: Not an eye irritant.			
irritation	Mechanical irritation is possible.			
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
	Not listed by IARC, NTP, OSHA or EPA.			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
Effects on Development	: Not classified			
	10 / 16			

	(+) 18816996168 Ponciplastics.com		
SAFETY DATA SHEET	Ponciplastics.com	lvoodollbacoll	
according to Regulation (EC) No. 1	907/2006	lyondellbasell	
Moplen QCP300U lvory Version 1.1 Revision Date		Gen. Variant: SDS_AT /24/2019 SDS No.: BE16837	
		124/2013 3D3 No DE 10037	
Target Organ Systemic Toxic	cant - Single exposure		
	: The substance or mixture is r organ toxicant, single exposu		
Target Organ Systemic Toxic	cant - Repeated exposure		
	: The substance or mixture is r organ toxicant, repeated expo		
Aspiration hazard	: Not applicable.		
12. Ecological information			
12.1 Ecotoxicology Assessment			
Short-term (acute) aquatic hazard	: Not classified		
Long-term (chronic) aquatic hazard	: Not classified		
12.2 Persistence and degradabili	ty		
Biodegradability	: Not expected to be biodegrad	lable.	
12.3 Bioaccumulative potential			
Bioaccumulation	: This material is not expected	to bioaccumulate.	
12.4 Mobility in soil			
Mobility	: no data available		
12.5 Results of PBT and vPvB assessment			
Result	: This substance/mixture conta	ains no components considered	
	11 / 16		

SAFETY DATA SHEET according to Regulation (EC) No. 190	(+) 18816996168 Ponciplastics.com		
Moplen QCP300Ulvory Gen. Variant: SDS_AT			
Version 1.1 Revision Date 1	11/05/2019 Print Date 12/24/2019 SDS No.: BE16837		
12.6 Other adverse effects	to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).		
Environmental fate and : This material is not volatile and insoluble in water. pathways			
12.7 Other information			
Additional ecological information	Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.		
13. Disposal considerations			
13.1 Waste treatment methods			
Product	All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.		
14. Transport information			
Not regulated for transport			
15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
12 / 16			



according to Regulation (EC) No. 1907/2006

Moplen QCP300U lvory

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16837

lyondellbasell

Gen. Variant: SDS AT

REACH Annex XIV

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH Annex XVII

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH - Candidate List of Substances of Very High Concern for Authorisation

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	
Canada	DSL	
China	IECSC	
Europe	REACH	
Japan	ENCS	
Korea	KECI	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	
Taiwan	TCSCA	

Contact product.safety@lyb.com for additional global inventory information.



according to Regulation (EC) No. 1907/2006

Moplen QCP300Ulvory

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16837

lyondellbasell

Gen. Variant: SDS_AT

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 9 15 16 Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH_BEIs - American Conference of Governmental Industrial Hygienists_Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service CEFIC - European Chemical Industry Council CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC - Chinese Chemicals Inventory** IOELV - Indicative Occupational Exposure Limit Values



according to Regulation (EC) No. 1907/2006

Moplen QCP300U lvory

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16837

lyondellbasell

Gen. Variant: SDS_AT

IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use,



according to Regulation (EC) No. 1907/2006

Moplen QCP300Ulvory

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16837

lvondellbasel

Gen. Variant: SDS AT

Disclaimer

processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet