	(+) 18816996168				
SAFETY DATA SHEET	Ponciplastics.com	1			
according to Regulation (EC) No. 190	07/2006	d lyondellbasell			
Moplen QCP540S Black		Gen. Variant: SDS_AT			
Version 1.1 Revision Date 1	1/05/2019 Print Date 1	2/24/2019 SDS No.: BE16250			
1. Identification of the substance/m	ixture and of the company/	undertaking			
Trade name : Synonyms : Substance name :	Moplen QCP540S Black 1-Propene polymers, PP Polypropylene				
Chemical characterization :	Polypropylene polymers				
1.2 Relevant identified uses of the	substance or mixture and u	ses advised against			
Identified uses :	Manufacture of plastic articl or other conversion process	es by injection molding, extrusion S.			
1.3 Details of the supplier of the sat	-				
Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	Registration no B.V. NA	umber Telephone 31 (0) 10 275 55 00			
E-mail address : Responsible/issuing person	product.safety@lyb.com				
1.4 Emergency telephone number					
Basell Sales & Marketing Company	B.V.	+32 3 575 1235			
<u>Poison Center:</u> Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days					
2. Hazards identification					
2.1 Classification of the substance	or mixture				
Classification (REGULATION (EC) No 1272/2008)				
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.					
	1 / 16				



according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019 Print Date 12/24/2019

SDS No.: BE16250

lyondellbasell

Gen. Variant: SDS AT

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Mixture of Polypropylenes	Mixture		>= 99.5 %

Contains: Additives and stabilizers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
	2 / 16



according to Regulation (EC) No. 1907/2006



Moplen QCP540S Black

Version 1.1 Revision Date 11/05/2019 Print Date 12/24/2019

SDS No.: BE16250

In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms ar	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immediate	medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing	: None known.
	3 / 16



according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16250

lyondellbasell

Gen. Variant: SDS_AT

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire.

Cool storage containers with large volumes of water even after fire is out.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth
	4 / 16

	(+) 1881 Ponciplas	6996168		
	Ponciplas	stics.com		
SAFETY DATA SHEET according to Regulation (EC) No. 7	1907/2006		lyonde	ellbasell
Moplen QCP540S Blac	k		Gen. Variant:	SDS_AT
Version 1.1 Revision Date		Print Date 12/24/	2019 S	DS No.: BE16250
	surfaces.			
6.2 Environmental precautions				
Environmental precautions	: Do not flush into	o surface water o	r sanitary sewer	system.
6.3 Methods and materials for co	ntainment and clea	aning up		
Methods for containment / Methods for cleaning up	On water, mate solid. All recovered m transported and applicable laws	/shovel into suital equipment which a rial is insoluble; c aterial should be disposed of or re and regulations a ctices. Reclaim w	avoids ignition ris ollect and contai packaged, labele eclaimed in confo	sk. in as any ed, prmance with
7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling	I : Material is in a	pellet form.		
	If converted to s handling, or by concentrations i Avoid dust accu Avoid generating presence of an hazard. Static discharge environments m explosion Electrostatic cha Equipment hand grounded (earth Metal containers should be grour All electrical equ codes and regul combustible dus After handling, a water.	small particles dur other means, may in air. imulation in enclo g dust; fine dust s ignition source is e (spark), or other hay ignite the dus arge may build du dling polymer sho led) and bonded. s involved in the the holed and bonded. uipment should co latory requirement sts. always wash hand the material to pro	y form combustit sed space. suspended in air a potential dust ignition sources t and result in a d uring conveying o build be conductiv transfer of this m onform to applica ts for areas hand ds thoroughly with	ole dust and in the explosion , in high dust dust or handling. e and aterial able electric dling th soap and
	5 / 1	6		

		(+) 18	816996168 lastics.com				
SAFETY DATA SI according to Regulation			lastics, com	lyond	ellbasell		
Moplen QCP54	0S Black			Gen. Varian	t: SDS_AT		
	evision Date 11/	05/2019	Print Date 12	/24/2019	SDS No.: BE16250		
Fire-fighting class	s	section 10.	may condense burn but does no	in the exhaust vent ot easily ignite.	ilation. See		
7.2 Conditions for safe	storage, inclu	ding any in	compatibilities				
Requirements for st areas and container	torage : S is l s s s s s s s s s s s s s s s s s s	Store in a dr Jse good ho and handling should be us Store away f oxidizing age Keep contain	y location. busekeeping prac J. Process enclos sed to avoid exce from excessive h ents. her closed to pre	ctices during storag sures and adequate essive dust accumu eat and away from vent contamination e build up of electr	e ventilation ulation. strong		
7.3 Specific end use(s)	7.3 Specific end use(s) : See Section 1.2.						
8. Exposure controls/po 8.1 Control parameters	5						
Ingredients with w Occupational Expo		ol paramet	ers				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information		
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005			
				·			
		6	/ 16				



lyondellbasell

Gen. Variant: SDS AT

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

 Version 1.1
 Revision Date 11/05/2019
 Print Date 12/24/2019
 SDS No.: BE16250

المعرب المعار			
Materials that can	TWA	3 mg/m3	US (ACGIH)
be formed when		respirable	2005
handling this			
product: Non-			
specified (inert or			
nuisance) dust			

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) 18816996168 Ponciplastics.com	
	Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 7	1907/2006	lyondellbasell
Moplen QCP540S Blac	k	Gen. Variant: SDS_AT
Version 1.1 Revision Date		/24/2019 SDS No.: BE16250
Hygiene measures	: Selection of appropriate pers	onal protective equipment should
	of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	it, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure cor	ntrols	
General advice	: See section 6.	
9. Physical and chemical propert 9.1 Information on basic physical		
Appearance	: Pellets.	
Color	: Black	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

(+)18816996168	
Ponciplastics.com	

according to Regulation (EC) No. 1907/2006

Gen. Variant: SDS_AT

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16250

\	Vapor pressure	:	Not applicable.				
[Density	:	< 1 g/cm3				
\	Water solubility	:	Insoluble.				
	Partition coefficient: n- octanol/water		No Data Available.				
	Viscosity, dynamic	Not applicable.					
F	Relative vapor density	:	Not applicable.				
E	Evaporation rate	:	Not applicable.				
E	Explosive properties	:	No Data Available.				
920	ther information						
	Other information	:	No additional information available.				
10. Si	tability and reactivity						
10.1	10.1 Reactivity						
1	No known reactivity hazards.						
10.2	10.2 Chemical stability						
5	Stable under normal conditions.						
10.3	Possibility of hazardous read	tic	ons				
+	Hazardous reactions	:	Will not occur.				
10.4	10.4 Conditions to avoid						
	Conditions to avoid	:	Avoid contact with strong oxidizers, excessive heat, sparks or open flame.				
10.5	Incompatible materials						
	Materials to avoid	:	Material may be softened by some hydrocarbons.				
10.6 Hazardous decomposition products							
			9 / 16				

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006						
Moplen QCP540S Black Gen. Variant: SDS_AT							
Version 1.1 Revision Dat	te 11/05/2019 Print Date 12/24/2019 SDS No.: BE16250						
Hazardous decomposition products: Not expected to decompose under normal conditions.Thermal decomposition: Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.							
11. Toxicological information							
11.1 Information on toxicologica	Il effects						
Acute toxicity							
Acute oral toxicity	: Not classified						
Aquita inhalation toxicity							
Acute inhalation toxicity	: Not classified						
Acute dermal toxicity	: Not classified						
Skin corrosion/irritation	: Not a skin irritant.						
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.						
Respiratory or skin sensitization	: Not classified						
Chronic toxicity							
Carcinogenicity	: Not classified						
Germ cell mutagenicity	: Not classified						
Reproductive toxicity	Reproductive toxicity						
Effects on fertility / Effects on or via lactation	: Not classified						
	10 / 16						

	(+) 18816996168 Ponciplastics.com						
SAFETY DATA SHEET		lyondellbasell					
Moplen QCP540S Blac Version 1.1 Revision Date		Gen. Variant: SDS_AT 24/2019 SDS No.: BE16250					
		24/2010 000 No DE 10200					
Effects on Development	: Not classified						
Target Organ Systemic Toxic	Target Organ Systemic Toxicant - Single exposure						
	: The substance or mixture is not classified as specific target organ toxicant, single exposure.						
Target Organ Systemic Toxic	cant - Repeated exposure						
	: The substance or mixture is n organ toxicant, repeated expo						
Aspiration hazard	: Not applicable.						
12. Ecological information							
12.1 Ecotoxicology Assessment							
Short-term (acute) aquatic	: Not classified						
hazard Long-term (chronic) aquatic hazard	: Not classified						
12.2 Persistence and degradabili	ity						
Biodegradability	: Not expected to be biodegrada	able.					
12.3 Bioaccumulative potential							
Bioaccumulation	: This material is not expected t	to bioaccumulate.					
12.4 Mobility in soil							
Mobility	: no data available						
12.5 Results of PBT and vPvB as	sessment						
	11 / 16						
1							

	(+) 18816996168 Ponciplastics.com					
SAFETY DATA SHEET		lyondellbasell				
I I III						
Moplen QCP540S Black Version 1.1 Revision Date		Gen. Variant: SDS_AT /24/2019 SDS No.: BE16250				
Result	: This substance/mixture conta	ins no components considered cumulative and toxic (PBT) or				
12.6 Other adverse effects	very persistent and very bioa	· · ·				
Environmental fate and pathways	: This material is not volatile ar	nd insoluble in water.				
12.7 Other information						
Additional ecological information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their				
13. Disposal considerations						
13.1 Waste treatment methods						
Product		or reclaimed in conformance with ns and in conformance with good				
14. Transport information						
Not regulated for transport						
15. Regulatory information						
15.1 Safety, health and environme	ental regulations/legislation sp	ecific for the substance or mixture				
	12 / 16					



according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16250

lyondellbasell

Gen. Variant: SDS AT

REACH Annex XIV

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH Annex XVII

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH - Candidate List of Substances of Very High Concern for Authorisation

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)


Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	
Canada	DSL	
China	IECSC	
Europe	REACH	
Japan	ENCS	
Korea	KECI	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	
Taiwan	TCSCA	





according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16250

lyondellbasell

Gen. Variant: SDS AT

IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables** KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC** - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication.

15 / 16



according to Regulation (EC) No. 1907/2006

Moplen QCP540S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16250

lvondellbasell

Gen. Variant: SDS AT

Disclaimer

The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet