	(+) 18816996168	
SAFETY DATA SHEET according to Regulation (EC) No. 190	Ponciplastics.com	lyondellbasell
Moplen QCP840P Black		Gen. Variant: SDS_AT
Version 1.1 Revision Date 1	1/05/2019 Print Date 1	2/24/2019 SDS No.: BE16211
1. Identification of the substance/mi         1.1 Product identifier         Trade name       :         Synonyms       :         Substance name       :         Chemical characterization       :	Xture and of the company/ Moplen QCP840P Black 1-Propene polymers, PP Polypropylene Polypropylene polymers	undertaking
1.2 Relevant identified uses of the s	substance or mixture and us	ses advised against
Identified uses :		es by injection molding, extrusion
1.3 Details of the supplier of the safe	ety data sheet	
<b>Company</b> Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	Registration nu B.V. NA	Imber         Telephone           31 (0) 10 275 55 00
E-mail address : p Responsible/issuing person	product.safety@lyb.com	
1.4 Emergency telephone number		
Basell Sales & Marketing Company	B.V.	+32 3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days		
2. Hazards identification		
2.1 Classification of the substance of	or mixture	
Classification (REGULATION (E	EC) No 1272/2008)	
Not a hazardous substance or mi	xture according to Regulation	(EC) No 1272/2008.
	1 / 16	



according to Regulation (EC) No. 1907/2006

# Moplen QCP840P Black

Version 1.1

Revision Date 11/05/2019 Print Date 12/24/2019

SDS No.: BE16211

lyondellbasell

Gen. Variant: SDS AT

## 2.2 Label elements

## Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

## 2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

## 3. Composition/information on ingredients

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Mixture of Polypropylenes	Mixture		>= 99.5 %

Contains: Additives and stabilizers

## 4. First aid measures

#### 4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.</li> <li>Obtain medical attention.</li> <li>Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)</li> </ul>
	2 / 16



according to Regulation (EC) No. 1907/2006



Moplen QCP840P Black

Version 1.1 Revision Date 11/05/2019 Prin

Print Date 12/24/2019

SDS No.: BE16211

Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immediate	medical attention and special treatment needed
4.3 Indication of any immediate	medical attention and special treatment needed
4.3 Indication of any immediate	medical attention and special treatment needed
	Molten polymer may cause thermal burns.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
4.2 Most important symptoms a	nd effects, both acute and delayed
If swallowed	: Adverse health effects due to ingestion are not anticipated.
	Immediately seek medical attention.
	adherent to the eye(s).
	15 minutes. Beyond flushing, DO NOT attempt to remove the material
	<ul> <li>In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least</li> </ul>
	·
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	or extensive.
	the skin. Obtain immediate emergency medical attention if burn is deep
	Do not attempt to peel polymer from skin as this will remove
	large amounts of water to cool the affected tissue and polymer.
	large employed of water to east the effected tipelus and



according to Regulation (EC) No. 1907/2006

# Moplen QCP840P Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019 SE

SDS No.: BE16211

lyondellbasell

Gen. Variant: SDS\_AT

media

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	<ul> <li>Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).</li> </ul>
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	<ul> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzles.</li> <li>Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.</li> <li>Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul>

6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protective equipment (PPE)</li> <li>Avoid generating dust.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Potential combustible dust hazard.</li> <li>Polymer particles create slipping hazard on hard smooth</li> </ul>
	4 / 16

	(+) <b>18816996168</b> Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Moplen QCP840P Black		Gen. Variant: SDS_AT
Version 1.1 Revision Date	e 11/05/2019 Print Date 12	2/24/2019 SDS No.: BE16211
	surfaces.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface wat	er or sanitary sewer system.
6.3 Methods and materials for co	ntainment and cleaning up	
Methods for containment / Methods for cleaning up	solid. All recovered material should transported and disposed of	ich avoids ignition risk. le; collect and contain as any d be packaged, labeled, or reclaimed in conformance with ons and in conformance with good
7. Handling and storage 7.1 Precautions for safe handling		
Advice on safe handling	<ul> <li>presence of an ignition source hazard.</li> <li>Static discharge (spark), or cenvironments may ignite the explosion</li> <li>Electrostatic charge may buile Equipment handling polymere grounded (earthed) and bond Metal containers involved in should be grounded and bond All electrical equipment should codes and regulatory require combustible dusts.</li> <li>After handling, always wash water.</li> </ul>	may form combustible dust enclosed space. Just suspended in air and in the ce is a potential dust explosion other ignition sources, in high dust dust and result in a dust Id during conveying or handling. should be conductive and ded. the transfer of this material nded. Ild conform to applicable electric
	5 / 16	

		(+) 18	816996168 lastics.com		
SAFETY DATA SI according to Regulation			lastics, com	lyond	ellbasell
Moplen QCP84	0P Black			Gen. Varian	t: SDS_AT
	vision Date 11/	05/2019	Print Date 12	/24/2019	SDS No.: BE16211
Fire-fighting class	s	section 10.	may condense burn but does no	in the exhaust vent ot easily ignite.	ilation. See
7.2 Conditions for safe	storage, inclu	ding any in	compatibilities		
Requirements for st areas and container	orage : S s L s s c b	Store in a dr Jse good ho and handling should be us Store away f oxidizing age Keep contain	y location. busekeeping prace g. Process enclosed to avoid exce from excessive h ents. her closed to pre	ctices during storag sures and adequate essive dust accumu eat and away from vent contamination e build up of electr	e ventilation ulation. strong
7.3 Specific end use(s)	: 5	See Section	1.2.		
8. Exposure controls/po 8.1 Control parameters	-	tion			
Ingredients with w Occupational Expo		ol paramet	ters		
Components	CAS-No.	Туре	Limit Value	Basis	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	Revision Date US (ACGIH) 2005	momation
		6	6 / 16		



lyondellbasell

Gen. Variant: SDS AT

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# Moplen QCP840P Black

 Version 1.1
 Revision Date 11/05/2019
 Print Date 12/24/2019
 SDS No.: BE16211

# Materials that canTWA3 mg/m3US (ACGIH)be formed whenrespirable2005handling thisproduct: Non-specified (inert orust

Consult local authorities for acceptable exposure limits.

## 8.2 Exposure controls

## Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

## Personal protective equipment

Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	:	Wear suitable protective clothing.
		7 / 16

	(+) <b>18816996168</b> Ponciplastics.com			
	Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006	lyondellbasell		
Moplen QCP840P Black Gen. Variant: SDS_AT				
Version 1.1 Revision Date		/24/2019 SDS No.: BE16211		
Hygiene measures	be based on an evaluation of of the protective equipment re- performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet		
Environmental exposure cor	ntrols			
General advice	: See section 6.			
9. Physical and chemical propert 9.1 Information on basic physica				
Appearance	: Pellets.			
Color	: black			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ize distribution.		
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.		
Oxidizing properties	: Not considered an oxidizing a	agent.		
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
	8 / 16			

	(+) 188	16996168 astics.com		
SAFETY DATA SHEET according to Regulation (EC) N		astics.com	lyond	ellbasel
Moplen QCP840P BI	ack		Gen. Variar	t: SDS_AT
Version 1.1 Revision	Date 11/05/2019	Print Date 12/24	/2019	SDS No.: BE162
Vapor pressure	: Not applicable	9.		
Density	: > 1 g/cm3			
Water solubility	: Insoluble.			
Partition coefficient: n-	: No Data Avai	lable.		
octanol/water Viscosity, dynamic	: Not applicable	Э.		
Relative vapor density	: Not applicable	Э.		
Evaporation rate	: Not applicable	Э.		
Explosive properties	: No Data Avai	lable.		
10. Stability and reactivity				
10.1 Reactivity No known reactivity hazard				
10.2 Chemical stability	15.			
Stable under normal condition	tions.			
10.3 Possibility of hazardous	reactions			
Hazardous reactions	: Will not occur	:		
10.4 Conditions to avoid				
Conditions to avoid	: Avoid contact open flame.	t with strong oxidiz	ers, excessive l	neat, sparks or
10.5 Incompatible materials				
Materials to avoid	: Material may	be softened by so	me hydrocarbor	S.
10.6 Hazardous decompositio	on products			

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006			
Moplen QCP840P Black Gen. Variant: SDS_AT				
Version 1.1 Revision Dat	te 11/05/2019 Print Date 12/24/2019 SDS No.: BE16211			
Hazardous decomposition products Thermal decomposition	<ul> <li>Not expected to decompose under normal conditions.</li> <li>Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.</li> </ul>			
11. Toxicological information				
11.1 Information on toxicologica	I effects			
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute introduction (excision				
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irritant.			
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.			
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
Germ cell mutagenicity	: Not classified			
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classified			
	10 / 16			
L				

	(+) <b>18816996168</b> Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 7		lyondellbasell		
Moplen QCP840P Black Gen. Variant: SDS_AT				
Version 1.1 Revision Date	e 11/05/2019 Print Date 12/	24/2019 SDS No.: BE16211		
Effects on Development	: Not classified			
Target Organ Systemic Toxicant - Single exposure				
	: The substance or mixture is n organ toxicant, single exposur			
Target Organ Systemic Toxi	cant - Repeated exposure			
	: The substance or mixture is n organ toxicant, repeated expo			
Aspiration hazard	: Not applicable.			
12. Ecological information				
12.1 Ecotoxicology Assessment				
Short-term (acute) aquatic hazard	: Not classified			
Long-term (chronic) aquatic hazard	: Not classified			
12.2 Persistence and degradabil	ity			
Biodegradability	: Not expected to be biodegrada	able.		
12.3 Bioaccumulative potential				
Bioaccumulation	: This material is not expected t	to bioaccumulate.		
12.4 Mobility in soil				
Mobility	: no data available			
12.5 Results of PBT and vPvB assessment				
11 / 16				

	(+) <b>18816996168</b> Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 190		lyondellbasell		
Moplen QCP840P Black		Gen. Variant: SDS_AT		
Version 1.1 Revision Date 1	1/05/2019 Print Date 12	/24/2019 SDS No.: BE16211		
Result		ains no components considered cumulative and toxic (PBT) or ccumulative (vPvB).		
12.6 Other adverse effects				
Environmental fate and signal stress and signal stress str	This material is not volatile an	nd insoluble in water.		
12.7 Other information				
Additional ecological : information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product :		or reclaimed in conformance with ns and in conformance with good		
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
12 / 16				



according to Regulation (EC) No. 1907/2006

## Moplen QCP840P Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16211

lyondellbasell

Gen. Variant: SDS AT

## **REACH Annex XIV**

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

#### **REACH Annex XVII**

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

#### **REACH - Candidate List of Substances of Very High Concern for Authorisation**

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

#### **REACh** status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)


#### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	
Canada	DSL	
China	IECSC	
Europe	REACH	
Japan	ENCS	
Korea	KECI	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	
Taiwan	TCSCA	





according to Regulation (EC) No. 1907/2006

## Moplen QCP840P Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16211

lyondellbasell

Gen. Variant: SDS AT

**IOELV - Indicative Occupational Exposure Limit Values** IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables** KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE\_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC - Process Category** QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN\_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class Disclaimer Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication.

15 / 16



according to Regulation (EC) No. 1907/2006

## Moplen QCP840P Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16211

lvondellbasell

Gen. Variant: SDS AT

#### Disclaimer

The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

## Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

#### Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

## End of Material Safety Data Sheet