	(+) 18	3816996168		
SAFETY DATA SHEET	Ponci	plastics.com		-oll
according to Regulation (EC) No. 19	07/2006		lyondellbas	
Moplen QCP840S Black			Gen. Variant: SDS_AT	
Version 1.1 Revision Date 7	1/05/2019	Print Date 12	2/24/2019 SDS No.: B	E16215
1. Identification of the substance/m	ixture and o	of the company/u	ndertaking	
Trade name :	Monlen OC	P840S Black		
Synonyms:Substance name:Chemical characterization:	1-Propene Polypropyle	polymers, PP		
1.2 Relevant identified uses of the	substance o	r mixture and use	es advised against	
Identified uses :		e of plastic articles nversion process.	s by injection molding, extrusio	n
1.3 Details of the supplier of the sa	fety data sh			
Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands	B.V.	Registration nur NA	mber Telephone 31 (0) 10 275 55	00
E-mail address : Responsible/issuing person	product.safet	y@lyb.com		
1.4 Emergency telephone number				
Basell Sales & Marketing Company	B.V.		+32 3 575 1235	
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days				
2. Hazards identification				
2.1 Classification of the substance	or mixture			
Classification (REGULATION (EC) No 1272	/2008)		
Not a hazardous substance or m			(EC) No 1272/2008.	
		1 / 16		



according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1

Revision Date 11/05/2019 Print Date 12/24/2019

SDS No.: BE16215

lyondellbasell

Gen. Variant: SDS AT

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	<u>Weight %</u>
Mixture of Polypropylenes	Mixture		>= 99.5 %

Contains: Additives and stabilizers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
	2 / 16



according to Regulation (EC) No. 1907/2006



Moplen QCP840S Black

Version 1.1 Revision Date 11/05/2019 Pr

Print Date 12/24/2019 S

SDS No.: BE16215

In case of skin contact	: If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and
	polymer. Do not attempt to peel polymer from skin as this will remove
	the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
	 In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms an	d effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immediate r	nedical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing	: None known.
	3 / 16



according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16215

lyondellbasell

Gen. Variant: SDS_AT

media

5.2 Special hazards arising from the substance or mixture

1		
	Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
ł	5.3 Advice for firefighters	
	Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
	Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Creates dangerou surface. Equip emergency equipment (PPE) Avoid generating Avoid dispersal o with compressed Potential combus		 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth
		4 / 16

SAFETY DATA SHEET	(+) 18816 Ponciplas	5996168 tics.com	lyondellbasell
according to Regulation (EC) No. 1			
Moplen QCP840S Black Version 1.1 Revision Date		Print Date 12/24/	Gen. Variant: SDS_AT /2019 SDS No.: BE16215
	surfaces.		
6.2 Environmental precautions			
Environmental precautions	: Do not flush into	surface water o	or sanitary sewer system.
6.3 Methods and materials for cor	ntainment and clea	ining up	
Methods for containment / Methods for cleaning up	vacuum using e On water, mater solid. All recovered ma transported and applicable laws	quipment which a ial is insoluble; c aterial should be disposed of or re	able disposal containers or avoids ignition risk. collect and contain as any packaged, labeled, eclaimed in conformance with and in conformance with good where possible.
 7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling 	: Material is in a p If converted to s	mall particles du	ring further processing, ay form combustible dust
	concentrations in Avoid dust accu Avoid generating presence of an in hazard. Static discharge environments m explosion Electrostatic char Equipment hand grounded (earther Metal containers should be groun All electrical equi codes and regular combustible dus After handling, a water.	n air. mulation in enclo dust; fine dust; gnition source is (spark), or other ay ignite the dus arge may build du ling polymer sho ed) and bonded. involved in the ded and bonded. ipment should co atory requirements. Ilways wash hand he material to pro	osed space. suspended in air and in the s a potential dust explosion r ignition sources, in high dust at and result in a dust uring conveying or handling. build be conductive and transfer of this material
	571	J	

		(+) 18	816996168 lastics.com		
SAFETY DATA SI according to Regulation			lastics.com	lyond	ellbasell
Moplen QCP84	0S Black			Gen. Varian	t: SDS_AT
	evision Date 11/	05/2019	Print Date 12	/24/2019	SDS No.: BE16215
		may develop section 10.	may condense	in the exhaust vent	ilation. See
Fire-fighting class		-	burn but does no	ot easily ignite.	
Requirements for st	 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage areas and containers Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 				
 7.3 Specific end use(s) 8. Exposure controls/period 	: :	See Section	1.2.		
8.1 Control parameters					
Ingredients with w Occupational Expo	-	ol paramet	ers		
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
		6	/ 16		



lyondellbasell

Gen. Variant: SDS AT

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1 Revision Date 11/05/2019 Print Date 12/24/2019 SDS No.: BE16215

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
	7 / 16

	(+) 18816996168 Ponciplastics.com	
	Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006	lyondellbasell
Moplen QCP840S Blac	k	Gen. Variant: SDS_AT
Version 1.1 Revision Date		/24/2019 SDS No.: BE16215
Hygiene measures	: Selection of appropriate pers	onal protective equipment should
	be based on an evaluation of of the protective equipment re performed, conditions presen hazards and/or potential haza during use. Use good personal hygiene p	the performance characteristics elative to the task(s) to be t, duration of use, and the ards that may be encountered practices. rinking, smoking, or using toilet
Environmental exposure cor		
General advice	: See section 6.	
9. Physical and chemical propert 9.1 Information on basic physical		
Appearance	: Pellets.	
Color	: Black	
Odor	: Slight.	
Flash point	: No Data Available.	
Lower explosion limit	: The minimum explosive conc varies according to particle si	entration (MEC) for polymer dust ze distribution.
Upper explosion limit	: Not applicable.	
Flammability (solid, gas)	: Polymer will burn but does no	ot easily ignite.
Oxidizing properties	: Not considered an oxidizing a	agent.
Autoignition temperature	: > 300 °C	
Decomposition temperature	: not determined	
Melting point/range	: 50 - 170 °C	
Boiling point/boiling range	: Not applicable.	
	8 / 16	

	(+) 18816996168 Ponciplastics.com
SAFETY DATA SHEET	
according to Regulation (EC) No. 1	907/2006 Iyondellbasell
Moplen QCP840S Blac	
Version 1.1 Revision Date	11/05/2019 Print Date 12/24/2019 SDS No.: BE16215
Vapor pressure	: Not applicable.
Density	: > 1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n-	: No Data Available.
octanol/water Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal conditions	
10.3 Possibility of hazardous read	ctions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.

10.5 Incompatible materials

Materials to avoid : Material may be softened by some hydrocarbons.

10.6 Hazardous decomposition products

9/16

SAFETY DATA SHEET according to Regulation (EC) No.	(+) 18816996168 Ponciplastics.com 1907/2006
Moplen QCP840S Blac	
Version 1.1 Revision Dat	te 11/05/2019 Print Date 12/24/2019 SDS No.: BE16215
Hazardous decomposition products Thermal decomposition	 Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicologica	al effects
Acute toxicity	
Acute oral toxicity	: Not classified
A suite in he letting to visit.	
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
	10 / 16

	(+) 18816996168 Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell			
Moplen QCP840S Black Gen. Variant: SDS_AT					
Version 1.1 Revision Date		24/2019 SDS No.: BE16215			
Effects on Development	: Not classified				
Target Organ Systemic Toxic	cant - Single exposure				
	: The substance or mixture is n organ toxicant, single exposur				
Target Organ Systemic Toxic	cant - Repeated exposure				
	: The substance or mixture is n organ toxicant, repeated expo				
Aspiration hazard	: Not applicable.				
12. Ecological information					
12.1 Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: Not classified				
Long-term (chronic) aquatic hazard	: Not classified				
12.2 Persistence and degradabili	ity				
Biodegradability	: Not expected to be biodegrada	able.			
12.3 Bioaccumulative potential					
Bioaccumulation	: This material is not expected	to bioaccumulate.			
12.4 Mobility in soil					
Mobility	: no data available				
12.5 Results of PBT and vPvB assessment					
11 / 16					

	(+) 18816996168 Ponciplastics.com			
SAFETY DATA SHEET according to Regulation (EC) No. 190		lyondellbasell		
Moplen QCP840S Black		Gen. Variant: SDS_AT		
Version 1.1 Revision Date 1	1/05/2019 Print Date 12	/24/2019 SDS No.: BE16215		
Result		ains no components considered cumulative and toxic (PBT) or ccumulative (vPvB).		
12.6 Other adverse effects				
Environmental fate and signal stress	This material is not volatile an	nd insoluble in water.		
12.7 Other information				
Additional ecological : information	solubility of polymers.	minimal based on the low water duct. However, birds, fish and which may obstruct their		
13. Disposal considerations				
13.1 Waste treatment methods				
Product :		or reclaimed in conformance with ns and in conformance with good		
14. Transport information				
Not regulated for transport				
15. Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	12 / 16			



according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16215

lyondellbasell

Gen. Variant: SDS AT

REACH Annex XIV

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH Annex XVII

None of the substances currently listed in Annex XIV of the REACH regulation 1907/2006/EC or in the SVHC Candidate List are known to be incorporated in this product in quantities >= 0.1 % w/w.

REACH - Candidate List of Substances of Very High Concern for Authorisation

This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)


Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	
Canada	DSL	
China	IECSC	
Europe	REACH	
Japan	ENCS	
Korea	KECI	
New Zealand	NZIoC	
Philippines	PICCS	
United States of America	TSCA	
Taiwan	TCSCA	





according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16215

lyondellbasell

Gen. Variant: SDS AT

IOELV - Indicative Occupational Exposure Limit Values IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables** KECI - Korea Existing Chemicals Inventory Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment **PROC - Process Category** QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class Disclaimer Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication.

15 / 16



according to Regulation (EC) No. 1907/2006

Moplen QCP840S Black

Version 1.1

Revision Date 11/05/2019

Print Date 12/24/2019

SDS No.: BE16215

lvondellbasell

Gen. Variant: SDS AT

Disclaimer

The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet