	(+) 18816996168		
SAFETY DATA SHEET	Ponciplastics.com		
Moplen RP348SK Version 1.1 Revision Date	Gen. Variant: SDS_US_GHS e 10/01/2019 Print Date 01/04/2022 SDS No.: BE3259		
	3STANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
Trade name CAS Number: Chemical characterization	: Moplen RP348SK : 9010-79-1 : Polypropylene copolymer		
Chemical name Synonyms	 1-Propene, Polymer with Ethene Ethylene-Propylene copolymer, 1-Propene-Ethylene- Copolymer 		
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.		
Prohibited uses	: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications		
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 3 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583			
Emergency telephone num EQUISTAR 800-245-4532	<u>ber</u>		
E-mail address Responsible/issuing person	: product.safety@lyb.com		
2. HAZARDS IDENTIFICATION			
GHS Classification			
Combustible dust			
Label elements			
Signal word	: Warning		
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.		
1 / 13			

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell
Marian DD0 4001/		Gen. Variant: SDS US GHS
Moplen RP348SK Version 1.1 Revision Date 1	0/01/2019 Print Date 01/0	
Other hazards		
No additional information ava	lable.	
3. COMPOSITION/INFORMATION C Mixtures	IN INGREDIENTS	
Components		
Chemical name	CAS-No.	Weight %
1-Propene, Polymer with Ethene	9010-79-1	> 99.5 %
Contains: Additives and stabiliz		
4. FIRST AID MEASURES		
General advice	· Take proper precautions to	ensure your own health and safety
	before attempting rescue a	
lf inhaled	medical attention. In case of excessive inhalat during heating of this mater Obtain medical attention.	tion of fumes that may be generated rial, move the person to fresh air. ssary give Cardio-Pulmonary
In case of skin contact	large amounts of water to c Do not attempt to peel poly skin.	the skin, immediately flush with cool the affected tissue and polymer. mer from skin as this will remove the cy medical attention if burn is deep
In case of eye contact	: Flush eyes thoroughly with medical attention if discomf	water for several minutes and seek ort persists.
	minutes.	vith cool running water for at least 15 attempt to remove the material
If swallowed	Adverse health effects due	to ingestion are not anticipated.
	2 / 13	

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com yondelbase Gen. Variant: SDS_US_GHS
Version 1.1 Revision Date	
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control or symptoms and the clinical condition of the patient.
FIRE-FIGHTING MEASURES Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
Suitable extinguishing media	Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.

SAFETY DATA SHEET	SAFETY DATA SHEET Moplen RP348SK Version 1.1 Revision Date 10/01/2019 Print Date 0 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon equipment (PPE) Avoid generating dust. Avoid dispersal of dust ii with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment Con water, material is inso solid. All recovered material is inso solid. All recovered material is inso solid. All recovered material is in ransported and disposed applicable laws and regul engineering practices. Re 7. Handling and storage : Meterial is in a pellet form if converted to small part handling, or by other mee concentrations in air. Avoid generating dust; fir presence of an ignition syste dust accumulation. Avoid generating dust; fir presence of an ignition syste dust accumulation. Avoid generating dust; fir presence of an ignition sy hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Moplen RP348SK Gen. Variant: SDS_US_GHS Version 1.1 Revision Date 10/01/2013 Print Date 01/04/2022 SDS No.: BE3253 6. ACCIDENTAL RELEASE MEASURES Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip energency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust inte air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or variaces. 7. Handling and storage : On land, sweep/shovel into suitable disposal containers or variace. Reclaim where possible. 7. Handling and storage : Material is in a pollet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 664 to axoid dust accumulation. Avoid dust accumulation is nere is a potential dust explosion hazard. Static clischarge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Electrostatic charge may build during conveying or handling.	Moplen RP348SK Yersion 1.1 Revision Date 10/01/2019 Print Date 0 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency responders with or creates dangerous slipp surface. Equip emergency responders with p Creates dangerous slipp surface. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is insc solid. All recovered material sh transported and disposed applicable laws and regul engineering practices. Re 7. Handling and storage Precautions for safe handling Advice on safe handling Advice on safe handling Material is in a pellet form if converted to small part handing, or by other mer- concentrations in air. Avoid dust accumulation. Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition sy- hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Version 1.1 Revision Date 10/01/2019 Print Date 01/04/2022 SDS No.: BE3281 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material is insoluble; collect and contain as any solid. . Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation. Avoid generating dust; fire dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	Version 1.1 Revision Date 10/01/2019 Print Date 0 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust i with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regul engineering practices. Re 7. Handling and storage Precautions for safe handling Advice on safe handling Advice on safe handling Material is in a pellet form if converted to small parti handling, or by other me concentrations in air. Avoid dust accumulation. Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	' lyondelibaseli
Version 1.1 Revision Date 10/01/2019 Print Date 01/04/2022 SDS No.: BE325 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/showel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	Version 1.1 Revision Date 10/01/2019 Print Date 0 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust i with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regul engineering practices. Re 7. Handling and storage : Material is in a pellet form if converted to small parti handling, or by other me concentrations in air. Avoid dust accumulation. Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	Gen. Variant: SDS_US_GHS
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid depersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations for safe handling 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso- soild. All recovered material sh transported and disposed applicable laws and regule engineering practices. Ref 7. Handling and storage : Material is in a pellet form if converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	01/04/2022 SDS No.: BE3259
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid depersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations for safe handling 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso- soild. All recovered material sh transported and disposed applicable laws and regule engineering practices. Ref 7. Handling and storage : Material is in a pellet form if converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid depersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations and in conformance with applicable laws and regulations for safe handling 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso- soild. All recovered material sh transported and disposed applicable laws and regule engineering practices. Ref 7. Handling and storage : Material is in a pellet form if converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid deprerating dust. Avoid depresal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with applicable does using particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso- solid. All recovered material sh transported and disposed applicable laws and regula engineering practices. Ref 7. Handling and storage : Material is in a pellet form if converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Personal precautions : Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid deprerating dust. Avoid depresal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sever system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with applicable does using particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Personal precautions : Equip responders with p Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso- solid. All recovered material sh transported and disposed applicable laws and regula engineering practices. Ref 7. Handling and storage : Material is in a pellet form if converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition s hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust, fine dust suppended in air and in the presence of an ignition source is a potential dust explosion hazard. Avoid generating may fine the dust and result in a dust explosion in air. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	 Creates dangerous slipp surface. Equip emergency respon- equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions Do not flush into surface Methods for containment / Methods for cleaning up On land, sweep/shovel in vacuum using equipment On water, material is insc solid. All recovered material sh transported and disposed applicable laws and reguj engineering practices. Re Tercautions for safe handling Advice on safe handling Material is in a pellet form if converted to small parti handling, or by other mea concentrations in air. Avoid dust accumulation. Avoid generating dust; fir presence of an ignition sy hazard. Static discharge (spark), environments may ignite explosion 	
equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	 equipment (PPE) Avoid generating dust. Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions Do not flush into surface Methods for containment / Methods for cleaning up On land, sweep/shovel in vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regul engineering practices. Re T. Handling and storage Precautions for safe handling Material is in a pellet form If converted to small part handling, or by other mea concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulations. Avoid generating dust; fir presence of an ignition sc hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may 	
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	Avoid dispersal of dust in with compressed air). Potential combustible du Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / : On land, sweep/shovel in vacuum using equipment On water, material is inso solid. All recovered material is inso solid. All recovered material sh transported and disposed applicable laws and regulengineering practices. Rest 7. Handling and storage Precautions for safe handling Advice on safe handling Advice on safe handling Advice on safe handling Static discharge (spark), environments may ignite explosion Electrostatic charge may	nders with proper personal protective
Polymer particles create slipping hazard on hard smooth surfaces. Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Bazard.	Polymer particles create surfaces. Environmental precautions : Do not flush into surface Methods for containment / : On land, sweep/shovel ir vacuum using equipment Methods for cleaning up : On land, sweep/shovel ir vacuum using equipment On water, material is inso solid. All recovered material is inso solid. All recovered material sh transported and disposed applicable laws and regule engineering practices. Ret 7. Handling and storage Advice on safe handling Advice on safe handling : Material is in a pellet form if converted to small partichandling, or by other mean concentrations in air. Avoid dust accumulation. Use dust collection system dust accumulation. Avoid generating dust; fir presence of an ignition su hazard. Static discharge (spark), environments may ignite explosion	
Environmental precautions : Do not flush into surface water or sanitary sewer system. Methods for containment / Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage	Environmental precautions : Do not flush into surface Methods for containment / Methods for cleaning up : On land, sweep/shovel in vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regul engineering practices. Ref 7. Handling and storage Precautions for safe handling Advice on safe handling Material is in a pellet form If converted to small parti handling, or by other mea concentrations in air. Avoid dust accumulation. Use dust collection systed dust accumulation. Avoid generating dust; fir presence of an ignition so hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Methods for containment / Methods for cleaning up : On land, sweep/showel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion	Methods for containment / Methods for cleaning up On land, sweep/shovel ir vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regulengineering practices. Re 7. Handling and storage Precautions for safe handling Advice on safe handling Advice on safe handling Converted to small parti- handling, or by other mea concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition si- hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
Methods for cleaning up vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Methods for cleaning up vacuum using equipment On water, material is inso solid. All recovered material sh transported and disposed applicable laws and regulengineering practices. Re 7. Handling and storage Precautions for safe handling Advice on safe handling : Material is in a pellet form If converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste dust accumulation. Avoid generating dust; fir presence of an ignition so hazard. Static discharge (spark), environments may ignite explosion	e water or sanitary sewer system.
Precautions for safe handling : Material is in a pellet form. Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	Precautions for safe handling Advice on safe handling Advice on safe handling Static dust accumulation Use dust collection system dust accumulation. Avoid generating dust; fir presence of an ignition set hazard. Static discharge (spark), environments may ignite explosion	t which avoids ignition risk. oluble; collect and contain as any hould be packaged, labeled, d of or reclaimed in conformance with ulations and in conformance with good
If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	If converted to small parti- handling, or by other mea- concentrations in air. Avoid dust accumulation Use dust collection syste- dust accumulation. Avoid generating dust; fir presence of an ignition so hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	
presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling.	presence of an ignition so hazard. Static discharge (spark), environments may ignite explosion Electrostatic charge may	ticles during further processing, ans, may form combustible dust in enclosed space. ems designed per NFPA 654 to avoid
Electrostatic charge may build during conveying or handling.	Electrostatic charge may	ource is a potential dust explosion or other ignition sources, in high dust
4 / 13	4 / 13	/ build during conveying or handling.
.,		

		(+) 188	16996168			
SAFETY DATA SHE	ET	Poncip1a	astics.com	lyond	allbacoll	
				Iyunu	ellbasell	
Moplen RP348SK					: SDS_US_GHS	
Version 1.1 Revision	on Date 10	/01/2019	Print Date 07	1/04/2022	SDS No.: BE3259	
				ner should be condu	ictive and	
		-	(earthed) and b ainers involved	onded. in the transfer of thi	s material	
		should be	grounded and l			
		codes and	regulatory requ	uirements for areas		
		combustibl After hand		sh hands thoroughly	with soap and	
		water. When bring	ning the materia	al to processing tem	peratures vapors	
		may develo	op may conden	se in the exhaust ve		
		section 10. Refer to N		dard for the Prevention	on of Fire and	
		•		Manufacturing, Proc Particulate Solids, for	-	
Fire-fighting class				s not easily ignite.	i cale handling.	
The-lighting class	•	r olymer w		s not easily ignite.		
Conditions for safe s	torage, ind	cluding any	incompatibili	ties		
Requirements for stora areas and containers	ige :		dry location. housekeeping	practices during stor	age transferring	
		and handlin	ng. Process en	closures and adequa	ate ventilation	
				excessive dust accur ve heat and away fro		
	oxidizing agents. Keep container closed to prevent contamination.					
Take measures to prevent the build up of electrostatic charge.						
Specific end use(s)						
: See Section 1.						
8. EXPOSURE CONTROLS	D/PERSON	AL PROIE	CTION			
Control parameters						
Ingredients with wor	kplace cor	trol param	eters			
Occupational Exposu	Occupational Exposure Limits					
Components (CAS-No.	Туре	Limit Value	Basis	Additional	
Materials that can		TWA	10 mg/m3	Revision Date US (ACGIH)	Information	
be formed when handling this			inhalable	2005		
product: Non-						
specified (inert or nuisance) dust						
		5	/ 13	•	·	

(+)	1881	69961	68
. /			

		Poncipla	astics.com		
SAFETY DATA	SHEET	1 one ip i	ib ti tob. com	lvond	ellbasell
					111 11
Moplen RP34	48SK			Gen. Variar	t: SDS_US_GHS
Version 1.1	Revision Date 10	/01/2019	Print Date 01/0)4/2022	SDS No.: BE3259
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	3 mg/m3 respirable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	15 mg/m3 total dust	US (OSHA) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET Iyondellbase Gen. Variant: SDS US GHS Moplen RP348SK Version 1.1 Revision Date 10/01/2019 Print Date 01/04/2022 SDS No.: BE3259 injury or other irritation to eyes due to airborne particles which may result from handling this product. Skin and body protection : Wear suitable protective clothing. : Selection of appropriate personal protective equipment should Hygiene measures be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. 9. PHYSICAL AND CHEMICAL PROPERTIES Pellets. Appearance : Color Translucent to white · Odor Slight. Odor Threshold : No value available. Flash point No Data Available. Lower explosion limit The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution. Upper explosion limit : Not applicable. Flammability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent. Autoignition temperature : > 300 °C Decomposition temperature : not determined Melting point/range : 50 - 170 °C Boiling point/boiling range : Not applicable. Vapor pressure : Not applicable. Density < 1 g/cm3 Water solubility : Insoluble. 7/13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Moplen RP348SK	Gen. Variant: SDS_US_GHS
Version 1.1 Revision Date	e 10/01/2019 Print Date 01/04/2022 SDS No.: BE325
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
0. STABILITY AND REACTIVITY	,
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition	: Not expected to decompose under normal conditions.
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
-	
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
	8 / 13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Monton PD3/8SK	Gen. Variant: SDS_US_GHS
Moplen RP348SK Version 1.1 Revision Date	
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
	Not listed by IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
Ecotoxicology Assessment	
Short-term (acute) aquatic	: Not classified
hazard Long-term (chronic) aquatic hazard	: Not classified
Persistence and degradability	
Biodegradability	: Not expected to be biodegradable.
	9 / 13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Moplen RP348SK Version 1.1 Revision Date 1	Gen. Variant: SDS_US_GHS 0/01/2019 Print Date 01/04/2022 SDS No.: BE3259
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
13. Disposal considerations Waste treatment methods Product 14. TRANSPORT INFORMATION	 All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible. This material is classified as a Non-hazardous Material by RCRA.
Not regulated for transport	
15. REGULATORY INFORMATION	
	10 / 13
l	

(+)	1881	69961	68
. /			

Ponciplastics.com

Moplen RP348SK

SAFETY DATA SHEET

Version 1.1

Revision Date 10/01/2019

Print Date 01/04/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE3259

Iyondellbase

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act.

However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description			
Australia	AICS	Compliant			
Canada	DSL	Compliant			
China	IECSC	Compliant			
Europe	REACH	See REACH Compliance Statement			
Japan	ENCS	Compliant			
11 / 13					

		(+) 18816996168					
SAFETY DATA SHEET		Ponciplastics.com		lyondellbasell			
				Iyundenbasen			
	Moplen RP348SK Gen. Variant: SDS_US_GHS						
Version 1.1 Revision Date 10/01/2019 Print Date 01/04/2022 SDS No.: BE3259							
	Korea	KECI	Complia				
	New Zealand	NZIOC	Complia				
	Philippines United States of America	PICCS TSCA	Complia Complia				
	Taiwan	TCSCA	Complia				
REACh	status						
If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)							
Contact	Contact product.safety@lyb.com for additional global inventory information.						
16. OTHER INFORMATION Material safety datasheet sections which have been updated:							
Re	Revised Section(s): 15 16						
HN		Health Hazard: 0 Flammability: 1 Physical hazards:	0	0 1 0			
NF		Health Hazard: 0 Fire Hazard: 1 Instability: 0		0 0			
Fu	Further information						
	HMIS rating scale (0 = minimal hazard; 4 = severe hazard) NFPA rating scale (0 = minimal hazard; 4 = severe hazard)						
	Disclaimer						
		12 / 13					

	(+) 18816996168						
	Ponciplastics.com						
SAFETY DATA SHEET		lyondellbasell					
Moplen RP348SK		Gen. Variant: SDS_US_GHS					
Version 1.1 Revision Date 10/01/2019 Print Date 01/04/2022 SDS No.: BE3259							
Disclaimer							
Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.							
In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.							
<u>Numerical Data Presentation</u> The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.							
Language Translations The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.							
End of Material Safety Data Sheet							