	(+) 18	816996168		
SAFETY DATA SHEET	Poncip	lastics.com	l	
SAFELY DATA SHEET			Iyo	ndellbase
Softell DKG 250N NAT	URAL		Gen. \	Variant: SDS_US_GI
	e 10/02/2019	Print Date 0	1/07/2022	SDS No.: BE6
IDENTIFICATION OF THE SU	BSTANCE/MIX	TURE AND OF	ТНЕ СОМРА	NY/UNDERTAKING
Trade name		G 250N NATUR	RAL	
CAS Number: Chemical name	: Mixture	ded polyolefin		
Synonyms		, Compounded	polymer	
Oynonyma	. Toryoicin		polymoi	
Identified uses		ure of plastic art conversion proce		ion molding, extrusio
Prohibited uses	: FDA Clas	s III medical dev	<i>i</i> ces; Europea	an class III medical
		Health Canada o		
		ons involving per iining medical a		intation into the body;
			phoatono	
Company Address		Company Te		
Equistar Chemicals, LP	000	Customer Ser		0232
LyondellBasell Tower, Suite 1221 McKinney St.	300	product.safety	@lyb.com	
P.O. Box 2583				
Houston Texas 77252-2583	5			
Emergency telephone num EQUISTAR 800-245-4532	<u>iber</u>			
E-mail address	· product sc	afety@lyb.com		
Responsible/issuing person	. product.se	alety wryb.com		
HAZARDS IDENTIFICATION				
GHS Classification				
Combustible dust				
Label elements				
Signal word	: Warning			
Hazard Statements				g further processing,
			ns, may form o	combustible dust
	concentra	ations in air.		
Other hazards				
		1 / 14		
		1 / 14		

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	
SAFEIT DATA SHEET		lyondellbasell
Softell DKG 250N NATU	RAI	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date 1		
No additional information ava	ilahla	
3. COMPOSITION/INFORMATION C	ON INGREDIENTS	
Mixtures		
Components	040.14	
Chemical name	CAS-No.	Weight %
Proprietary blend of polyolefinic polymers	Mixture	50.0 - 80.0 %
Contains: Additives, stabilizers	and fillers	
4. FIRST AID MEASURES		
General advice	: Take proper precautions to before attempting rescue ar	ensure your own health and safety nd providing first aid.
If inhaled	medical attention. In case of excessive inhalat during heating of this mater Obtain medical attention.	. If signs/symptoms continue, get ion of fumes that may be generated ial, move the person to fresh air. ssary give Cardio-Pulmonary
In case of skin contact	large amounts of water to c Do not attempt to peel polyn skin.	the skin, immediately flush with ool the affected tissue and polymer. mer from skin as this will remove the cy medical attention if burn is deep
In case of eye contact	: Flush eyes thoroughly with medical attention if discomf	water for several minutes and seek ort persists.
	minutes.	ith cool running water for at least 15 attempt to remove the material
If swallowed	: Adverse health effects due	to ingestion are not anticipated.
	2 / 14	
	_,	

(+) 18816996168 Ponciplastics.com SAFETY DATA SHEET lvondellbase Gen. Variant: SDS US GHS Softell DKG 250N NATURAL Revision Date 10/02/2019 Version 1.2 Print Date 01/07/2022 SDS No.: BE6389 Notes to physician Symptoms Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing. Hazards Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns. Treatment Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media : SMALL FIRE: Use dry chemical, CO2, or water spray. : LARGE FIRES: Use water spray hose nozzles from a safe location. Unsuitable extinguishing : None known. media Specific hazards during fire Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be fighting produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Special protective equipment Wear approved positive pressure self-contained breathing for fire-fighters apparatus and firefighter protective clothing. Further information Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzles. Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out. 3/14

SAFETY DATA SHEET Softell DKG 250N NATURAL Version 1.2 Revision Date 10/02/2019 Accidental Release Measures Personal precautions Personal precautions Equip re equipme Avoid g Avoid d with cor Potentia Polyme surfaces Environmental precautions Con land, vacuum On wate solid. All recov transport applicab engineer	emergency responders with proper personal protective enent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). fal combustible dust hazard. er particles create slipping hazard on hard smooth
/ersion 1.2 Revision Date 10/02/2019 ACCIDENTAL RELEASE MEASURES Personal precautions : Equip re Creates surface. Equip e equipme Avoid g Avoid d with cor Potentia Polyme surfaces Environmental precautions : Do not f Methods for containment / Methods for cleaning up : On land, vacuum On wate solid. All recov transport applicab engineer	Print Date 01/07/2022 SDS No.: BE63 responders with proper protection. s dangerous slipping hazard on any hard smooth amergency responders with proper personal protective tent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). fal combustible dust hazard. er particles create slipping hazard on hard smooth as. flush into surface water or sanitary sewer system. flush into surface water or sanitary sewer system. flush into surface water or sanitary sewer system. d, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
ersion 1.2 Revision Date 10/02/2019 ACCIDENTAL RELEASE MEASURES Personal precautions : Equip re Creates surface. Equip e equipme Avoid g Avoid d with cor Potentia Polyme surfaces Environmental precautions : Do not feature for containment / State of containment / State of containment / State of containment / State of containment / Methods for cleaning up : On land, Vacuum On wate solid. All recov transport applicab engineer	Print Date 01/07/2022 SDS No.: BE63 responders with proper protection. s dangerous slipping hazard on any hard smooth amergency responders with proper personal protective tent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). fal combustible dust hazard. er particles create slipping hazard on hard smooth as. flush into surface water or sanitary sewer system. flush into surface water or sanitary sewer system. flush into surface water or sanitary sewer system. d, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Personal precautions : Equip re Creates surface. Equip e equipme Avoid d with cor Potentia Polyme surfaces Environmental precautions : Do not fe Methods for containment / Methods for cleaning up : On land, vacuum On wate solid. All recov transport applicab engineer	s dangerous slipping hazard on any hard smooth emergency responders with proper personal protective enent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). al combustible dust hazard. er particles create slipping hazard on hard smooth es. flush into surface water or sanitary sewer system. d, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Personal precautions : Equip re Creates surface. Equip e equipme Avoid d with cor Potentia Polyme surfaces Environmental precautions : Do not fe Methods for containment / Methods for cleaning up : On land, vacuum On wate solid. All recov transport applicab engineer	s dangerous slipping hazard on any hard smooth emergency responders with proper personal protective enent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). al combustible dust hazard. er particles create slipping hazard on hard smooth es. flush into surface water or sanitary sewer system. d, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Creates surface. Equip e equipme Avoid g Avoid d with cor Potentia Polyme surfaces Environmental precautions : Do not f Methods for containment / Methods for cleaning up Solid. All recov transport applicab engineer	s dangerous slipping hazard on any hard smooth emergency responders with proper personal protective enent (PPE) generating dust. dispersal of dust in the air (i.e., clearing dust surfaces impressed air). al combustible dust hazard. er particles create slipping hazard on hard smooth es. flush into surface water or sanitary sewer system. d, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Methods for containment / Methods for cleaning up On wate solid. All recov transport applicab engineer	I, sweep/shovel into suitable disposal containers or using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Methods for cleaning up vacuum On wate solid. All recov transport applicab engineer	using equipment which avoids ignition risk. er, material is insoluble; collect and contain as any vered material should be packaged, labeled,
Additional advice : No cond	ble laws and regulations and in conformance with goo bring practices. Reclaim where possible.
	ditions to be specially mentioned.
Handling and storage	
Precautions for safe handling	
If conver handling concentr Avoid du Use dus dust acc Avoid ge presence hazard. Static dis	I is in a pellet form. rted to small particles during further processing, g, or by other means, may form combustible dust trations in air. ust accumulation in enclosed space. st collection systems designed per NFPA 654 to avoid cumulation. enerating dust; fine dust suspended in air and in the se of an ignition source is a potential dust explosion ischarge (spark), or other ignition sources, in high dus
	nents may ignite the dust and result in a dust
	4 / 14

 $(+)\,18816996168$

Ponciplastics.com

Softell DKG 250N NATURAL Gen. Variant: SDS_US_GHS	SAFETY DATA SHEE	т	Poncipia	astics.com		
Version 1.2 Revision Date 10/02/2019 Print Date 01/07/2022 SDS No.: BE63 explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should control of the processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10. Fire-fighting class : Polymer will burn but does not easily ignite. : Store in a dry location. Store away from excessive heat and away from storago and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from storago oxidizing agents. : Reep container closed to prevent contamination should be used to avoid excessive dust accumulation. Store away from excessive heat and away from storago oxidizing agents. : Reep container closed to prevent contamination should be used to avoid excessive dust accumulation. Store away from excessive heat and away from storago oxidizing agents. : Reep container closed to prevent contamination at handling. Process enclosures and adequate vertilation and handling. Process the build up of electrostatic charge. Specific end use(s) : See Section 1. : ExPOSURE CONTROLS/PERSONAL PROTECTION : Components : See Section 1. : See Section 1. : See Section 1.					iyonae	lidasel
Version 1.2 Revision Date 10/02/2019 Print Date 01/07/2022 SDS No.: BE63 explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (anthed) and bonded. All electrical equipment should be conductive and arounded (anthed) and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with scap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing. Processing, and Handling of Combustible Particulate Solds, for safe handling. Fire-fighting class : Polymer will burn but does not easily ignite. : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from storago coldizing agents. : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Ingredients with workplace control parameters Docupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information	Softell DKG 250N	VATUR	AL		Gen. Variant:	SDS_US_GHS
Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling. Combustible dusts. After handling, always wash hands thoroughly with scap and water. When bringing the material to processing temperatures appore may develop may condense in the exhaust ventilation. See section 10. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling. Of Combustible Particulate Solids, for safe handling. Fire-fighting class : Polymer will burn but does not easily ignite. Breading and containers : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive dust accumulation. Store away from excessive dust accumulation. Store away from excessive dust accumulation. Take measures to prevent contamination. Specific end use(s) : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Information Ingredients with workplace control parameters A				Print Date 01/0	07/2022 \$	SDS No.: BE6389
Handling of Combustible Particulate Solids, for safe handling. Fire-fighting class : Polymer will burn but does not easily ignite. : Polymer will burn but does not easily ignite. : Polymer will burn but does not easily ignite. Conditions for safe storage, including any incompatibilities : Store in a dry location. areas and containers : Store in a dry location. use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. Specific end use(s) : See Section 1. : EXPOSURE CONTROLS/PERSONAL PROTECTION control parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information			Electrostat Equipment grounded Metal cont should be All electric codes and combustibl After handl water. When bring may develo section 10. Refer to N	handling polyme (earthed) and bou ainers involved ir grounded and bo al equipment sho regulatory requir le dusts. ling, always wash ging the material op may condense FPA 654, Standa	er should be conduct inded. In the transfer of this onded. Jould conform to app ements for areas h in hands thoroughly to processing temp is in the exhaust ver rd for the Preventio	ctive and s material licable electric handling with soap and beratures vapors ntilation. See in of Fire and
: Polymer will burn but does not easily ignite. Conditions for safe storage areas and containers : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. Specific end use(s) : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information	Fire-fighting class		Handling o	f Combustible Pa	articulate Solids, for	
Conditions for safe storage, including any incompatibilities Requirements for storage areas and containers Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. Specific end use(s) : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION control parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information	i ne-nynnny ciass					
Requirements for storage areas and containers : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. Specific end use(s) : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information		:	Polymer w	ill burn but does	not easily ignite.	
areas and containers Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. Specific end use(s) : See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information	Conditions for safe sto	rage, inc	luding any	incompatibilitie	es	
: See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Ingredients with workplace control parameters Occupational Exposure Limits <u>Components</u> <u>CAS-No.</u> <u>Type</u> <u>Limit Value</u> <u>Basis</u> <u>Additional</u> <u>Information</u>		e :	Use good and handlin should be Store away oxidizing a Keep conta	housekeeping prang. Process encl used to avoid exa from excessive igents. ainer closed to pr	osures and adequa cessive dust accum heat and away fror revent contaminatio	te ventilation nulation. m strong on.
: See Section 1. EXPOSURE CONTROLS/PERSONAL PROTECTION ontrol parameters Ingredients with workplace control parameters Occupational Exposure Limits <u>Components</u> <u>CAS-No.</u> <u>Type</u> <u>Limit Value</u> <u>Basis</u> <u>Additional</u> <u>Information</u>	Specific end use(s)					
Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Revision Date Information		:	See Section	on 1.		
ontrol parameters Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Revision Date Information						
Ingredients with workplace control parameters Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Information	EXPOSURE CONTROLS/	PERSON	AL PROTE	CTION		
Occupational Exposure Limits Components CAS-No. Type Limit Value Basis Additional Revision Date Information	ontrol parameters					
Components CAS-No. Type Limit Value Basis Additional Revision Date Information	Ingredients with work	place con	trol param	eters		
Revision Date Information	Occupational Exposure	e Limits				
	Components CA	AS-No.	Туре	Limit Value	Basis	Additional
5 / 14					Revision Date	
5 / 14						
			5	/ 14		

(+) **18816996168**

Ponciplastics.com

SAFETY DATA SHEET

Softell DKG 250N NATURAL

Version 1.2 Revision Date 10/02/2019

Print Date 01/07/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE6389

Iyondellbasel

Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	3 mg/m3 respirable	US (ACGIH) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	15 mg/m3 total dust	US (OSHA) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and

processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified
	6 / 14

(+) 18816996168

FETY DATA SHEET	
	Ponciplastics.com
	lyondellbas
oftell DKG 250N NAT	
rsion 1.2 Revision Date	e 10/02/2019 Print Date 01/07/2022 SDS No.: E
	respirators.
Hand protection	: Wear gloves that provide thermal protection where there potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanic injury or other irritation to eyes due to airborne particles w may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment sl be based on an evaluation of the performance characteris of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using to facilities. Take off contaminated clothing and wash before reuse.
PHYSICAL AND CHEMICAL P Appearance Color	
Appearance	ROPERTIES : Pellets.
Appearance Color	ROPERTIES : Pellets. : Translucent to white
Appearance Color Odor	ROPERTIES : Pellets. : Translucent to white : Slight.
Appearance Color Odor Odor Threshold	ROPERTIES : Pellets. : Translucent to white : Slight. : No value available.
Appearance Color Odor Odor Threshold Flash point	ROPERTIES : Pellets. : Translucent to white : Slight. : No value available. : No Data Available. : The minimum explosive concentration (MEC) for polyme
Appearance Color Odor Odor Threshold Flash point Lower explosion limit	ROPERTIES
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit	ROPERTIES
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas)	 ROPERTIES Pellets. Translucent to white Slight. No value available. No Data Available. The minimum explosive concentration (MEC) for polyme varies according to particle size distribution. Not applicable. Polymer will burn but does not easily ignite.
Appearance Color Odor Odor Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas)	 ROPERTIES Pellets. Translucent to white Slight. No value available. No Data Available. The minimum explosive concentration (MEC) for polyme varies according to particle size distribution. Not applicable. Polymer will burn but does not easily ignite. Not considered an oxidizing agent.

 $(+)\,18816996168$

SAFETY DATA SHEET

	Ponciplastics.com
SAFETY DATA SHEET	Iyondellbasell
	R∆I Gen. Variant: SDS_US_GHS
Softell DKG 250N NATU	
Version 1.2 Revision Date 1	0/02/2019 Print Date 01/07/2022 SDS No.: BE6389
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Relative density	: >1
	(Water = 1)
Density	: > 1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
	: No Data Available.
Other Information	: No additional information available.

10. STABILITY AND REACTIVITY

Reactivity	: No known reactivity hazards.
i todoti iity	
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.

11. TOXICOLOGICAL INFORMATION

8 / 14

(+) 18816996168

	(1)10010330100
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasell
Softell DKG 250N NATUR	RAL Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date 10	0/02/2019 Print Date 01/07/2022 SDS No.: BE6389
Product Summary	See component summary.
Acute toxicity	
Acute oral toxicity	Not classified
Acute inhalation toxicity	Not classified
Acute dermal toxicity	Not classified
Skin corrosion/irritation	Not a skin irritant.
Serious eye damage/eye	Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	Not classified
Chronic toxicity	
Carcinogenicity	Not classified
	Not classified Not listed by IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	Not classified
Reproductive toxicity	
Effects on fertility / : Effects on or via lactation	Not classified
Effects on Development	Not classified
Target Organ Systemic	The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	Not applicable.
	9 / 14

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Softell DKG 250N NATU	
Version 1.2 Revision Date	10/02/2019 Print Date 01/07/2022 SDS No.: BE638
12. Ecological information	
Ecotoxicology Assessment	
Short-term (acute) aquatic	: Not classified
hazard Long-term (chronic) aquatic hazard	: Not classified
Persistence and degradability	
Biodegradability	: Not expected to be biodegradable.
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
	: No additional information available.
13. Disposal considerations	
Waste treatment methods	
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.

	(+) 18816					
SAFETY DATA SHEET	Ponciplas	tics.com		ndellbasell		
				1 111 11		
Softell DKG 250N NATURALGen. Variant: SDS_US_GHSVersion 1.2Revision Date 10/02/2019Print Date 01/07/2022SDS No.: BE6389						
	<i>102/2010</i>		1/01/2022			
	Deevela if re	:				
	Recycle if pos		N			
:	RCRA.	IS Classified	as a Non-haza	rdous Material by		
14. TRANSPORT INFORMATION						
Not regulated for transport						
15. REGULATORY INFORMATION						
13. REGULATOR T INFORMATION						
TSCA 12b						
No substances are subject to TSCA 12	2(b) export not	ification requ	irements.			
Significant New Use Rules (SNUR)						
No substances are subject to a Signific	cant New Use	Rule.				
SARA 302/304						
This product contains no known chem	icals regulated	under SAR	A 302/304.			
SARA 311/312						
Based upon available information, this hazards according to Section 311 & 3		ssified as th	e following hea	Ith and/or physical		
Combustible dust						
SARA 313						
This product contains no known chem	icals regulated	under SAR	A 313.			
State Reporting						
This material does not contain listed s birth defects, or other reproductive han 65 State Drinking Water and Toxic En However, LyondellBasell has not teste	rm that would re forcement Act.	equire warni	ng under the C	alifornia Proposition		
This product contains no known chem Know Act.	icals regulated	by New Jer	sey's Worker a	nd Community Right to		
	11 /	14				

	(+) 188169	96168				
	Ponciplast					
SAFETY DATA SHEET			lyondellbasell			
Softell DKG 250N NATURAL Gen. Variant: SDS_US_GHS						
Version 1.2 Revision Date 10/02/2019 Print Date 01/07/2022 SDS No.: BE6389						
No components are subject to the Ma	ssachusetts Rid	nt to Know	Act.			
This product contains the following ch	-					
1314-13-2 Zinc Oxide	0					
Other international regulations						
Global Inventory Status						
The ingredients of this product are co	mpliant with the	following c	hemical inventory requirements or			
exemptions. *Additional Explanatory Statu	e Statemente fell	ow the tab				
	s Statements ion		ie, as necessary.			
Country/Region	Inventory	Status	Description			
Australia	AICS	Complia				
Canada	DSL	Complia	ant			
China	IECSC	Complia				
Europe	REACH		ACH Compliance Statement			
Japan	ENCS	Complia	ant			
Korea	KECI	Complia				
New Zealand	NZIoC	Complia	ant			
Philippines	PICCS	Complia	ant			
United States of America	TSCA	Complia	ant			
Taiwan	TCSCA	Complia	ant			
REACh status If the product has been purchased fro registered in the European Union, we registered under REACh, in accordan 1907/2006) Contact product.safety@lyb.com for a	confirm that all s ce with the dead	substances lines set fo	in this preparation have been orth in REACh. (Regulation (EU) No.			
16. OTHER INFORMATION Material safety datasheet sections which have been updated:						
Revised Section(s): 15 16						
HMIS Classification :	Health Hazard: (Flammability: 1	0	0 1 0			
	12 / 1	4				

 $(+)\,18816996168$

Ponciplastics.com

SAFETY DATA SHEET vondellbase Gen. Variant: SDS US GHS Softell DKG 250N NATURAL Revision Date 10/02/2019 Version 1.2 Print Date 01/07/2022 SDS No.: BE6389 Physical hazards: 0 Health Hazard: 0 Flammability: 1 NFPA Classification : Health Hazard: 0 Fire Hazard: 1 11 Instability: 0 Health Hazard: 0 00 00 Fire Hazard: 1 Instability: 0 **Further information** HMIS rating scale (0 = minimal hazard; 4 = severe hazard) NFPA rating scale (0 = minimal hazard; 4 = severe hazard)

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet				
13 / 14				

(+)18816996168	
Ponciplastics.com	
TOHOTPTUSCICS. COM	

SAFETY	DATA	SHEET

Version 1.2

Revision Date 10/02/2019

