	(+) 18816996168 nciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		nciplastics, com	lyondellbasel
Softell TKG 2039N E2 C	12A65		Gen. Variant: SDS_AT
Version 1.0 Revision Date	08/09/202	21 Print Date 01	/07/2022 SDS No.: BE4298
 Identification of the substance/i Indentification of the substance/i Trade name Synonyms Substance name Relevant identified uses of the 	: Softell : Polyole : Compo	TKG 2039N E2 C12A6 efin, Compounded poly punded polyolefin	65 /mer
Identified uses			s by injection molding, extrusion
	or othe	er conversion process.	-
Prohibited uses	devices Applica	s; Health Canada class	nent implantation into the body;
Company Basell Sales & Marketing Compar Delftseplein 27E 3013 AA Rotterdam Netherlands	ny B.V.	Registration num NA	nber Telephone 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	product.s	safety@lyb.com	
1.4 Emergency telephone number	ſ		
Basell Sales & Marketing Compan	y B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days			
2. Hazards identification			
2.1 Classification of the substance	e or mixtu	ure	
		1 / 16	



according to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021 Print Date 01/07/2022

SDS No.: BE42982

lyondellbasell

Gen. Variant: SDS AT

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

3. Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Weight %
Proprietary blend of polyolefinic polymers	Mixture		50.0 - 80.0 %

Contains: Additives, stabilizers and fillers

4. First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
lf inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.
	2 / 16




SAFETY DATA SHEET	Ponciplastics.com 1907/2006
according to Regulation (EC) No.	
Version 1.0 Revision Dat	
	Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)
In case of skin contact	 If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
In case of eye contact	 Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 15 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.
If swallowed	: Adverse health effects due to ingestion are not anticipated.
4.2 Most important symptoms an	nd effects, both acute and delayed
Symptoms	: Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
4.3 Indication of any immediate	medical attention and special treatment needed
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
5. Fire-fighting measures 5.1 Extinguishing media	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	3 / 16

	(+) 18816996168 Ponciplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 1		lyondellbasell
Softell TKG 2039N E2 C		Gen. Variant: SDS_AT
Version 1.0 Revision Date	e 08/09/2021 Print Date 01/	/07/2022 SDS No.: BE42982
Unsuitable extinguishing	: LARGE FIRES:Use water spray hose nozzle: None known.	s from a safe location.
media 5.2 Special hazards arising from t	the substance or mixture	
Specific hazards during fire fighting	 Keep away from heat and sou In case of fire hazardous dece produced such as: Carbon monoxide, carbon dic hydrocarbons (smoke). 	omposition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive press apparatus and firefighter prote	
Further information	flammable vapors. Move containers from fire are Evacuate immediately in the container pressure relief devic Always stay away from tanks	kcal/kg with hose lines or monitor ompose polymer, and generate a if it can be done without risk. event of opening of storage ces or discoloration of container. engulfed in fire. of storage containers involved in
6. Accidental release measures 6.1 Personal precautions, protecti	ive equipment and emergency	nrocedures
Personal precautions	: Equip responders with proper Creates dangerous slipping h surface.	protection.
	4 / 16	



lvondellbasell according to Regulation (EC) No. 1907/2006 Gen. Variant: SDS AT Softell TKG 2039N E2 C12A65 Print Date 01/07/2022 Version 1.0 Revision Date 08/09/2021 SDS No.: BE42982 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces. 6.2 Environmental precautions Environmental precautions : Do not flush into surface water or sanitary sewer system. 6.3 Methods and materials for containment and cleaning up Methods for containment / : On land, sweep/shovel into suitable disposal containers or Methods for cleaning up vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. 7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling : Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling 5/16



8.1 Control parameters

Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

according to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021

Print Date 01/07/2022

SDS No.: BE42982

lyondellbasell

Gen. Variant: SDS AT

Materials that can	TWA	3 mg/m3	US (ACGIH)
be formed when		respirable	2005
handling this			
product: Non-			
specified (inert or			
nuisance) dust			

(+) **18816996168** Ponciplastics.com

Consult local authorities for acceptable exposure limits.

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection :	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection :	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection :	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection :	Wear suitable protective clothing.
	7 / 16

	(+) 18816996168				
	Ponciplastics.com				
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006 Iyondellbasell				
Softell TKG 2039N E2					
	e 08/09/2021 Print Date 01/07/2022 SDS No.: BE42982				
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. 				
Environmental exposure co	ntrols				
General advice	: See section 6.				
 Physical and chemical proper Information on basic physica Appearance 					
Color	: black				
Odor	: Slight.				
Flash point	: No Data Available.				
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.				
Upper explosion limit	: Not applicable.				
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.				
Oxidizing properties	: Not considered an oxidizing agent.				
Autoignition temperature	: > 300 °C				
Decomposition temperature	: not determined				
Melting point/range	: 50 - 170 °C				
8 / 16					
1					

	(+) 18816996168				
	Ponciplastics.com				
SAFETY DATA SHEET	lvoodellbase				
Softell TKG 2039N E2					
Version 1.0 Revision Da	Date 08/09/2021 Print Date 01/07/2022 SDS No.: BE429				
Boiling point/boiling range	: Not applicable.				
Vapor pressure	: Not applicable.				
Density	: > 1 g/cm3				
Water solubility	: Insoluble.				
Partition coefficient: n- octanol/water	: No Data Available.				
Viscosity, dynamic	: Not applicable.				
Relative vapor density	: Not applicable.				
Evaporation rate	: Not applicable.				
Explosive properties	: No Data Available.				
9.2 Other information					
Other information	: No additional information available.				
10. Stability and reactivity					
10.1 Reactivity					
No known reactivity hazards.					
10.2 Chemical stability					
Stable under normal condition					
10.3 Possibility of hazardous re					
Hazardous reactions	: Will not occur.				
10.4 Conditions to avoid					
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.				
10.5 Incompatible materials					
Materials to avoid	: Material may be softened by some hydrocarbons.				
	9 / 16				

SAFETY DATA SHEET according to Regulation (EC) No. 1	(+) 18816996168 Ponciplastics.com 907/2006
Softell TKG 2039N E2 C	Gen. Variant: SDS_AT
Version 1.0 Revision Date	• 08/09/2021 Print Date 01/07/2022 SDS No.: BE42982
10.6 Hazardous decomposition p Hazardous decomposition products Thermal decomposition	 roducts Not expected to decompose under normal conditions. Note: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
11. Toxicological information	
11.1 Information on toxicological	effects
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
	10 / 16

	(+) 18816996168 Ponciplastics.com	3
SAFETY DATA SHEET	Ponciplastics.com	lyondellbasell
according to Regulation (EC) No. 1	907/2006	
Softell TKG 2039N E2 C Version 1.0 Revision Date		Gen. Variant: SDS_A1
Effects on fertility / Effects on or via lactation	: Not classified	
Effects on Development	: Not classified	
Target Organ Systemic Toxic	cant - Single exposure	
	: The substance or mixture is organ toxicant, single expo	s not classified as specific target sure.
Target Organ Systemic Toxic	cant - Repeated exposure	
	: The substance or mixture is organ toxicant, repeated ex	s not classified as specific target (posure.
Aspiration hazard	: Not applicable.	
 Ecological information Ecotoxicology Assessment Short-term (acute) aquatic hazard Long-term (chronic) 	: Not classified : Not classified	
aquatic hazard 12.2 Persistence and degradabili		
Biodegradability	: Not expected to be biodegr	adable.
12.3 Bioaccumulative potential		
Bioaccumulation	: This material is not expected	ed to bioaccumulate.
12.4 Mobility in soil		
Mobility	: no data available	
	11 / 16	
1		

SAFETY DATA SHEET according to Regulation (EC) No. 190	(+) 18816996168 Ponciplastics.com			
Softell TKG 2039N E2 C1	1 1 111 11			
Version 1.0 Revision Date 0				
12.5 Results of PBT and vPvB asses Result :	sment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).			
12.6 Other adverse effects				
Environmental fate and : pathways	This material is not volatile and insoluble in water.			
12.7 Other information				
Additional ecological : information	Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.			
13. Disposal considerations				
13.1 Waste treatment methods				
Product :	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.			
14. Transport information				
Not regulated for transport				
12 / 16				



SAFETY DATA SHEET Laccording to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021

Print Date 01/07/2022

SDS No.: BE42982

lyondellbasell

Gen. Variant: SDS AT

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Annex XVII

This product contains an ingredient listed in Annex XVII of the REACH Regulation 1907/2006/EC.

Component	CASRN	Remarks
Octamethylcyclotetrasiloxan	556-67-2	Use restricted. See item 70.

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant



according to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021

Print Date 01/07/2022

SDS No.: BE42982

lyondellbasell

Gen. Variant: SDS AT

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

First Edition Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ACGIH BEIs - American Conference of Governmental Industrial Hygienists Biological Exposure Indices ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AICS - Australian Inventory of Chemical Substances ASTM - American Society for Testing and Materials **BEL - Biological Exposure Limits** BTEX - Benzene, Toluene, Ethylbenzene, Xylenes CAS - Chemical Abstracts Service **CEFIC - European Chemical Industry Council** CLP - Classification Packaging and Labelling COC - Cleveland Open-Cup CS - Consumer Scenario DIN - Deutsches Institut für Normung DN(M)EL - Derived No (Minimal) Effect Level DSL - Canada Domestic Substance List EC - European Commission EC50 - Median Effective Concentration ECETOC - European Center on Ecotoxicology and Toxicology of Chemicals ECHA - European Chemicals Agency EL50 - Effective Loading fifty ELINCS - EHR-Lab Interoperability and Connectivity Specification ENCS - Japanese Existing and New Chemical Substances Inventory ERC - Environmental Release Category EUSES - European Union System for the Evaluation of Substances EWC - European Waste Code GHS - Globally Harmonized System of Classification and Labelling of Ch IARC - International Agency for Research on Cancer IATA - International Air Transport Association



according to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021

Print Date 01/07/2022

SDS No.: BE42982

lyondellbasell

Gen. Variant: SDS_AT

IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG - International Maritime Dangerous Goods **IECSC** - Chinese Chemicals Inventory **IOELV - Indicative Occupational Exposure Limit Values** IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics **DMSO-extractables KECI - Korea Existing Chemicals Inventory** Koc - Organic Carbon/Water Partition Coefficient LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN_DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average **UN - United Nations** vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient

according to Regulation (EC) No. 1907/2006

Softell TKG 2039N E2 C12A65

Version 1.0

Revision Date 08/09/2021

Print Date 01/07/2022

SDS No.: BE42982

lvondellbasel

Gen. Variant: SDS AT

Disclaimer

(+) **18816996168** Ponciplastics.com

shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet