IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Trade name : Softell TKG 317NU NATL CAS Number: : Mixture Chemical name : Compounded polyolefin Synonyms : Polyolefin, Compounded polymer Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses : FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Company Telephone Equistar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 product.safety@lyb.com 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 : product.safety@lyb.com E-mail address : product.safety@lyb.com			(+) 18816996168	
Softell TKG 317NU NATL Eve. Variant: SDS_US_GP. ension 1.2 Revision Date 10/01/201 Print Date 01/07/202 SDS No.: BE9 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANYUNDERTAKING Trade name ::::::::::::::::::::::::::::::::::::			Ponciplastics.com	
Trade name Softel U(01/2019 Print Date 01/07/2022 SDS No.: BE9 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANYUNDERTAKING Trade name Softell TKG 317NU NATL CAS Number: Mixture Chemical name Softell TKG 317NU NATL Synonyms Polyolefin, Compounded polyolefin Synonyms Polyolefin, Compounded polyolefin Identified uses Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Prohibited uses FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Prohibited uses Eromany Address Equisiter (Steppone number) EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Compustible dust : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	AFEIT DATA SHEET			' iyondelibase
ersion 1.2 Revision Date 10/01/2019 Print Date 01/07/2022 SDS No.: BE9 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Trade name :: Sofiell TKG 317NU NATL. CAS Number: :: Mixture Chemical name :: Sofiell TKG 317NU NATL. CAS Number: :: Mixture Chemical name :: Sofiell TKG 317NU NATL. CAS Number: :: Mixture Chemical name :: Polyclefin, Compounded polymer Identified uses :: Polyclefin, Compounded polymer Identified uses :: POA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Prohibited uses :: FDA Class III medical devices; European class III medical devices; Canpany Telephone Equistar Chemicals, LP LyondellBasell Tower, Suite 300 T7224 McKinney St. P.O. Box 2563 : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Compossible/issuing person : f small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	oftell TKG 317NU N	ATL		Gen. Variant: SDS_US_GH
Trade name :: Softell TKG 317NU NATL. CAS Number: :: Mixture Chemical name :: Compounded polyolefin. Synonyms :: Polyolefin, Compounded polymer Identified uses :: Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses :: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Company Telephone Equisitar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 Customer Service 888 777-0232 P.O. Box 2583 Polyotelphone number EQUISTAR 800-245-4532 : E-mail address : product.safety@lyb.com Responsible/issuing person : HAZARDS IDENTIFICATION GHS Classification Combustible dust : Label elements : Signal word : !! small particles are generated during further processing, handing or by other means, may form combustible dust concentrations in air. Other hazardS : !! <td></td> <td></td> <td></td> <td>1/07/2022 SDS No.: BE9</td>				1/07/2022 SDS No.: BE9
CAS Number: : Mixture Chemical name : Compounded polyolefin Synonyms : Polyolefin, Compounded polymer Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses : FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Equistar Chemicals, LP LyondeliBaseil Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.				
CAS Number: : Mixture Chemical name : Compounded polyolefin Synonyms : Polyolefin, Compounded polymer Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses : FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Equistar Chemicals, LP LyondeliBaseil Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	IDENTIFICATION OF THE S	UBST	ANCE/MIXTURE AND OF	THE COMPANY/UNDERTAKING
Chemical name : Compounded polynefin Synonyms : Polyolefin, Compounded polymer Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses : FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2683 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.		:	Softell TKG 317NU NATL	-
Synonyms : Polyölefin, Compounded polymer Identified uses : Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses : FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Equisitar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Company Telephone Houston Texas 77252-2583 Company @lyb.com Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/rissuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust : : Label elements : : Signal word : : ! Hazard Statements : : : Cother hazards : : !		:		
Identified uses Manufacture of plastic articles by injection molding, extrusion or other conversion process. Prohibited uses FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Company Telephone Equistar Chemicals, LP Company Telephone LyondellBasell Tower, Suite 300 Company Telephone 121 McKinney St. P.O. Box 2683 Houston Texas 77252-2583 Company Elephone number EQUISTAR 800-245-4532 Errail address E-mail address : product.safety@lyb.com Responsible/issuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Gmbustible dust : ff small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : df small particles are generated during further processing, handling or by other means, may form combustible dust		÷		n al un an
r other conversion process. The second secon	Synonyms	•	Polyoletin, Compounded	polymer
devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications Company Address Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Company Telephone Customer Service 888 777-0232 product.safety@lyb.com Emergency telephone number EQUISTAR 800-245-4532 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust : fsmall particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : fsmall particles in air.	Identified uses	:		
Applications involving permanent implantation into the body: Life-sustaining medical applications Company Address Company Telephone Equistar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 Diatomer Service 888 777-0232 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 Ernail address E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : f small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards	Prohibited uses	:		
Life-sustaining medical applications Company Address Equistar Chemicals, LP LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing. handling or by other means, may form combustible dust Concentrations in air. Other hazards				
Company Address Company Telephone Equistar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 product.safety@lyb.com 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Feregency telephone number EQUISTAR 800-245-4532 product.safety@lyb.com E-mail address product.safety@lyb.com Responsible/issuing person product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust Varning Hazard Statements I fismall particles are generated during further processing. handling or by other means, may form combustible dust Other hazards Other hazards				
Equistar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 For the service 888 777-0232 Houston Texas 77252-2583 product.safety@lyb.com Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : Wter hazards			Lite-sustaining medical a	pplications
Equistar Chemicals, LP Customer Service 888 777-0232 LyondellBasell Tower, Suite 300 1221 McKinney St. P.O. Box 2583 For the service 888 777-0232 Houston Texas 77252-2583 product.safety@lyb.com Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : Wter hazards	Company Address		<u>Company Te</u>	lephone
1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards			Customer Ser	rvice 888 777-0232
P.O. Box 2583 Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards		e 300	product.safety	/@lyb.com
Houston Texas 77252-2583 Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust Concentrations in air. Other hazards				
Emergency telephone number EQUISTAR 800-245-4532 E-mail address : product.safety@lyb.com Responsible/issuing person : product.safety@lyb.com HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : Vertices in air.		83		
Responsible/issuing person HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards :		<u>mber</u>		
HAZARDS IDENTIFICATION GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	E-mail address	:	product.safety@lyb.com	
GHS Classification Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards	Responsible/issuing person	1		
Combustible dust Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards	HAZARDS IDENTIFICATION			
Label elements Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.	GHS Classification			
Signal word : Warning Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards : Warning	Combustible dust			
Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Other hazards	Label elements			
handling or by other means, may form combustible dust concentrations in air.	Signal word	:	Warning	
handling or by other means, may form combustible dust concentrations in air.	Hazard Statements	:	If small particles are ge	nerated during further processing.
			handling or by other mea	
1 / 13	Other hazards			
			1 / 13	

	(+) 18816996168	
SAFETY DATA SHEET	Ponciplastics.com	
SAFEIT DATA SHEET		lyondellbasell
Softell TKG 317NU NAT		Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date 1		
No additional information ava	ilable.	
3. COMPOSITION/INFORMATION C	ON INGREDIENTS	
Mixtures Components		
Chemical name	CAS-No.	Weight %
Proprietary blend of polyolefinic	Mixture	50.0 - 80.0 %
polymers		
Contains: Additives, stabilizers	and fillers	
4. FIRST AID MEASURES		
General advice	· Take proper precautions to	ensure your own health and safety
	before attempting rescue ar	
If inhaled	medical attention.	. If signs/symptoms continue, get
		ion of fumes that may be generated ial, move the person to fresh air.
	Obtain medical attention. Keep person warm, if neces	ssary give Cardio-Pulmonary
	Resuscitation (CPR)	
In case of skin contact	· If molten material contacts t	the skin, immediately flush with
	large amounts of water to c	ool the affected tissue and polymer. mer from skin as this will remove the
	skin.	
	or extensive.	cy medical attention if burn is deep
In case of eye contact	: Flush eyes thoroughly with medical attention if discomf	water for several minutes and seek ort persists.
	: In case of eye contact with	molten polymer:
	-	ith cool running water for at least 15
	Beyond flushing, DO NOT a	attempt to remove the material
	adherent to the eye(s). Immediately seek medical a	attention.
If swallowed	: Adverse health effects due	to ingestion are not anticipated.
	2 / 13	

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Softell TKG 317NU NAT	L Gen. Variant: SDS_US_GHS
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
FIRE-FIGHTING MEASURES	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
	3 / 13

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
Softell TKG 317NU NA Version 1.2 Revision Date	
. ACCIDENTAL RELEASE MEAS	SURES
Personal precautions	: Equip responders with proper protection.
	Creates dangerous slipping hazard on any hard smooth surface.
	Equip emergency responders with proper personal protective equipment (PPE)
	Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces
	with compressed air). Potential combustible dust hazard.
	Polymer particles create slipping hazard on hard smooth
	surfaces.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment /	: On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.
Methods for cleaning up	On water, material is insoluble; collect and contain as any solid.
	All recovered material should be packaged, labeled,
	transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good
	engineering practices. Reclaim where possible.
. Handling and storage	
Precautions for safe handlin	-
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust
	concentrations in air. Avoid dust accumulation in enclosed space.
	Use dust collection systems designed per NFPA 654 to avoid dust accumulation.
	Avoid generating dust; fine dust suspended in air and in the
	presence of an ignition source is a potential dust explosion hazard.
	Static discharge (spark), or other ignition sources, in high dus environments may ignite the dust and result in a dust
	explosion Electrostatic charge may build during conveying or handling.
	Equipment handling polymer should be conductive and
	4 / 13

		(+) 188	16996168		
		Poncip1:	astics.com		
SAFETY DATA S	HEEI			lyond	ellbasell
Softell TKG 317	νιινάτι			Gen. Variant	: SDS US GHS
	vision Date 10		Print Date 0		 SDS No.: BE9707
Fire-fighting class	:	Metal cont should be All electric codes and combustibl After handl water. When bring may develo section 10. Refer to NI Dust Explo Handling o	grounded and al equipment s regulatory requ le dusts. ling, always wa ging the materi- op may conden FPA 654, Stand osions from the of Combustible	in the transfer of thi	blicable electric handling with soap and peratures vapors entilation. See on of Fire and cessing, and
		-			
Conditions for saf	-		-	ties	
areas and containe	 Requirements for storage areas and containers Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge. 				ate ventilation nulation. m strong on.
Specific end use(s		See Sectio	on 1.		
8. EXPOSURE CONTRO	OLS/PERSON	AL PROTE	CTION		
Ingredients with v	vorkplace cor	trol param	eters		
Occupational Exp	Occupational Exposure Limits				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
		5	/ 13		

$(+)\,18816996168$

Ponciplastics.com

SAFE	IY	DATA	SHEET	

lyondellbasell

Softell TKG 317NU NATL

Version 1.2 Revision Date 10/01/2019

Print Date 01/07/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE9707

Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	15 mg/m3	US (OSHA)	
be formed when		total dust	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	5 mg/m3	US (OSHA)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

(+) 18816996168

AFETY DATA SHEET	Ponciplastics.com			
ersion 1.2 Revision Date				
	injury or other irritation to eyes due to airborne particles which may result from handling this product.			
Skin and body protection	: Wear suitable protective clothing.			
Hygiene measures	 Selection of appropriate personal protective equipment shoul be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. 			
PHYSICAL AND CHEMICAL P Appearance Color	ROPERTIES : Pellets. : Translucent to white			
Odor	: Slight.			
Odor Threshold	: No value available.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer du varies according to particle size distribution.			
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.			
Oxidizing properties	: Not considered an oxidizing agent.			
Autoignition temperature	: > 300 °C			
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
Vapor pressure	: Not applicable.			
Density	: >1 g/cm3			
Water solubility	: Insoluble.			

SAFETY DATA SHEET Softell TKG 317NU NA ⁻ Version 1.2 Revision Date			
/ersion 1.2 Revision Date	TL Gen. Variant: SDS_US_GHS		
/ersion 1.2 Revision Date			
Dartition apofficient, n			
Destition coefficients n			
Partition coefficient: n- octanol/water	: No Data Available.		
Viscosity, dynamic	: Not applicable.		
Relative vapor density	: Not applicable.		
Evaporation rate	: Not applicable.		
Explosive properties	: No Data Available.		
Other Information	: No additional information available.		
D. STABILITY AND REACTIVITY			
Reactivity	: No known reactivity hazards.		
Chemical stability	: Stable under normal conditions.		
Hazardous reactions	: Will not occur.		
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.		
Materials to avoid	: Material may be softened by some hydrocarbons.		
Hazardous decomposition	: Not expected to decompose under normal conditions.		
products Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
I. TOXICOLOGICAL INFORMAT	ION		
Acute toxicity			
Acute oral toxicity	: Not classified		
Acute inhalation toxicity	: Not classified		
Acute dermal toxicity	: Not classified		
Skin corrosion/irritation	: Not a skin irritant.		
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.		
	8 / 13		

	(+) 188	16996168		
SAFETY DATA SHEET	Poncip1	astics.com	lvoodollbacoll	
			lyondellbasell	
Softell TKG 317NU NA			Gen. Variant: SDS_US_GHS	
Version 1.2 Revision Date	10/01/2019	Print Date 01/07/2	2022 SDS No.: BE9707	
Respiratory or skin sensitization	: Not classif	fied		
Chronic toxicity				
Component Name	NTP	IARC	OSHA	
Carbon Black		2B	Present	
Carcinogenicity	: Not classif	fied		
	Not classif Not listed	fied by IARC, NTP, OSH	A or EPA.	
Germ cell mutagenicity	: Not classif	fied		
Reproductive toxicity				
Effects on fertility / Effects on or via lactation	: Not classif	fied		
Effects on Development	: Not classif	fied		
Target Organ Systemic Toxicant - Single exposure				
Target Organ Systemic Toxicant - Repeated exposure		ance or mixture is no cant, repeated expos	ot classified as specific target sure.	
Aspiration hazard	: Not applica	able.		
12. Ecological information				
Ecotoxicology Assessment				
Short-term (acute) aquatic hazard	: Not classif	ïed		
Long-term (chronic) aquatic hazard	: Not classif	ïed		
Persistence and degradability				
	9) / 13		

	(+) 18816996168
SAFETY DATA SHEET	Ponciplastics.com
	lyondellbasell
Softell TKG 317NU NAT	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date 1	0/01/2019 Print Date 01/07/2022 SDS No.: BE9707
Biodegradability	: Not expected to be biodegradable.
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their
13. Disposal considerations	intestinal tracts.
Waste treatment methods	
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
	: This material is classified as a Non-hazardous Material by RCRA.
14. TRANSPORT INFORMATION	
Not regulated for transport	
	10 / 13

1 2								
(1)	1	OC	1 (CC	10	CI	160	
(+)		OC	51	0:	າງ	0	100	5
. ,	-		-			-		

Ponciplastics.com

SAFETY DATA SHEET

Softell TKG 317NU NATL

Version 1.2

Revision Date 10/01/2019

Print Date 01/07/2022

.... Gen. Variant: SDS US GHS

Iyondellbase

SDS No.: BE9707

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act.

However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains the following chemicals regulated by New Jersey's Worker and Community Right to Know Act:

1333-86-4 Carbon Black

This product contains the following chemicals regulated by Massachusetts' Right to Know Law:

1333-86-4 Carbon Black

This product contains the following chemicals regulated by Pennsylvania's Right to Know Act:

1333-86-4 Carbon Black Zinc Oxide 1314-13-2

Other international regulations

11 / 13

(+) **18816996168**

Ponciplastics.com

Softell TKG 317NU NATL

SAFETY DATA SHEET

Version 1.2

Revision Date 10/01/2019

Print Date 01/07/2022

SDS No.: BE9707

Iyondellbase

.... Gen. Variant: SDS US GHS

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Contact product.safety@lyb.com for additional global inventory information.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 16

HMIS Classification

: Health Hazard: 0 Flammability: 1 Physical hazards: 0



12 / 13

